Supplement 29 APRIL 2002 ISSN 0022-328X

Journal of Organometallic Chemistry

THE 2001 ANNUAL INDEXES

ELSEVIER

On-line Access via:
www.elsevier.com/locate/jorganchem

JOURNAL OF ORGANOMETALLIC CHEMISTRY

Editors

R.D. Adams (*Columbia, SC, USA*)
G. Bertrand (*Toulouse, France*)
W.A. Herrmann (*Munich, Germany*)
G. van Koten (*Utrecht, The Netherlands*)*
G.J. Leigh (*Brighton, UK*)*
D.M.P. Mingos (*Oxford, UK*)
K. Tatsumi (*Nagoya, Japan*)

Emeritus Honorary Board

H.C. Brown (*Lafayette, IN, USA*)
F. Calderazzo (*Pisa, Italy*)
G.P. Chiusoli (*Parma, Italy*)
A.G. Davies (*London, UK*)
C. Eaborn (*Brighton, UK*)
E.O. Fischer (*Munich, Germany*)
R.B. King (*Athens, GA, USA*)
M. Kumada (*Osaka, Japan*)
P.M. Maitlis (*Sheffield, UK*)
A. Nakamura (*Osaka, Japan*)
J.F. Normant (*Paris, France*)
P.L. Pauson (*Glasgow, UK*)
M.D. Rausch (*Amherst, MA, USA*)
H. Sakurai (*Chiba, Japan*)
F.G.A. Stone (*Waco, TX, USA*)
M.G. Voronkov (*Irkutsk, Russian Federation*)
G. Wilke (*Mülheim/Ruhr, Germany*)

Editorial Board

D.A. Atwood (*Lexington KY, USA*)
I.P. Beletskaya (*Moscow, Russian Federation*)
M. Beller (*Rostock, Germany*)
T. Bitterwolf (*Moscow, ID, USA*)
M. Bochmann (*Norfolk, UK*)
H. Brunner (*Regensburg, Germany*)
U.H.F. Bunz (*Columbia, SC, USA*)
E. Carmona (*Sevilla, Spain*)
M. Chaudret (*Toulouse, France*)
J.-T. Chen (*Taipei, Taiwan*)
R.J.P. Corriu (*Montpellier, France*)
F.A. Cotton (*College Station, TX, USA*)
A.H. Cowley (*Austin, TX, USA*)
Y. Do (*Daejoen, Korea*)
W.J. Evans (*Irvine, CA, USA*)
R.A. Fischer (*Bochum, Germany*)
C. Floriani (*Lausanne, Switzerland*)
M.L.H. Green (*Oxford, UK*)
M.G. Humphrey (*Canberra, Australia*)
G. Jaouen (*Paris, France*)
R.F. Jordan (*Chicago, IL, USA*)
H. Kurosawa (*Osaka, Japan*)
M.F. Lappert (*Brighton, UK*)
T.-Y. Luh (*Taipei, Taiwan*)
F. Mathey (*Palaiseau, France*)
K. Matsumoto (*Tokyo, Japan*)
B. Meunier (*Toulouse, France*)
E. Nakamura (*Tokyo, Japan*)
J. Okuda (*Mainz, Germany*)
G.F. Parkin (*New York, NY, USA*)
P.P. Power (*Davis, CA, USA*)
C. Raston (*Leeds, UK*)
H. Suzuki (*Tokyo, Japan*)
K. Tamao (*Kyoto, Japan*)
M. Tanaka (*Tsukuba and Yokohama, Japan*)
T.D. Tilley (*Berkeley, CA, USA*)
H. Werner (*Würzburg, Germany*)

* Denotes Subject Reviews Editor or Book Reviews Editor.

Aims and Scope

The *Journal of Organometallic Chemistry* publishes original papers, notes and subject reviews dealing with theoretical aspects, structural chemistry, synthesis, physical and chemical properties including reaction mechanisms, and practical applications, of organoelement compounds in a sense corresponding essentially to Section 29 ("Organometallic and Organometalloidal Compounds") of *Chemical Abstracts*.

Papers on the following classes of compounds will be considered for publication:

(a) Compounds containing at least one direct bond between carbon and other elements excluding H, N, O, halogens and noble gases. Borderline cases can be expected among certain compounds containing S; these will be considered but not encouraged, and will be judged on their own merits. Carbonates and carbides will be excluded, as will also organometallic compounds in which the metal has no significant role.

(b) Metal hydrides and carbonyls.

(c) Metallocenes and similar complexes.

(d) In exceptional cases, compounds containing no direct carbon-metal (or -metalloid) bond in the sense as described in (a) but which exhibit distinct organometallic character.

(e) New uses of compounds mentioned under (a)–(d) in synthetic organic chemistry, with the exclusion of their use for well-known routine purposes.

(f) Papers consisting wholly or mainly of reports of spectroscopic data (including fragmentation patterns from mass spectral studies) will be accepted only if the interpretation of such data has clear general implications.

Publication information: *Journal of Organometallic Chemistry* (ISSN 0022-328X). For 2002, volumes 641–664 are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.com/locate/jorganchem). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (http://www.elsevier.com). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, Claims, and Product Enquiries
(no manuscript enquiries)
Please contact the Customer Support Department at the Regional Sales Office nearest you:

New York, Elsevier Science, P.O. Box 945, New York, NY 10159-0945, USA. Tel. (+1)212-633-3730. [Toll free number for North American customers: 1-888-4ES-INFO (437-4636)]. Fax (+1)212-633-3680. e-mail usinfo-f@elsevier.com

Amsterdam, Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Tel. (+31)20-485-3757. Fax (+31)20-485-3432. e-mail nlinfo-f@elsevier.nl

Tokyo, Elsevier Science, 9–15 Higashi-Azabu, 1-chome Minato-ku, Tokyo 106, Japan. Tel. (+81)3-5561-5033. Fax (+81)3-5561-5047. e-mail info@elsevier.co.jp

Singapore, Elsevier Science, No. 1 Temasek Avenue #17-01 Millenia Tower, Singapore 039192. Tel. (+65)434-3727. Fax (+65)337-2230. e-mail info@elsevier.co.jp

Rio de Janeiro, Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro-RJ, Brazil. Tel.: (+55) (21) 509 5340. Fax: (55) (21) 507 1991. E-mail: elsevier@campus.com.br
[Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

US mailing notice: *Journal of Organometallic Chemistry* (ISSN 0022-328X) is published biweekly by Elsevier Science B.V. (P.O. Box 2759, 1000 CT Amsterdam, The Netherlands). Annual subscription price in the USA is US$ 9210.— (valid in North, Central and South America), including air speed delivery. Periodical postage rate paid at Jamaica, NY 11431.

USA POSTMASTER: Send address changes to *Journal of Organometallic Chemistry*, Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003. **AIRFREIGHT AND MAILING** in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

Journal of Organometallic Chemistry

Supplement (2002)

Journal of Organometallic Chemistry

Supplement (2002)

Editors
R.D. Adams (*Columbia, SC, USA*)
G. Bertrand (*Toulouse, France*)
W.A. Herrmann (*Munich, Germany*)
G. van Koten (*Utrecht, The Netherlands*)*
G.J. Leigh (*Brighton, UK*)*
D.M.P. Mingos (*Oxford, UK*)
K. Tatsumi (*Nagoya, Japan*)

Emeritus Honorary Board
H.C. Brown (*Lafayette, IN, USA*)
F. Calderazzo (*Pisa, Italy*)
G.P. Chiusoli (*Parma, Italy*)
A.G. Davies (*London, UK*)
C. Eaborn (*Brighton, UK*)
E.O. Fischer (*Munich, Germany*)
R.B. King (*Athens, GA, USA*)
M. Kumada (*Osaka, Japan*)
P.M. Maitlis (*Sheffield, UK*)
A. Nakamura (*Osaka, Japan*)
J.F. Normant (*Paris, France*)
P.L. Pauson (*Glasgow, UK*)
M.D. Rausch (*Amherst, MA, USA*)
H. Sakurai (*Chiba, Japan*)
F.G.A. Stone (*Waco, TX, USA*)
M.G. Voronkov (*Irkutsk, Russian Federation*)
G. Wilke (*Mülheim/Ruhr, Germany*)

Editorial Board
D.A. Atwood (*Lexington KY, USA*)
I.P. Beletskaya (*Moscow, Russian Federation*)
M. Beller (*Rostock, Germany*)
T. Bitterwolf (*Moscow, ID, USA*)
M. Bochmann (*Norfolk, UK*)
H. Brunner (*Regensburg, Germany*)
U.H.F. Bunz (*Columbia, SC, USA*)
E. Carmona (*Sevilla, Spain*)
M. Chaudret (*Toulouse, France*)
J.-T. Chen (*Taipei, Taiwan*)
R.J.P. Corriu (*Montpellier, France*)
F.A. Cotton (*College Station, TX, USA*)
A.H. Cowley (*Austin, TX, USA*)
Y. Do (*Daejoen, Korea*)
W.J. Evans (*Irvine, CA, USA*)
R.A. Fischer (*Bochum, Germany*)
C. Floriani (*Lausanne, Switzerland*)
M.L.H. Green (*Oxford, UK*)
M.G. Humphrey (*Canberra, Australia*)
G. Jaouen (*Paris, France*)
R.F. Jordan (*Chicago, IL, USA*)
H. Kurosawa (*Osaka, Japan*)
M.F. Lappert (*Brighton, UK*)
T.-Y. Luh (*Taipei, Taiwan*)
F. Mathey (*Palaiseau, France*)
K. Matsumoto (*Tokyo, Japan*)
B. Meunier (*Toulouse, France*)
E. Nakamura (*Tokyo, Japan*)
J. Okuda (*Mainz, Germany*)
G.F. Parkin (*New York, NY, USA*)
P.P. Power (*Davis, CA, USA*)
C. Raston (*Leeds, UK*)
H. Suzuki (*Tokyo, Japan*)
K. Tamao (*Kyoto, Japan*)
M. Tanaka (*Tsukuba and Yokohama, Japan*)
T.D. Tilley (*Berkeley, CA, USA*)
H. Werner (*Würzburg, Germany*)

* Denotes Subject Reviews Editor or Book Reviews Editor.

ELSEVIER
Amsterdam — London — New York — Oxford — Paris — Shannon — Tokyo

Advertising information. Advertising orders and enquiries can be sent to: **USA, Canada and South America:** Mr Tino de Carlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA; phone: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan:** The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047. **Europe and ROW:** Rachel Leveson-Gower, The Advertising Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; phone: (+44) 1865 843565; fax: (+44) 1865 843976; e-mail: r.leveson-gower@elsevier.co.uk

Abstracting Organizations
Articles in this journal will be indexed and abstracted in Chemical Abstracts, Chemischer Informationsdienst, Current Abstracts of Chemistry and Index Chemicus, Current Contents, Physical, Chemical and Earth Sciences, Pascal (Centre de Documentation Scientifique et Technique), Research Alert™ and the Science Citation Index.

International Standard Serial Number 0022-328X

© 2002 Elsevier Science B.V. All rights reserved.

This journal and the individual contributions contained in it are protected by the copyright of Elsevier Science B.V., and the following terms and conditions apply to their use:

Photocopying
Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the Publisher and payment of a fee are required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale, and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.

In the USA, users may clear permissions and make payments through the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA; phone: (+1) (978) 7508400; fax: (+1) (978) 7504744, and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; phone: (+44) 20 7631 5555; fax: (+44) 20 7631 5500. Other countries may have a local reprographic rights agency for payments.

Derivative Works
Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the Publisher is required for resale or distribution outside the institution. Permission of the Publisher is required for all other derivative works, including compilations and translations.

Electronic Storage or Usage
Permission of the Publisher is required to store or use electronically any material contained in this journal, including any article or part of an article.

Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the Publisher.

Address permissions requests to: Elsevier Science Global Rights Department, at the mail, fax and e-mail addresses noted above.

Notice
No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of rapid advances in the medical sciences, independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

♾ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

Printed in The Netherlands

ELSEVIER

Supplement, 29 April 2002

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Cumulative Indexes of Volumes 617–640

Author Index 1

Subject Index 15

The Publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. Please refer to the online version of the Guide for Authors at http://www.elsevier.nl/locate/jorganchem

SCIENCE DIRECT™

Full text of this journal is available, on-line from **ScienceDirect**. Visit **www.sciencedirect.com** for more information.

CONTENTS Direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**

Now Available On

http://ChemWeb.com
The World Wide Club for the Chemical Community

http://chemweb.com/gateways/elsevier.html

Elsevier Science B.V.

ELSEVIER

Journal of Organometallic Chemistry, Supplement (2002) 1–14

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Cumulative Author Index of Volumes 617–640

Abd-Elzaher, M.M., **620** 165
Abdul Malik, K.M., **625** 112
Äbele, E., **634** 69
Abicht, H.-P., **622** 121
Abou Rida, M., **628** 1
Adams, H., **619** 209; **633** 125
Adams, R.D., **619** 271; **620** 303; **639** 1; **639** 514
Agarkov, A.Y., **619** 280
Agbossou, F., **626** 157
Agbossou-Niedercorn, F., **628** 114
Aguiar Ricardo, A., **626** 227
Ahlgrén, M., **623** 168; **640** 50
Ahmad, I., **625** 160
Ahmed, M.O., **629** 160
Ahmet, M., **639** 311
Aime, S., **622** 43
Aitali, M., **619** 265
Ait Itto, M.Y., **619** 265
Aitola, E., **640** 21
Ajioka, Y., **618** 601
Akasaka, T., **636** 63
Akita, M., **618** 254
Akkari, A., **622** 190
Akkari-El Ahdab, A., **636** 96
Alami, M., **624** 114; **624** 376
Albertin, G., **625** 217; **627** 99
Albert, J., **634** 83
Albrecht, M., **624** 271; **625** 77; **630** 281
Alcón, M.J., **634** 25
Alder, M.J., **629** 153
Aleksandrov, G.G., **636** 157
Alfonso, G., **620** 32
Alfredo Toscano, R., **631** 99
Alijah, A., **618** 435
Alimardanov, A.R., **630** 23
Al-Jahdali, M., **622** 228; **628** 91
Al-Juaid, S.S., **631** 76
Alkorta, I., **625** 148
Al-Ktaifani, M.M., **633** 143
Allan, G.M., **627** 189
Allen, C.W., **639** 284
Alley, S.R., **639** 216
Almagro, X., **623** 137
Almond, M.J., **640** 177
Alonso, B., **639** 642
Alt, H.G., **621** 304; **628** 169; **628** 211
Álvarez, C., **634** 5
Alvarez-Larena, A., **626** 139
Alvarez, S., **628** 241
Alvarez Toledano, C., **628** 107
Amardeil, R., **639** 126
Amatore, C., **624** 217
Amberger, H.-D., **622** 19
Amoedo, A., **623** 176
Amor, F., **621** 3
Amoroso, A.J., **635** 119
Ananikov, V.P., **627** 132; **636** 175
Anderson, C., **631** 164
Anderson, J.R., **627** 37
Ando, W., **636** 82
Andrés, R., **639** 182
Angeles Cubillo de Dios, M., **624** 69
Angelici, R.J., **621** 55
Angeloff, A., **624** 58
Anson, C.E., **630** 88
Ansorge, M., **630** 198
Antiñolo, A., **629** 54; **629** 68; **631** 151
Antipin, M.Y., **631** 1; **631** 47; **636** 3
Antonaroli, S., **631** 117
Antoniutti, S., **625** 217; **627** 99
Antoulinakis, E.G., **618** 47
Aparna, K., **618** 158
Apeloig, Y., **636** 148
Apostolidis, C., **622** 19
Apperley, D.C., **621** 254
Arancibia, V., **620** 32; **620** 256
Araos, G., **619** 1
Arıcı, C., **633** 27
Arce, A.J., **622** 43
Arif, A.M., **639** 172
Arjona, O., **627** 105
Arnanz, A., **631** 19
Arnold, F.P., Jr., **618** 647
Arnold, J., **639** 521
Arsenyan, P., **634** 69; **636** 26
Asai, T., **622** 302
Asao, N., **624** 136
Ascenso, J.R., **632** 17; **632** 58; **632** 164; **632** 197
Ashby, M.T., **628** 275
Asirvatham, V.S., **628** 275
Asselberghs, I., **619** 141; **633** 114; **639** 426; **639** 435
Ates, A., **624** 344
Atkinson, M.T., **633** 125
Atwood, D.A., **623** 185; **628** 71
Auer, H., **619** 110
Auffrant, A., **624** 124
Aullón, G., **628** 241
Aumann, R., **618** 322
Auner, N., **619** 132; **621** 10
Avarvari, A., **624** 105
Avent, A.G., **631** 76
Averbuj, C., **624** 26
Avilés, T., **625** 186; **626** 227; **632** 113
Avtomonov, E.V., **640** 21
Ayazi, A., **630** 263
Aznar, J., **622** 274

Bachman, R.E., **619** 321
Backer, M., **628** 233
Back, S., **619** 99; **620** 227; **621** 143; **625** 140; **633** 71
Bacsa, J., **629** 171
Baggio, R.F., **620** 32
Bagnoli, F., **622** 180
Baheti, K., **625** 195
Bailey, J.R., **623** 185
Bailey, P.J., **625** 236
Bain, A.D., **639** 372
Baines, K.M., **636** 130
Baird, M.C., **619** 62
Bai, Y., **639** 738; **639** 742
Bakalarski, G., **634** 198
Baker, P.K., **622** 228; **628** 91
Bakola-Christianopoulou, M., **618** 530
Balakrishna, M.S., **628** 76
Balavoine, G.G.A., **639** 364; **639** 531
Baldoli, C., **618** 376; **618** 399
Bandoli, G., **639** 710; **639** 772
Bannenberg, T., **618** 640
Bannwart, E., **622** 97
Bao, J., **631** 188
Barangé, F., **639** 531
Baratta, W., **618** 511
Barbarella, G., **636** 26
Barbaro, P., **621** 26
Barba, V., **622** 259
Barclay, T., **627** 80; **629** 83
Bardin, V.V., **631** 54
Barluenga, J., **624** 5
Barnes, C.E., **618** 561
Barrau, J., **622** 190; **636** 96
Barrett, T., **625** 236
Barrientos-Astigarraga, R.E., **623** 43
Baruah, J.B., **620** 90
Barucki, H., **622** 265
Barun, O., **624** 34
Barz, M., **621** 153
Bassindale, A.R., **619** 132; **620** 139
Basta, R., **639** 172
Bastero, A., **619** 287
Bastl, Z., **640** 170
Basu Baul, T.S., **633** 7
Bates, T.F., **625** 13
Batsanov, A.S., **631** 181; **634** 99; **639** 445
Battistella, M., **636** 172
Bauer, J.A.K., **629** 165
Baukov, Y.I., **620** 139
Baumann, W., **621** 89
Bäumer, U., **621** 261

PII: S0022-328X(02)01360-8

Baumgartner, J., **629** 208
Bazyakina, N., **628** 30
Beachley, O.T., Jr, **626** 59
Beari, F., **625** 208
Beauchemin, A., **618** 702
Beaudet, I., **624** 383
Becerra, R., **636** 49
Becker, R., **630** 253
Becker, T.M., **629** 165
Beckhaus, R., **618** 81
Beckmann, J., **626** 49; **633** 149; **636** 138
Beck, W., **621** 109
Bedford, R.B., **633** 173
Beer, P.D., **639** 89
Beilstein, A.E., **639** 398
Beletskaya, I.P., **619** 280; **622** 89; **627** 132; **629** 219; **636** 175; **639** 653
Bellabarba, R.M., **640** 93
Bellachioma, G., **628** 255
Bellassoued, M., **621** 284; **624** 186
Beller, M., **621** 70
Belli Dell'Amico, D., **622** 180
Belokon', A.I., **631** 9
Belsky, V.K., **619** 36
Belyakov, S., **636** 26
Bencze, É., **627** 55
Benedek, C., **622** 112
Bene, J.E.D., **629** 165
Benetollo, F., **629** 201
Benito, M., **619** 245; **622** 33
Bennett, M.A., **629** 7
Bentabet, E., **639** 126
Benvenuti, F., **622** 286
Bergman, R.G., **621** 242
Berke, H., **622** 97
Bernadou, J., **624** 58
Bernardinelli, G., **634** 136
Bernd, M., **628** 183
Bertani, R., **626** 11; **629** 201
Bezerra de Carvalho, A., **639** 631
Bezsoudnova, E.Y., **622** 38
Bhadbhade, M.M., **618** 709; **629** 160
Bhattacharyya, P., **623** 116
Biagini, G., **619** 49
Bianchini, C., **618** 233; **621** 26
Bierdeman, D.J., **633** 51
Biesemans, M., **634** 55
Bigliardi, L., **619** 179
Bildstein, B., **618** 28; **622** 135
Bilgin Eran, B., **620** 249
Bingham, A.L., **631** 125
Blacque, O., **634** 47
Blaeser, D., **636** 3
Blake, P.C., **636** 124
Blaser, H.-U., **621** 34
Blechta, V., **628** 81
Bleuel, E., **618** 502
Blitz, J.P., **631** 143
Blümel, J., **627** 44
Boche, G., **624** 47
Boese, R., **636** 3
Bögel, H., **619** 24
Böhme, U., **627** 144; **630** 139
Böhm, V.P.W., **618** 616
Bolm, C., **624** 157
Bolte, M., **639** 390
Bonini, B.F., **639** 407
Bordignon, E., **625** 217; **627** 99
Borisov, Y.A., **631** 9
Boschi, A., **639** 772
Bosl, G., **621** 352
Bosque, R., **625** 67; **634** 83
Böttcher, H.-C., **628** 144
Boucley, C., **624** 223
Bouquillon, S., **634** 153
Bouslikhane, M., **619** 275
BouzBouz, S., **624** 327; **634** 215; **634** 216
Boys, D., **619** 1; **620** 256
Bradshaw, J.D., **628** 241
Braga, A.L., **623** 131
Braga, D., **639** 609
Braga, S.S., **632** 11
Brand, M., **625** 208
Brar, A.S., **628** 262
Brauer, D.J., **626** 106; **630** 177
Braunschweig, H., **619** 305
Braunstein, P., **621** 218
Bredeau, S., **628** 30
Brendler, E., **630** 139
Brethon, A., **627** 239
Brissard, M., **639** 182
Britovsek, G.J.P., **618** 546
Broussier, R., **639** 126
Brown, H.C., **624** 239
Brown, S.M., **624** 344
Bruce, M.I., **639** 484
Bruhn, C., **622** 172
Brüll, R., **619** 164
Brüning, K., **633** 157
Brunner, H., **627** 139; **628** 39; **630** 169; **633** 1; **634** 47
Bryce, M.R., **639** 134; **639** 445
Bubnov, Y.N., **620** 51; **636** 3
Buchmeiser, M.R., **622** 6; **634** 39
Budnikova, Y.H., **630** 185
Buffon, R., **625** 101
Bukalov, S.S., **636** 164
Bukharkina, A.A., **636** 69
Bulgakov, R.G., **636** 56
Bulychev, B.M., **619** 36
Bunz, U.H.F., **630** 132
Burgess, M.R., **623** 101
Burschka, C., **640** 140
Burzlaff, N., **626** 16
Buser, H.-P., **621** 34
Bushell, K., **639** 418
Butcher, R., **633** 7
Butcher, R.J., **623** 87
Butenschön, H., **618** 412
Butler, I.R., **639** 538
Buzin, F.-X., **624** 105
Byrne, J.J., **622** 190
Byrne, S., **629** 182

Caballero, A., **618** 395; **627** 263
Cabestaing, C., **639** 500
Cabiddu, M.G., **620** 263
Cabiddu, S., **620** 263
Cabrera, A., **634** 5
Caddick, S., **618** 635
Cadierno, V., **618** 261; **621** 39; **639** 767
Cadoni, E., **620** 263
Cahiez, G., **624** 223; **624** 376
Caiazzo, A., **619** 241
Cai, Y.-P., **628** 99
Calderazzo, F., **622** 180; **630** 275; **631** 110
Calhorda, M.J., **625** 186; **632** 1; **632** 94; **632** 175; **632** 197; **635** 197
Calléja, G., **621** 46
Caminade, A.-M., **622** 33
Camire, N., **639** 823
Campi, E.M., **627** 37
Campo, J.A., **633** 91
Cannady, J.P., **640** 177
Cannas, R., **620** 263
Cano, M., **633** 91
Canovese, L., **622** 155
Canseco-Melchor, G., **631** 99
Cantagrel, F., **624** 186
Cao, Y., **630** 84
Cao, Z., **639** 631
Caporali, M., **625** 255
Caporusso, A.M., **621** 246
Carballares, S., **624** 380
Carcelli, M., **626** 161
Cardaci, G., **628** 255
Carini, S., **624** 223
Carlini, C., **622** 286
Carlsson, H., **623** 191
Carmona, D., **633** 182
Caro, B., **626** 37
Carpenter, G.B., **630** 84
Carré, F., **624** 354
Carrillo-Hermosilla, F., **629** 68
Carr, J.D., **639** 304
Carrondo, M.A.A.F.C.T., **632** 107
Carter, S.M., **639** 683
Carty, A.J., **618** 696
Carvalho, M.F.N.N., **632** 49
Casado, C.M., **639** 642
Casalboni, M., **627** 13
Casey, C.P., **618** 723
Casimiro, T., **626** 227; **632** 113
Casolari, S., **639** 609
Cassayre, J., **624** 316
Castelani, P., **623** 43
Castillo, S.J., **623** 81
Castro, A., **630** 33
Castruita, M., **639** 664
Caubet, A., **629** 97
Caulton, K.G., **618** 56
Cavell, K.J., **618** 546
Cavell, R.G., **618** 158
Cazin, C.S.J., **633** 173
Cea-Olivares, R., **623** 74; **631** 99; **639** 691
Cerè, V., **624** 223
Cerrada, E., **622** 274
Cervantes-Lee, F., **634** 102; **639** 664
Cerveau, G., **621** 46; **624** 354; **626** 92
Çetinkaya, B., **633** 27
Chai, J.-F., **639** 209
Chakraborty, S., **629** 160
Chakravarty, A.R., **633** 79
Champkin, P.A., **640** 182
Chandrasekaran, A., **625** 95
Chang, L.-S., **625** 173
Chan, M.C.W., **618** 133
Chappellet, S., **626** 92
Charette, A.B., **618** 702
Chávez, I., **620** 32
Chechik, H., **624** 26

Che, C.-M., **618** 133; **634** 34
Chelain, E., **621** 284
Chen, B.-h., **639** 719; **639** 782
Cheng, C.-H., **625** 173
Cheng, X., **640** 65
Cheng, Y., **631** 94
Chen, J., **618** 292; **621** 55; **627** 255
Chen, J.C.C., **618** 364
Chen, M., **629** 213
Chentit, M., **634** 136
Chen, Y., **626** 192
Cheprakov, A.V., **622** 89; **629** 219
Cherkasova, T.G., **628** 195
Chesney, A., **639** 134; **639** 445
Chessa, G., **622** 155
Chetcuti, M.J., **630** 215
Chiang, M.Y., **625** 173; **640** 85
Chiantore, O., **622** 43
Chien, J.C.W., **625** 95; **631** 29
Chiffre, J., **639** 364
Chisholm, M.H., **621** 66
Cho, B.G., **631** 36
Choi, B.-J., **631** 16
Choi, K.-H., **639** 159
Choi, N.-S., **627** 226
Chong, V., **634** 61
Choua, S., **634** 136
Cho, Y.J., **640** 79
Chrisman, W., **624** 367
Chung, Y.K., **627** 233
Churakov, A.V., **627** 1
Church, A.C., **620** 287
Churchill, M.R., **626** 59
Cifuentes, M.P., **633** 114
Cinellu, M.A., **622** 47
Cinquantini, A., **639** 800
Citeau, H.A.S., **625** 23
Ciunik, Z., **630** 205
Clancy, G.P., **640** 93
Clara, E., **626** 227
Clarke, L.P., **635** 119
Claver, C., **619** 287; **629** 77
Clays, K., **639** 435
Cleaver, W.M., **639** 284
Clegg, W., **620** 150; **623** 137; **640** 182
Clentsmith, G.K.B., **618** 635
Cloke, F.G.N., **618** 635; **635** 212
Clot, O., **639** 145
Coat, F., **629** 39
Cocker, T.M., **619** 321
Colacot, T.J., **639** 691
Colapietro, M., **627** 13
Coles, M.P., **631** 193
Coles, S.J., **622** 265; **639** 304; **639** 538
Collin, J., **628** 271
Collins, G., **630** 132
Comasseto, J.V., **623** 43
Comes-Franchini, M., **624** 223; **639** 407
Comte, V., **621** 284; **627** 153
Contreras, R., **619** 1; **620** 256; **633** 182
Cook, L., **639** 266
Cooney, J.M., **634** 157
Cooper, N.J., **631** 188
Copéret, C., **628** 1
Coppo, R., **639** 710
Cordes, W., **627** 80; **629** 83
Correia, M.J., **632** 58
Corriu, R.J.P., **621** 46; **624** 354; **626** 92
Corvaja, C., **639** 710
Cossy, J., **624** 327; **634** 215; **634** 216
Costa, M., **619** 179; **622** 84
Costa, M.F.D., **626** 233
Costa, P., **632** 197
Costello, J.F., **622** 265
Cotton, F.A., **639** 18
Coudret, C., **624** 388
Cowley, A.H., **618** 105
Cox, M.G., **629** 182
Craig, D., **624** 380
Creber, M.L., **631** 125
Crespo, M., **631** 164
Crociani, B., **631** 117
Crociani, L., **626** 11
Cronje, S., **618** 170
Cross, G., **631** 59
Crousse, B., **624** 114
Csákÿ, A.G., **627** 105
Csámpai, A., **634** 122
Cisařová, I., **628** 30; **628** 81
Cuadrado, I., **639** 642
Cucurull-Sánchez, L., **623** 137
Cuenca, T., **634** 177
Cuffe, L.P., **639** 435
Cui, X., **639** 27; **639** 793
Cundari, T.R., **635** 132
Curiel, D., **639** 258
Czelušniak, I., **640** 72
Czugler, M., **634** 122

Dabiens, B., **624** 354; **626** 92
da Conceição Vieira, M., **632** 126
da Costa, M.R.G., **626** 233; **632** 27
da Gama, V., **632** 67
Dahlenburg, L., **619** 88; **630** 221
Dai, L.-X., **639** 762; **639** 845
Dai, X., **634** 145
Dakternicks, D., **633** 149; **636** 138
Dalcanale, E., **619** 179
Dal Colle, M., **625** 121
Damas, A.M., **632** 27
D'Amato, R., **627** 13
Dandekar, S.A., **625** 13
Daran, J.-C., **619** 265; **624** 58; **639** 364; **639** 531
D'Arcangelo, G., **626** 11
Darcel, C., **624** 333
Darkwa, J., **629** 171
Darling, T.A., **640** 177
Das, D., **629** 28
da Silva, N.C., **623** 43
Das, P.K., **639** 827
David Smith, J., **640** 29
Davies, D.A., **631** 59
Davies, H.M.L., **618** 47
Davies, J.E., **635** 119
Davies, N.A., **621** 254
Davis, P., **625** 195
Davis, W.M., **618** 495
Ddamba, W.A., **629** 171
de Azevedo, C.G., **632** 17; **632** 58; **632** 197
de Biani, F.F., **639** 586
de Castro, B., **632** 85
Dechert, S., **618** 588
Decken, A., **639** 372
Decker, S.A., **635** 132
Deck, P.A., **639** 107
de C.T. Carrondo, M.A.A.F., **632** 197
Dede, M., **620** 165
Deeth, R.J., **631** 194; **635** 165
De Felice, V., **622** 242
de Kanter, F.J.J., **618** 311
de la Luz, V., **622** 54
Delgado, S., **631** 19; **634** 83
Del Zotto, A., **618** 511
de Meijere, A., **618** 318; **624** 110
Demeschik, T.V., **639** 182
De Montis, S., **620** 263
Demtschuk, J., **618** 588
Deng, W.-P., **639** 845
Denise, B., **624** 186
Denk, M.K., **618** 242; **618** 737
Denmark, S.E., **624** 372
des Abbayes, H., **618** 483
De Sanctis, Y., **622** 43
Deschamps, B., **624** 105; **634** 131
De Silva, R.M.; **625** 245
Devescovi, A., **625** 255
Devillanova, F.A., **623** 14; **628** 280
Dey, S., **623** 48
Diez-Barra, E., **618** 395; **627** 263
Diez, J., **639** 677
Dhar, S., **633** 7
Dias, A.R., **619** 252; **620** 276; **632** 17; **632** 58; **632** 75; **632** 107; **632** 145; **632** 157; **632** 164; **632** 197
Dias, F.S., **619** 179
Dickson, R.S., **627** 37; **627** 201
Diéguez, M., **629** 77
Dillon, K.B., **631** 181
Dinda, J., **629** 28
Ding, K., **639** 27
Ding, L., **639** 27; **639** 390
Dinis, A., **625** 186
Dinjus, E., **627** 249
Diogo, H.P., **632** 188
Distefano, G., **625** 121
Diversi, P., **626** 145
Di Vona, M.L., **631** 117
Djyachenko, L.I., **636** 91
Döbler, C., **621** 70
Dockter, D.W., **625** 154
Dogan, Ö., **631** 135
Doherty, S., **620** 150; **640** 182
Dokorou, V., **630** 205
Dölker, N., **618** 225
Domingos, Â., **632** 41; **632** 119
Domingos, A., **628** 271
Dominguez, G., **631** 19
Donaldson, W.A., **630** 5
Dong, N.-l., **625** 128
Dong, T.-Y., **625** 173
Dong, Y.-B., **619** 194
Dorfer, A., **621** 173
Dötz, K.H., **618** 1; **618** 119; **621** 77; **622** 251; **624** 172
Do, Y., **620** 1; **634** 19
Doyle, K.O., **618** 269
Doyle, M.P., **618** 98
Drake, J.E., **623** 153
Dreier, T., **621** 197; **622** 143
Drew, M.G.B., **622** 228; **625** 186; **632** 94; **632** 175; **632** 197; **639** 89

Drexler, H.-J., **621** 89
Driess, A., **619** 99
Duarte, M.T., **632** 17; **632** 58; **632** 67; **632** 145; **632** 164
Duatti, A., **639** 772
Du, C., **639** 27
Du, H., **627** 127
Dumeunier, R., **624** 344
du Mont, W.-W., **623** 14; **628** 280
Dunlap, M.S., **630** 125
Durand-Réville, T., **618** 571
Dutasta, J.-P., **639** 356
Duthie, A., **633** 149; **636** 138
Dvorák, D., **618** 329
Dymák, M., **625** 86
Dzhemilev, U.M., **636** 56; **636** 76; **636** 91

Eaborn, C., **631** 76; **640** 29
Edelmann, F.T., **620** 80; **625** 1
Edelstein, N.M., **622** 19; **636** 124
Ederer, T., **621** 109
Edwards, A.J., **629** 7
Egorov, M., **636** 1
Egorov, M.P., **636** 164
Eibl, S., **621** 166
Eisch, J.J., **618** 148; **624** 229; **634** 214
Ekkehardt Hahn, F., **618** 629
Elbertse, G., **621** 337
Eleutério, I., **632** 17
Elguero, J., **625** 148
El-Hamruni, S.M., **631** 76
Elias, A.J., **639** 382
Elipe, S., **633** 182
El-khateeb, M., **622** 1; **622** 293
Ellinger, Y., **634** 136
Elsegood, M.R.J., **619** 152; **620** 150
Elsner, O., **639** 251
Emme, I., **624** 110
Enders, D., **618** 70; **639** 698
Enders, M., **622** 66
Englert, U., **619** 305; **622** 180; **630** 275
Ephritikhine, M., **618** 744
Eremenko, I.L., **636** 157
Erker, G., **621** 197; **622** 143; **639** 621
Ernst, C., **627** 249
Ernst, R.D., **639** 172
Errington, W., **635** 69
Escudié, J., **619** 275
Espinosa, G., **626** 113
Esquius, G., **619** 14
Esterhuysen, C., **619** 164
Esterhuysen, M.W., **619** 164
Estrine, B., **634** 153
Evans, D.J., **639** 311

Fabrizi de Biani, F., **639** 390
Fagnou, K., **624** 259
Fahey, D.R., **625** 154
Fajardo, M., **629** 54
Fakhfakh, M.A., **624** 131
Falck-Pedersen, M.L., **625** 160
Falconieri, M., **627** 13
Falcon, M., **629** 187
Faller, J.W., **626** 181; **630** 17
Fallon, G.D., **627** 201
Falvello, L.R., **629** 28
Fañanás, F.J., **624** 5
Fan, D., **631** 41
Fang, X., **619** 43
Fan, H.-T., **627** 255
Fanwick, P.E., **630** 215
Farfán, N., **622** 54; **622** 259
Farhat, S., **624** 26
Farnetti, E., **629** 187
Farrar, D.H., **631** 19
Farrell, T., **625** 32
Fátima, M., **618** 65
Fátima Minas da Piedade, M., **632** 107
Fattuoni, C., **620** 263
Faure, M., **621** 103; **634** 12
Faville, S.J., **631** 41
Fehlhammer, W.P., **618** 530
Fehlner, T.P., **635** 92
Fehn, A., **621** 109
Fehring, V., **621** 120
Félix, V., **625** 186; **632** 94; **632** 175; **632** 197
Feng, X., **619** 204
Ferguson, G., **618** 671
Fernández, A., **620** 8; **623** 176; **639** 577
Fernández-Baeza, J., **629** 68
Fernández, J.J., **620** 8; **639** 577
Fern, G.R., **639** 311
Ferrand, V., **620** 119
Ferreira da Silva, J.L., **632** 58
Ferreira, M.J., **632** 17
Ferreira, P., **626** 1
Ferré, K., **629** 19
Ferri, F., **624** 114
Fiedler, J., **639** 167
Figadère, B., **624** 131
Filho, R.R., **625** 121
Filho, U.P.R., **625** 101
Filippou, A.C., **618** 656; **628** 11
Filomena Costa, M., **632** 27
Firman, T.K., **635** 153
Fischer, A., **620** 80; **625** 1
Fischer, A.K., **630** 149
Fischer, C., **621** 89
Fischer, E.O., **639** 7
Fischer, H., **618** 464; **620** 165; **621** 344; **634** 209
Fischer, R.A., **630** 253
Fischer, R.D., **621** 254
Fleisher, M., **634** 69
Fleming, I., **624** 69
Fliegel, F., **624** 383
Flórez, J., **624** 5
Flower, K.R., **620** 60; **629** 153
Fochi, A., **626** 161
Fochi, M., **639** 407
Foerstner, J., **618** 412
Fokken, S., **621** 3
Fomina, I.G., **636** 157
Fomine, S., **630** 157
Fonseca, L.P., **632** 94
Fontani, M., **620** 243; **626** 145; **630** 149; **639** 418; **639** 538; **639** 733; **639** 800
Font-Bardia, M., **625** 67
Formiga, H.B., **623** 43
Försterling, F.H., **618** 561
Franceschini, P., **619** 49
Franciò, G., **621** 130
Francis, M.D., **633** 143
Franck, X., **624** 131
Fränkel, R., **618** 530
Fraysse, S., **624** 388
Frediani, P., **625** 255
Freisinger, E., **629** 97
Frenking, G., **618** 225; **635** 9
Friedhoff, W., **624** 69
Friedrich, H.B., **633** 39
Fröhlich, R., **618** 322; **618** 629; **618** 640; **621** 197; **622** 143; **624** 96; **639** 621
Frohn, H.-J., **631** 54
Fronczek, F.R., **639** 107
Frosch, W., **619** 99; **621** 143; **625** 140
Fruchier, A., **624** 307; **625** 148
Früh, A., **620** 165
Fuchs, B., **630** 67
Fu, E., **639** 327
Fujii, S., **639** 476
Fujiwara, Y., **630** 11
Fukunishi, Y., **620** 190
Fuligni, M., **626** 145
Fu, N., **639** 631
Furlani, A., **619** 49; **627** 13

Gabbaï, F.P., **619** 321
Gabriele, B., **622** 84
Galakhov, M., **634** 177
Galardon, E., **618** 360; **629** 145
Galat, K.J., **628** 241
Galding, M.R., **628** 195
Gales, L., **632** 27
Gallagher, J.F., **619** 141; **639** 435
Gallagher, M.L., **618** 269
Gallegos, E., **622** 259
Galletti, A.M.R., **622** 286
Gallucci, J.C., **630** 44
Galvão, A., **619** 252; **620** 276; **632** 75
Galvão, A.C., **632** 157
Galvão, A.M., **632** 157; **632** 197
Gamasa, M.P., **618** 261; **621** 39; **639** 677
Gamelas, C.A., **632** 94
Gamez, S., **624** 217
Ganchegui, B., **634** 153
Ganesh, S., **624** 18
Ganis, P., **629** 201
Gao, L.-x., **629** 47
Gao, Z.-w., **629** 47
García, B., **639** 642
García-Garrido, S.E., **639** 767
García-Montalvo, V., **623** 74; **631** 99
García, M.H., **619** 252; **620** 276; **632** 75; **632** 145
García, R., **632** 41
Gardenal, G., **622** 155
Garden, S.J., **619** 226
Gardès-Gariglio, H., **620** 94
Garland, M.T., **620** 32
Garrier, E., **621** 284
Gary Hollis, W., Jr., **639** 107
Gautheron, B., **639** 126
Gautier, A., **624** 344
Gayoso, E., **639** 577
Gebauer, A., **639** 343
Gehrhus, B., **618** 209
Geib, S.J., **631** 188
Geiger, W.E., **639** 823

Gemel, C., **618** 301
Genêt, J.-P., **624** 162
Geoffroy, M., **634** 136
Ghandi, M., **625** 108
Gialou, C., **639** 418
Giardi, C., **630** 275
Giardiello, M., **639** 800
Gibson, V.C., **618** 546; **631** 181
Gielen, H., **618** 70
Gielen, M., **634** 55
Gießmann, S., **620** 80
Gill, K., **624** 294
Gil Santos, A., **632** 94
Gimeno, J., **618** 261; **621** 39; **639** 463; **639** 677; **639** 767
Ginsberg, A., **619** 7
Giolando, D.M., **625** 23
Giordano, F., **622** 242
Giorgi, G., **639** 800
Girgsdies, F., **621** 317
Gitua, J.N., **624** 229; **634** 214
Giuseppone, N., **628** 271
Glanz, M., **618** 588
Glas, H., **621** 153; **626** 100
Głowiak, T., **640** 72
Glynn, S.J., **619** 132
Gobetto, R., **622** 43
Goddard, R., **618** 412
Godinho, S.S.M.C., **632** 94
Goh, C.H., **639** 418
Goh, L.Y., **631** 67
Goldberg, I., **630** 67
Gomes, P.T., **632** 17; **632** 58; **632** 164; **640** 93
Gómez, E., **622** 54
Gómez-Lor, B., **627** 159
Gommans, L.H.P., **634** 157
Gömöry, Á., **622** 112
Gonçalves, I.S., **621** 207; **626** 1; **632** 11; **632** 94
Gong, J., **639** 27
González, A., **639** 116
González, B., **639** 642
González-Cabello, A., **639** 751
González-Duarte, P., **623** 137
González-Velasco, J., **631** 19
Goovaerts, E., **619** 252
Gorelsky, S.I., **635** 187
Görls, H., **618** 280; **626** 168; **626** 243
Gornitzka, H., **619** 275; **622** 190; **636** 96
Goryukhina, S.E., **631** 1
Gosse, I., **639** 356
Gottfriedsen, J., **618** 588
Götz, R., **619** 88
Graf, M., **628** 144
Graiff, C., **618** 399; **619** 179; **639** 463; **639** 586
Graña, M., **623** 176
Granell, J., **634** 83
Granell, J.R., **639** 116
Grant, B.E., **630** 215
Grant, G.J., **639** 683
Grasmann, M., **621** 10
Grassert, I., **621** 158
Green, M.L.H., **640** 93
Gref, A., **639** 84
Grepioni, F., **639** 609
Gridnev, I.D., **636** 3
Grigor'ev, S.I., **636** 12
Grinstaff, M.W., **639** 398
Grînberga, S., **634** 69
Grobelny, Z., **628** 65
Grosche, M., **618** 616; **621** 177; **621** 184
Gruber, I., **618** 288
Gruselle, M., **639** 182
Grzegorzewski, A., **618** 640
Gstöttmayr, C.W.K., **618** 616
Guan, D.-p., **625** 128
Gudat, D., **618** 383
Guedes da Silva, C., **618** 65
Guedes da Silva, M.F.C., **620** 174
Gueiderikh, A.V., **636** 3
Guerchais, V., **629** 19
Guerrero, A.M., **619** 287
Guijarro, D., **624** 53
Gulea, M., **618** 360
Gu, M., **636** 63
Günther, E., **628** 183
Günther, K., **628** 183
Guo, D.-S., **622** 210
Gupta, A., **619** 157
Gupta, B.D., **627** 80; **629** 83
Gupta, S., **618** 242
Gurskii, M.E., **636** 3
Gusev, O.V., **622** 221
Gyepes, R., **620** 39; **628** 30

Haaf, M., **636** 17
Haage, K., **621** 120
Haas, A., **623** 3
Haase, D., **636** 7
Haase, W.-C., **618** 119
Hadi, G.A., **626** 243
Hagadorn, J.R., **639** 521
Hagen, K.S., **618** 709
Haghverdi, A., **618** 383
Hahn, I., **639** 300
Haiduc, I., **623** 29; **627** 6; **631** 67
Halterman, R.L., **625** 154
Hamilton, J.G., **620** 314
Hampel, F., **618** 473
Handique, J.G., **620** 90
Han, J.W., **627** 233
Han Lam, W., **635** 84
Hanson, J.R., **619** 319
Hanusa, T.P., **626** 43
Han, Y., **620** 1; **634** 19
Harper, J.R., **629** 7
Harrison, W.T.A., **619** 226
Harris, P., **624** 186
Harris, R.K., **621** 254
Hartmann, S., **639** 240
Harvey, M.J., **626** 43
Hasha, D.L., **620** 211; **620** 296
Hashemi, M., **633** 105
Hasnaoui, A., **619** 265
Hatfield, M.J., **623** 185
Haubrich, S., **627** 44
Haukka, M., **623** 65; **633** 66; **633** 69
Häusel, R., **621** 34
Hawkes, S.A., **631** 76
Hawrelak, E.J., **620** 127
Hayashida, T., **634** 167
Hayashi, H., **636** 63
Hazra, D., **618** 709
Heck, J., **625** 32
Hegelmann, I., **626** 16
Heil, B., **622** 112
Heinrich, T., **640** 140
He, L., **640** 127
Helena Garcia, M., **632** 107; **632** 133
Heller, D., **621** 89
Henderson, R.A., **628** 131
Henderson, W., **620** 182; **625** 40; **631** 41; **639** 216
Hénin, F., **634** 153
Henke, K.R., **623** 185
Heras, J.V., **633** 91
Herberhold, M., **621** 166; **623** 149; **630** 263; **639** 727
Herber, R.H., **625** 200; **639** 172
Herdtweck, E., **618** 511; **626** 100
Hermanns, N., **624** 157
Hernandes, M.Z., **626** 68
Hernandez-Ortega, S., **639** 691
Hernández-Ortega, S., **623** 74
Hernández, S., **634** 5
Herndon, J.W., **634** 1
Herrmann, W.A., **618** 616; **621** 1; **621** 177; **621** 184; **627** 55
Herrschaft, B., **619** 132
Herson, P., **639** 182
Herzog, U., **627** 23; **627** 144; **628** 133; **630** 139
Hesemann, P., **627** 239
Hess, A., **639** 349
Hibbert, T.G., **634** 99
Hidai, M., **620** 69
Hiemstra, H., **624** 244
Hilbig, H., **627** 71
Hildebrand, J.P., **624** 157
Hill, M.S., **628** 71; **631** 76
Hirao, T., **639** 75
Hiratsuka, H., **626** 32
Hirsivaara, L., **633** 66
Hitchcock, P.B., **618** 635; **631** 76; **633** 143; **635** 212; **636** 124
Hiyama, T., **624** 208
Hocquemiller, R., **624** 131
Ho, E.N.-M., **626** 125; **639** 276
Hofmann, P., **618** 288
Hogarth, G., **620** 150
Holeček, J., **625** 86
Hollman, A., **630** 169; **633** 1
Holz, J., **621** 120
Homsi, F., **624** 208
Hopman, M., **631** 76
Hoppe, D., **624** 96
Horáček, M., **620** 39; **628** 30
Horn, E., **620** 194
Horne, J.M., **633** 33
Hor, T.S.A., **639** 757
Hosoi, K., **624** 208
Hossain, M.A., **630** 5
Hossain, M.M., **618** 751; **630** 78
Hou, J., **639** 793
Houlton, A., **639** 311
Hou, X.-L., **639** 762; **639** 845
Hou, Y., **639** 742
Hovestreydt, E., **633** 71
Hoveyda, A.H., **624** 327; **634** 215; **634** 216

Howard, J.A.K., **619** 280; **628** 25; **631** 181; **634** 99; **639** 445
Howie, R.A., **619** 226; **627** 189
H. Pannell, K., **634** 102
Hsung, R., **618** 182
Hua, D.H., **639** 832
Hu, A.-g., **639** 204
Huang, J.-S., **634** 34
Huang, X.-Y., **622** 210; **627** 255
Huang, Z.-X., **628** 123
Hübener, R., **622** 97
Hu, D.-d., **629** 47
Hudson, R.D.A., **619** 141; **630** 1; **630** 88; **639** 47; **639** 435
Hu, H., **629** 213
Hui, B.K.-M., **639** 276
Humayun Kabir, S.M., **619** 31
Humphrey, M.G., **631** 139; **631** 143; **633** 114
Hunstock, E., **632** 94
Huo, S., **633** 18; **639** 27
Hu, Q.-M., **619** 194; **622** 210; **623** 56; **626** 192; **627** 255
Hursthouse, M.B., **622** 265; **622** 274; **623** 153; **631** 125; **633** 173; **639** 304; **639** 538
Hurst, S.K., **633** 114
Husebye, S., **623** 124
Husemann, M., **624** 47
Hutchison, A.R., **628** 71
Huttner, G., **619** 99; **634** 74
Hu, Y., **629** 213
Huy, N.H.T., **618** 748
Hwang, J.-W., **620** 1
Hwang, W.-S., **640** 85
Hyung Lee, M., **620** 1

Ibragimov, A.G., **636** 76; **636** 91
Ichinohe, M., **636** 41
Ievlev, M.A., **622** 221
Iglesias, M., **627** 159; **634** 25
Ikuta, S., **626** 32
Ila, H., **624** 34
Imai, Y., **626** 32
Imrie, C., **639** 266
Innorta, G., **626** 24
Inoue, K., **629** 1
Inoue, T., **624** 300
Inoue, Y., **627** 121
Iorga, B., **624** 203
Ishida, S., **636** 144
Ishii, T., **625** 133
Ishii, Y., **620** 69
Ishikawa, J.-i., **629** 1
Ishikawa, M., **633** 131
Ishiyama, T., **618** 453; **625** 47
Itoh, M., **629** 1
Ivin, K.J., **620** 314
Iwai, K., **629** 44
Iwamoto, T., **636** 144
Iwasawa, N., **618** 741
Iwata, K., **629** 1
Izmer, V.V., **619** 280

Jääskeläinen, S., **633** 69
Jaber, N., **628** 271
Jackson, W.R., **627** 37
Jacob, K., **620** 243; **630** 149
Jacobsen, H., **622** 97
Jafarpour, L., **618** 17
Jäger, K., **621** 173
Jain, V.K., **623** 48
Jaitner, P., **621** 173; **639** 507
Jäkel, C., **618** 119; **624** 172
Jalett, H.-P., **621** 34
Jalón, F.A., **618** 395; **619** 287; **627** 263
Jamali, S., **633** 105
Jamis, J., **627** 37
Janes, E., **622** 251
Jankowski, C., **618** 656
Jantschak, A., **639** 300
Jaouen, G., **618** 376; **639** 500
Jary, W.G., **629** 208
Jayaprakash, K.N., **618** 709
Jean Cristau, H., **624** 307
Jelski, D.A., **633** 51
Jemmis, E.D., **635** 204
Jenkner, P., **625** 208
Jennings, M.C., **636** 130
Jepsen, A.S., **618** 520
Jeske, J., **618** 423
Jia, C., **630** 11
Jiang, W., **618** 182
Jiang, X., **629** 213
Jiang, Y., **619** 204
Jia, W.-L., **639** 209
Jin, G.-X., **631** 94
Jin, M.-J., **630** 5
Jira, R., **639** 7
Johns, C.A., **625** 112
Johnston, R.L., **628** 281
Joneleit, S., **618** 464
Jones, C., **622** 61; **629** 109; **636** 138; **639** 669
Jones, D., **625** 121
Jones, P.G., **618** 423
Jorge Parola, A., **632** 94
Jugé, S., **624** 333
Jung, I.N., **631** 36
Junjappa, H., **624** 34
Jurkschat, K., **626** 49; **636** 138
Jus, S., **624** 162
Justin Thomas, K.R., **639** 139
Jutand, A., **624** 217
Jutzi, P., **619** 74; **620** 20; **625** 180; **639** 595

Kabe, Y., **636** 82
Kabir, S.E., **625** 112
Kabuto, C., **627** 121
Kadyrov, R., **621** 120
Kaftanov, J., **624** 26
Kahlal, S., **620** 119
Kaim, W., **639** 167
Kako, M., **636** 63
Kakoschke, A., **618** 412
Kalck, P., **639** 126
Kalombo, E.K., **620** 113
Kaloun, E.B., **624** 333
Kaltsoyannis, N., **635** 69
Kamalesh Babu, R.P., **618** 158
Kamer, P.C.J., **639** 805
Kaminsky, W., **636** 31
Kamyshova, A.A., **631** 9
Kaneko, M., **622** 199
Kanellakopulos, B., **622** 19
Kang, B.-S., **628** 99
Kao, S.C., **624** 63
Kapoor, P., **619** 157
Kapoor, R., **619** 157
Karakaş, D., **640** 37
Karasiak, D.F., **636** 31
Karban, J., **628** 81
Kargin, Y.M., **630** 185
Karim, A., **619** 265
Karl, C.C., **618** 464; **620** 165
Karlov, S.S., **627** 1
Karlstedt, N.B., **622** 89; **629** 219
Karstens, W.F.J., **624** 244
Kasák, P., **639** 318
Kashin, A.N., **622** 89; **629** 219
Kataeva, O., **639** 621
Kaul, F.A.R., **621** 177; **621** 184
Kavana, M., **618** 723
Kaya, C., **640** 37
Kayaki, Y., **622** 199
Kayan, A., **630** 44
Kazankov, G.M., **622** 89; **629** 219
Kehrer, U., **630** 266
Kehr, G., **639** 621
Keim, C., **640** 140
Keister, J.B., **633** 51
Keizer, T.S., **628** 71
Kelling, H., **626** 53
Kelly, P.F., **623** 120
Kemmer, M., **634** 55
Kempe, R., **621** 261; **622** 6; **634** 39
Kenwright, A.M., **620** 314
Kerber, W.D., **630** 23
Kernbach, U., **618** 530
Kern, K., **622** 74
Kerr, W.J., **630** 104; **630** 118
Kervarec, N., **626** 37
Kesselgruber, M., **624** 157
Khafizova, L.O., **636** 76
Khalilov, L.M., **636** 56
Khanfar, M., **630** 244
Khan, M.A., **625** 154; **628** 275
Khimyak, T., **629** 7
Khosravi, E., **620** 314
Khrustalev, V.N., **631** 47
Kickelbick, G., **627** 167; **636** 172
Kießling, T., **639** 796
Kiely, C., **620** 308
Kim, C., **629** 194
Kim, E.H., **631** 16
Kim, J., **620** 1
Kim, J.H., **631** 36
Kimmich, B.F.M., **639** 800
Kimura, M., **624** 348
Kim, Y., **620** 1; **634** 19
King, R.B., **623** 95; **635** 75
Kinnunen, T., **628** 222
Kiprof, P., **620** 113
Kira, M., **636** 144
Kirchbauer, F., **620** 165
Kirchner, K., **618** 301; **639** 70; **639** 558
Kiriakidou-Kazemifar, N.K., **623** 65; **623** 191
Kirkovits, G.J., **639** 343
Kishishita, M., **618** 453
Kitagawa, S., **625** 133

Kitamura, T., **630** 11
Kleij, A.W., **621** 190; **640** 166
Klein, A., **620** 202
Klein Gebbink, R.J.M., **621** 190
Kleinhenn, T., **621** 3
Klimkina, E.V., **620** 51
Klimova, E.I., **628** 107; **633** 137
Klimova, T., **628** 107; **633** 137
Klipp, A., **620** 20
Klotz, B., **639** 745
Klumpen, T., **639** 698
Kłys, A., **627** 135
Knight, J.G., **640** 182
Knochel, P., **624** 88; **624** 223
Knüppel, S., **639** 621
Kobayashi, S., **624** 392
Kobayashi, T., **624** 73
Köcher, S., **639** 198
Kochi, T., **620** 69
Kociok-Köhn, G., **628** 11
Kocks, B.M., **624** 271; **630** 281
Koga, Y., **624** 73
Koh, J.H., **639** 99
Köhler, F.H., **627** 71
Köhler, K., **619** 99
Kohl, G., **622** 66
Kojima, K., **624** 348
Komai, J.-i., **619** 235
Komatsu, H., **634** 109
Komoto, I., **624** 392
Kondo, H., **639** 476
Kondo, M., **625** 133
Kondo, T., **622** 149; **639** 841
Kooijman, H., **624** 244
Kopacka, H., **622** 135; **639** 507; **639** 558
Kornek, T., **640** 140
Kostas, I.D., **626** 221; **634** 90
Kotov, V.V., **640** 21
Kottsieper, K.W., **630** 177
Kot, W.K., **636** 124
Kourkoumelis, N., **620** 194
Koutsodimou, A., **620** 194
Kovala-Demertzi, D., **620** 194; **630** 205
Kowalewska, A., **640** 29
Koyuncu, H., **631** 135
Kozitsyna, N.Y., **636** 69
Kraatz, H.-B., **639** 335
Kraft, S., **618** 723
Kramarova, E.P., **620** 139
Kramer, G., **619** 110
Kranenburg, M., **634** 185
Kraut, N., **618** 473
Kreindlin, A.Z., **631** 9
Krepps, M.K., **623** 185
Kretschmer, A., **628** 233
Kretzschmar, E., **623** 191
Krishnan, A., **639** 827
Kroll, C.E., **639** 107
Kropotova, A.G., **622** 221
Kruger, G.J., **619** 164
Kruglova, N.V., **631** 9
Kruppa, A.I., **636** 12
Krylova, I.V., **636** 164
Kubas, G.J., **635** 37
Kubicki, M.M., **634** 47
Kubišta, J., **620** 39; **628** 30; **639** 291
Kühn, F.E., **621** 207; **626** 1; **627** 55
Kühn, M., **618** 629
Kuhn, N., **623** 14; **628** 280
Kulcsar, M., **623** 153
Kuleshova, L.N., **631** 47
Kuleshov, S.P., **636** 56
Kumara Swamy, K.C., **639** 616
Kumar, T.S., **624** 18
Kunai, A., **633** 131
Kundu, K., **628** 211
Kunkely, H., **639** 777
Kuo, C.-H., **624** 63
Kupfer, V., **620** 39
Kurihara, M., **639** 80
Kurosawa, H., **620** 190; **625** 54
Kusama, H., **618** 741
Kuzmina, L.G., **628** 25
Kuz'mina, L.G., **619** 280

Laasonen, K., **628** 222
Labahn, T., **618** 318; **624** 110
Lachmann, J., **622** 121
Lacour, J., **624** 388
Lacroix, P.G., **639** 531
Ladipo, F.T., **620** 127
Laguna, M., **622** 274
Lahiri, G.K., **629** 160
Lahoz, F.J., **633** 182
Laios, I., **639** 500
Lai, S.-W., **618** 133; **639** 89
Laitinen, R., **623** 1
Laitinen, R.S., **623** 168; **640** 50
Lai, W., **634** 61
Lambrecht, G., **640** 140
Lam, H.-W., **618** 133
Lam, K.-C., **630** 193
Lammertsma, K., **618** 311
Landis, C.R., **639** 800
Landman, M., **618** 280
Lanfranchi, M., **639** 677
Lang, H., **619** 99; **620** 227; **621** 143; **625** 140; **633** 71; **633** 157; **634** 74; **639** 198
Lao, W.-J., **628** 123
Lapinte, C., **627** 179; **629** 39
Lappert, M.F., **618** 209; **636** 124
Laqua, H., **624** 96
Lara-Sánchez, A., **629** 68
Laschi, F., **626** 145
Laskoski, M., **630** 132
Lastra, E., **639** 463
Latyshev, G.V., **639** 653
Laub, J., **639** 837
Lau, M.-K., **634** 61
Laurent, R., **622** 33
Lautens, M., **624** 259
Lavoie, A., **630** 17
Lay, U., **634** 74
Lazzaroni, R., **619** 241
Leal, J.P., **632** 209
Leblanc, J.-C., **634** 47
Lébl, T., **625** 86
LeBron Russell, A., **639** 683
Lebuis, A.-M., **622** 1; **622** 293
Leclercq, G., **639** 500
Lee, B.Y., **627** 233
Lee, G.-H., **620** 106
Lee, I.S., **627** 233
Lee, K.-M., **618** 364
Lee, L., **625** 173
Lee, S., **631** 16; **639** 99
Lee, S.W., **627** 226
Lee, V.Y., **636** 41
Lefloch, F., **639** 84
Le Floch, P., **640** 197
Le Gall, N., **618** 483
Le Grognec, E., **640** 113
Lehnert, R., **625** 208
Leigh, G.J., **620** 313; **639** 311
Leis, F., **627** 139; **628** 39
Leites, L.A., **636** 164
Leitner, W., **621** 130
Le Maux, P., **629** 145
Lemenovskii, D.A., **628** 25; **640** 21
Lemos, M.A.N.D.A., **632** 49
Leng, X., **631** 87
Lenze, N., **619** 74
Leong, W.K., **625** 231; **631** 67
Le Poul, P., **626** 37
Leshina, T.V., **636** 12
Leung, W.-H., **634** 61
Levason, W., **619** 218
Levendis, D.C., **639** 266
Lever, A.B.P., **635** 187
Lewis, E., **639** 538
Lewis, J., **635** 119
Lewkowski, J., **631** 105
Liang, Q.-q., **629** 47
Liang, Y.-m., **625** 128; **627** 93; **639** 719; **639** 723; **639** 782
Liard, A., **624** 26
Licandro, E., **618** 376; **618** 399
Li, C.-I., **620** 106
Licoccia, S., **631** 117
Liek, C., **626** 106; **630** 177
Li, G., **626** 82
Light, M.E., **623** 153; **633** 173
Li, H., **630** 84
Li, H.-j., **630** 33
Li, J., **620** 113; **620** 235
Li, M., **639** 738
Lim, A.E.K., **633** 149
Lin, C.-J., **640** 85
Lindner, E., **628** 151; **630** 244; **630** 266
Lin, G., **626** 76; **632** 119
Lin, I.J.B., **618** 364
Lin, J.T., **639** 139
Lin, M., **619** 62
Linti, G., **626** 82; **627** 133
Lin, Y., **631** 94
Lin, Y.-C., **618** 141
Lin, Y.-L., **630** 57
Lin, Z., **635** 84
Lippert, B., **629** 97
Lippolis, V., **623** 14; **628** 280
Lipshutz, B.H., **624** 367
Liptau, P., **639** 621
Li, Q.-S., **619** 194
Lis, T., **628** 195
Liu, C., **640** 121
Liu, C.-M., **639** 723
Liu, F.-C., **627** 109
Liu, H., **632** 175
Liu, J., **627** 109
Liu, L.-K., **639** 549
Liu, Q., **627** 127

Liu, R., **620** 235
Liu, S., **627** 109
Liu, S.-F., **631** 175
Liu, W.-m., **627** 93; **639** 719; **639** 723; **639** 782
Liu, W.-S., **634** 34
Liu, W.-y., **625** 128; **627** 93; **639** 719; **639** 782
Liu, Y., **639** 27
Livant, P., **620** 133
Li, X.-G., **640** 65
Li, Y., **618** 671
Li, Z., **619** 204
Lloris, J.M., **639** 151
Llusar, R., **640** 113
Locke, A.J., **639** 669
Lo, K.M., **631** 67
Lokshin, B.V., **627** 55
Longato, B., **639** 710
Longlet, J.J., **625** 13
Long, N.J., **639** 418
Longo, R.L., **626** 68
Lopes, A.D., **621** 207; **626** 1
Lopes, I., **632** 119
Lopes, J.P., **632** 94
Lopes, N., **632** 133
López, C., **625** 67; **629** 97; **639** 116
López-Solera, I., **629** 68; **631** 151
López-Torres, M., **620** 8; **623** 176; **639** 577
Lorberth, J., **627** 1
Lorenz, V., **625** 1
Lo Sterzo, C., **619** 49
Lotz, S., **618** 280
Lough, A., **631** 19
Lough, A.J., **618** 242
Lourenço, F., **632** 58
Luart, D., **618** 483
Lucas, D., **629** 54
Lucas, N.T., **631** 139; **631** 143; **633** 114
Ludvík, J., **639** 291
Ludwig, M., **621** 120
Lugan, N., **618** 681
Lügger, T., **618** 629
Lu, G.-L., **623** 56; **627** 255; **639** 159
Luh, L.-S., **639** 549
Luh, T.-Y., **624** 63
Lu, J., **639** 738; **639** 742
Lukashev, N.V., **639** 653
Lukassser, J., **639** 558
Lukevics, E., **634** 69; **636** 26
Lukjyanova, M.P., **636** 91
Luo, Y.-M., **639** 845
Luther-Davies, B., **633** 114
Lutz, M., **618** 311; **620** 227; **621** 190; **622** 121; **625** 58; **626** 118; **640** 166
Lynn, M.A., **621** 66
Lyssenko, K.A., **622** 221; **631** 1; **636** 3

Maas, G., **618** 339
Macchioni, A., **628** 255
Mach, K., **620** 39; **628** 30
Macquarrie, D.J., **625** 148
Madrigal, C., **639** 463
Maercker, A., **628** 65
Magali Cadena, J., **634** 83
Magill, A.M., **618** 546
Magrinho, M., **632** 27
Ma, H., **639** 172; **639** 738; **639** 742
Mahler, A.-K., **629** 208
Mahmoud, J.S., **639** 664
Mahon, M.F., **627** 6; **630** 88
Ma, H.-Z., **628** 99
Maillard, F., **639** 356
Maini, L., **639** 609
Main, L., **633** 162; **634** 157
Maiorana, S., **618** 376; **618** 399
Maisel, H.E., **630** 263; **639** 727
Maity, B.C., **624** 18
Maiwald, S., **621** 327; **640** 1
Ma, J.-A., **640** 65
Maj, A.M., **626** 157
Ma, J.-F., **640** 10
Majoral, J.-P., **622** 33
Ma, K., **639** 390
Mąkosza, M., **624** 167
Malessa, M., **625** 32
Malézieux, B., **639** 182
Malik, K.L.M.A., **639** 538
Mamaeva, E.A., **620** 139
Mamane, V., **639** 84
Mamed'yarova, I.A., **639** 182
Mandal, S.K., **624** 18
Mangeney, P., **631** 157
Manning, A.R., **619** 141; **625** 32; **629** 182; **639** 435
Manoury, E., **639** 364; **639** 531
Manríquez, J.M., **620** 32
Mantovani, N., **618** 233
Manzano, B.R., **619** 287
Maranzana, A., **626** 24
Maraval, V., **622** 33
Marçalo, J., **632** 126
Marcelo Curto, M.J., **626** 233; **632** 27
Marcelo-Polo, A., **623** 74
Marchetti, F., **622** 180; **622** 286; **631** 110
Marchionna, M., **622** 286
Marcos, M.-L., **631** 19
Mar Díaz-Requejo, M., **618** 110
Marek, I., **624** 1; **624** 26
Margolis, L.A., **633** 33
Maria, L., **628** 271
Marinetti, A., **624** 162
Mariño, M., **639** 577
Marin, V.P., **625** 154
Maris, T., **622** 166
Markó, I.E., **624** 344
Marote, J.N., **632** 164
Marques, N., **632** 119; **632** 209
Marshall, J.A., **624** 294
Marsich, N., **629** 187
Martens, M.V., **636** 69
Martens-von Salzen, A., **623** 14; **628** 280
Martinho Simões, J.A., **632** 188
Martin, J., **639** 418
Martins, A.M., **632** 17; **632** 58; **640** 93
Martínez García, M., **628** 107; **633** 137
Martínez, J., **623** 176; **639** 577
Martínez-Máñez, R., **639** 151
Martin-Vaca, B.M., **618** 261
Marvelli, L., **618** 233
Masaoka, S., **633** 131
Mashima, K., **621** 224
Maslennikova, V.I., **631** 1
Mason, G., **626** 181
Masson, S., **618** 360
Masui, D., **620** 69
Mata, J.A., **639** 191
Mathey, F., **618** 748; **624** 105; **634** 131; **640** 197
Mathieu, R., **618** 681; **626** 139; **626** 261
Mathur, P., **629** 160
Matsubara, S., **618** 39
Matsubayashi, G.-e., **625** 7
Matsumoto, T., **624** 143; **636** 108
Matsuo, J.-i., **624** 392
Matsushima, Y., **618** 601
Matsuzaka, H., **625** 133
Matteoni, S., **626** 145
Mattheis, C., **621** 218
Maunder, G.H., **619** 152
Ma, Y., **620** 235
Mayadunne, R., **627** 201
Mayer, D., **618** 339
Mayer, M.F., **630** 78
Mays, M.J., **625** 245
Ma, Y.-x., **625** 128; **627** 93; **639** 719; **639** 723; **639** 782
Mazzanti, G., **639** 407
McAlees, A.J., **618** 671
McCrindle, R., **618** 671
McDonald, F.E., **618** 444
McDonald, R., **626** 76
McGill, J.W., **639** 832
McGlinchey, M.J., **639** 372
McGuinness, D.S., **618** 546
McHugh, P.E., **619** 209
McKerrecher, D., **618** 635
McLaughlin, M., **630** 104; **630** 118
Mehltretter, G.M., **621** 70
Meichel, E., **633** 71
Meier, R.J., **634** 185
Meier, W., **634** 47
Meijer, M.D., **640** 166
Meira, R., **632** 67
Melaimi, M., **640** 197
Melis, S., **620** 263
Méndez Stivalet, J.M., **633** 137
Menon, S.C., **623** 87
Merckle, C., **627** 44
Merdès, R., **624** 333
Mereiter, K., **618** 301; **639** 70
Merget, M., **628** 183
Merigo, A., **622** 180
Merino, S., **618** 395; **627** 263
Mertel, S., **630** 221
Merz, K., **630** 253
Merzweiler, K., **628** 144; **630** 149
Metternich, H.J., **625** 208
Metzler-Nolte, N., **639** 349
Meunier, B., **624** 58
Meunier, M., **639** 538
Meunier, P., **628** 30; **639** 126
Meyer-Friedrichsen, T., **625** 32
Meyers, E.A., **627** 109
Mickoleit, M., **621** 261
Micskei, K., **639** 813
Migita, T., **619** 313; **622** 302
Mihalios, D., **621** 177; **621** 184
Mihan, S., **621** 109
Mikláš, R., **639** 318
Milius, W., **621** 166; **623** 149; **628** 169

Miller, J.R., **639** 311
Millevolte, A.J., **636** 17
Millot, N., **624** 88
Minas da Piedade, M.E., **632** 188
Minghetti, G., **622** 47
Mingos, D.M.P., **635** 1
Mink, J., **627** 55
Mintcheva, N., **629** 61
Mirskov, R.G., **636** 12
Mitchenko, S.A., **627** 132; **636** 175
Mitin, A.V., **622** 89; **629** 219
Mitsudo, T.-a., **622** 149
Miyano, S., **627** 121
Miyaura, N., **625** 47
Miyazaki, K., **634** 167
Miyoshi, K., **618** 453
Mizobe, Y., **620** 69
Mizutani, J., **639** 80
Mizuta, T., **618** 453
Modarres Tehrani, Z., **629** 54
Moehs, P.J., **620** 211
Moinet, C., **618** 530
Moise, C., **634** 47
Moiseev, I.I., **636** 69; **636** 157
Molina, P., **639** 258
Molins, E., **620** 32
Mol, J.C., **625** 58
Möller, M., **624** 47
Molloy, K.C., **627** 6
Molter, J., **634** 193
Monari, M., **623** 191
Monchaud, D., **624** 388
Monkiewicz, J., **625** 208
Monteiro, B., **632** 119
Montilla, F., **626** 227; **632** 113
Montoya, R., **623** 74
Moore, T., **620** 308
Moraru, B., **636** 172
Moreau, J.J.E., **627** 239
Moreno, C., **631** 19
Moreno, M., **631** 110
Moreno, V., **629** 97
Moretó, J.M., **618** 334
Mori, A., **620** 282; **629** 61
Mori, H., **627** 121
Morikita, T., **639** 809
Moriuchi, T., **639** 75
Morlender-Vais, N., **624** 26
Morley, C.P., **623** 101
Moro-oka, Y., **618** 254
Morris, J.L., **623** 185
Morris, M.J., **619** 209; **633** 125
Mörtl, K., **627** 71
Mortreux, A., **626** 157; **628** 114
Mosscrop, M.T., **626** 59
Motherwell, W.B., **624** 41
Motoyama, I., **626** 32
Mottalib, M.A., **625** 112
Moukarika, A., **620** 194
Moulin, D., **624** 333
Mountford, P., **628** 25
Moutet, J.-C., **639** 356
Moutloali, R.M., **629** 171
Mueller-Westerhoff, U.T., **639** 823
Mugesh, G., **623** 14; **628** 280
Mugnier, Y., **629** 54; **634** 47
Mühle, S.H., **636** 31
Muir, K.W., **622** 297; **627** 67; **635** 110
Mukhopadhyay, S., **629** 160
Mula, M.B., **627** 105
Mulatier, J.-C., **639** 356
Mullagaleev, I.R., **636** 56
Müller, A.G., **639** 558
Müller, C., **625** 180
Müller, G., **622** 121; **640** 1
Müller, H., **619** 99
Müller, S., **618** 318
Müller, T.J.J., **630** 198; **640** 41
Muñoz, P., **633** 182
Munro, O.Q., **633** 39
Murahashi, T., **625** 54
Murcia, M.C., **627** 105
Murugavel, R., **625** 195
Musashi, H., **618** 254
Musashi, Y., **635** 173
Mutonkole, J.-L., **624** 344
Mutschler, E., **640** 140
Muzart, J., **634** 153
Myer, C.N., **639** 284

Nagashima, H., **634** 167
Naili, S., **628** 114
Nakadaira, Y., **636** 63
Nakai, T., **624** 364
Nakajima, T., **622** 199
Nakamura, A., **621** 224; **627** 221
Nakamura, E., **624** 300
Nakamura, H., **640** 10
Nakamura, M., **624** 300
Nakanishi, H., **636** 82
Nakanishi, S., **618** 254
Nakano, M., **625** 7
Nakano, T., **619** 313; **622** 302
Nakashima, S., **639** 820
Nakayama, Y., **627** 221
Nakazawa, H., **618** 453
Narasaka, K., **624** 73
Nataro, C., **639** 284
Nazarski, R.B., **627** 135
Necas, M., **623** 124
Neels, A., **633** 85; **634** 12
Nefedov, O.M., **636** 91
Nefedov, S.E., **636** 157
Negrebetsky, V.V., **620** 139
Nekrasov, Y.S., **631** 9
Neo, Y.C., **639** 757
Nethaji, M., **633** 79
Netz, A., **640** 41
Neugebauer, M., **619** 305
Neumann, B., **619** 74; **620** 20; **625** 180; **639** 733
Neumüller, B., **634** 193
Newman, C.R., **640** 182
Ng, K.-F., **639** 159
Nicholas, K.M., **630** 125
Nicholson, B.K., **620** 182; **625** 40; **631** 41; **633** 162; **634** 157
Nieczypor, P., **625** 58
Niedermayer, W., **628** 46; **628** 57
Nief, F., **624** 105
Nieger, M., **618** 383; **621** 77
Nie, W., **626** 171
Nifantyev, E.E., **631** 1
Nikol'skii, A.B., **628** 195
Nikonov, G.I., **628** 25; **635** 24
Ninomiya, M., **636** 63
Nishida, T., **620** 190; **625** 54
Nishihara, H., **639** 80
Nishihara, Y., **620** 282; **629** 61; **633** 18
Nishiyama, K., **626** 32; **629** 44
Nixon, J.F., **633** 143; **635** 212
Nobrega, J.A., **626** 68
Nolan, D.F., **619** 141
Nolan, S.P., **618** 17
Noltemeyer, M., **621** 310
Nordlander, E., **623** 65; **623** 191
Norris, W.P., **639** 837
Northcott, J., **620** 133
Noson, K., **624** 367
Notaras, E.G.A., **631** 139; **631** 143
Nöth, H., **618** 530; **621** 231; **628** 46
Novikova, L.N., **631** 47
Novosad, J., **623** 124
Nowak, T., **619** 24
Nowogrocki, G., **628** 114
Nozaki, K., **624** 208
Nuber, B., **633** 1
Nunes da Ponte, M., **626** 227; **632** 113
Nunes, M.R.S., **623** 131

Oba, M., **626** 32; **629** 44
Oda, T., **639** 820
Odom, A.L., **618** 495
Oehme, G., **621** 158
Oehme, H., **621** 261
Ogden, J.S., **640** 177
Ogoshi, S., **620** 190; **625** 54
Oguchi, Y.-i., **622** 302
Ohgaki, H., **636** 82
Ohshita, J., **633** 131
Ohtaki, H., **629** 44
Oilunkaniemi, R., **623** 168; **640** 50
Okada, T., **622** 149
Okamoto, M., **619** 235
Okamoto, S., **624** 151
Okamura, M., **639** 841
Okimura, H., **625** 133
Okuda, J., **621** 3; **639** 786
Okuda, T., **639** 820
Olejnik, Z., **628** 195
Olivato, P.R., **625** 121
Oliveira, C., **632** 85
Oliver, A.G., **620** 182; **625** 40
Onani, M.O., **633** 39
Ongania, K.H., **639** 558
Onidi, A., **634** 12
Onitsuka, K., **618** 601
Ono, K., **619** 313
Ono, Y., **619** 235
Ooyama, D., **619** 299
Opromolla, G., **639** 586
Oprunenko, Y.F., **622** 221
Orabona, I., **622** 242
Orchin, M., **629** 165
Orita, A., **624** 287
Oro, L.A., **633** 182
Orrell, K.G., **631** 125
Osakada, K., **620** 282; **629** 61
Osborne, A.G., **631** 125
Oshima, K., **618** 39
Ostendorf, D., **636** 7

Otera, J., **624** 287
Otero, A., **629** 54; **629** 68; **631** 151
Otieno, P.O., **624** 229; **634** 214
Otieno, T., **623** 185
Otto, F., **621** 77
Ouchi, A., **629** 93
Ovanesyan, N.S., **639** 182
Ovchinnikov, Y.E., **620** 139
Ovseenko, S.T., **639** 182
Özdemir, İ., **633** 27

Pachamuthu, K., **624** 359
Padwa, A., **618** 3
Paganelli, F., **639** 609
Paisner, S.N., **621** 242
Pakkanen, T.A., **623** 65; **633** 69
Pal, S.K., **639** 827
Pályi, G., **639** 813
Pàmies, O., **629** 77
Pampaloni, G., **630** 275; **631** 110
Panda, A., **623** 87
Pandolfo, L., **629** 201
Pan, G., **640** 127
Pannell, K.H., **639** 664
Pan, W., **624** 63
Papadogianakis, G., **621** 337
Paradise, B.J., **636** 17
Pardo, T., **639** 151
Parisi, M., **618** 182
Parker, K.G., **623** 120
Parkin, S., **628** 71
Park, J., **629** 194; **639** 99
Park, J.T., **640** 79
Park, Y., **640** 79
Parlier, A., **624** 186
Parr, J., **626** 181
Parsons, S., **625** 236
Patel, B., **619** 218
Paula Robalo, M., **632** 133
Paul, C., **629** 145
Paulo, A., **632** 41
Paul-Roth, C., **618** 360
Pauson, P.L., **630** 104; **630** 118; **639** 3
Pavlik, S., **618** 301
Pawlow, J.H., **620** 287
Pearson, A.J., **630** 23
Peganova, T.A., **622** 221
Pelagatti, P., **626** 161
Pelizzi, G., **626** 161
Peng, S., **640** 127
Peng, S.-M., **618** 133; **620** 106; **634** 34
Peng, Y., **619** 204
Penka, M., **640** 140
Peppe, C., **626** 68; **639** 631
Perdicchia, D., **618** 399
Pereira, E., **632** 85
Pereira, L.C.J., **632** 67
Pereira, M., **620** 8
Pereira, T., **623** 176; **639** 577
Perepichka, D.F., **639** 445
Perepichka, I.F., **639** 445
Pérez, P.J., **618** 110
Pérez, S., **625** 67
Perichon, J., **630** 185
Perinello, G., **625** 217
Peris, E., **639** 191
Persoons, A., **619** 141; **633** 114; **639** 426; **639** 435
Pertici, P., **621** 246
Peruga, A., **639** 191
Peruzzini, M., **618** 233
Peterleitner, M.G., **631** 47
Pétillon, F.Y., **622** 297; **627** 67; **635** 110
Petri, S.H.A., **620** 20
Petrovskii, P.V., **622** 221
Phukan, A.K., **635** 204
Piacenti, F., **625** 255
Piazza, C., **624** 88
Pichon, R., **626** 37
Pickardt, J., **620** 249
Piedade, M.F.M., **619** 252; **632** 133; **632** 145
Pierre Genêt, J., **624** 333
Pietikäinen, J., **640** 50
Pietrusiewicz, K.M., **626** 157
Pietzsch, C., **627** 167
Pike, K.J., **633** 173
Pilar Lamata, M., **633** 182
Pillinger, M., **621** 207; **626** 1; **632** 11
Pilloni, G., **639** 710; **639** 772
Pilo, M.I., **622** 47
Pina, F., **632** 94
Piniella, J.F., **626** 139
Pinilla, E., **633** 91
Pinto, P., **625** 186
Pinzino, C., **626** 145
Pires de Matos, A., **632** 126
Pitzalis, E., **621** 246
Plaia, U., **618** 530
Plečnik, C.E., **627** 109
Pleier, A.-K., **626** 100
Pleite, S., **639** 230
Plumet, J., **627** 105
Plyta, Z.F., **624** 124
Podkorytov, I.S., **628** 195
Pogozhikh, S.A., **620** 139
Poignant, G., **629** 19
Pola, J., **629** 93; **640** 170
Polborn, K., **619** 110; **630** 198; **640** 41
Poli, R., **640** 113
Poll, E.-M., **621** 254
Pollicino, S., **624** 223
Pombeiro, A.J.L., **618** 65; **620** 174; **632** 215
Ponikwar, W., **618** 530
Pons, J., **619** 14
Popelis, J., **634** 69; **636** 26
Popov, A.F., **639** 445
Porchia, M., **639** 772
Poriel, C., **629** 145
Pornet, J., **620** 94
Portalone, G., **627** 13
Portius, P., **618** 656; **628** 11
Pötter, M., **621** 261
Poullaos, I.M., **639** 683
Powell, D.R., **618** 723; **636** 17
Powell, H.R., **635** 119
Powers, T.S., **618** 182
Pozo, C., **622** 274
Praefcke, K., **620** 249
Prashar, S., **631** 151
Predieri, G., **639** 586
Priemer, S., **618** 423
Prim, D., **624** 124
Pritchard, R.G., **620** 60; **629** 153
Pritzkow, H., **619** 7; **622** 66; **626** 82
Protasiewicz, J.D., **630** 193
Prout, C.K., **622** 166
Provot, C., **639** 500
Pryce, M.T., **618** 269
Puchta, G.T., **621** 177; **621** 184
Pudova, O., **636** 26
Pülm, M., **640** 140
Puranik, V.G., **618** 709; **629** 160
Purkathofer, T., **629** 208
Purkayashtha, A., **620** 90
Pursiainen, J., **633** 66
Pursiainen, J.T., **633** 69
Putala, M., **639** 318
Pyke, S.M., **633** 7
Pytkowicz, J., **631** 157

Qian, C., **626** 171
Qian, H., **639** 691
Qingmin, W., **639** 94
Qu, B., **619** 271; **620** 303; **639** 514
Quinn, J., **618** 182
Quintard, J.-P., **624** 383

Rabaça, S., **632** 67
Rabier, A., **618** 681
Rahm, A., **618** 182
Rahman, M.T., **619** 31
Raithby, P.R., **625** 245; **635** 119
Rakhlin, V.I., **636** 12
Ramachandran, P.V., **624** 239
Ramakrishna, T.V.V., **639** 382
Ramazanov, I.R., **636** 76; **636** 91
Ramello, S., **622** 180
Ram Reddy, M.V., **624** 239
Ramírez-Oliva, E., **639** 642
Ranaivonjatovo, H., **619** 275
Ranford, J.D., **631** 41
Rangel, M., **632** 85
Rashidi, M., **633** 105
Ratera, I., **639** 251
Rath, R.K., **633** 79
Ratkovic, Z.R., **639** 813
Raubenheimer, H.G., **618** 170; **619** 164
Rausch, M., **622** 172
Rausch, M.D., **625** 95; **631** 29
Rautz, H., **627** 167
Razavi, A., **621** 267
Reb, A., **628** 169; **628** 211
Rebizant, J., **622** 19
Reddmann, H., **622** 19
Reddy, K.S., **618** 444
Rees, L.H., **640** 93
Reeves, P.C., **620** 308
Refosco, F., **639** 772
Reichel, E., **639** 558
Reid, G., **619** 218
Reina, J.A., **619** 287
Reinke, H., **626** 53
Reisinger, C.-P., **618** 616
Réjaud, L., **627** 239
Renish, C.L., **620** 113
Repo, T., **640** 21
Reshetova, M.D., **639** 469
Reyes-Lezama, M., **626** 113
Reynes, O., **639** 356

Rheingold, A.L., **618** 182; **630** 193
Rheinwald, G., **627** 23; **627** 144; **628** 133; **630** 139; **633** 157; **634** 74
Rhodes, B., **625** 95; **640** 182
Riabov, A.N., **619** 280
Riahi, A., **619** 265
Riant, O., **639** 84
Ribeiro, A.F.G., **632** 164
Ribeiro-Claro, P., **632** 11
Ricard, L., **618** 748; **624** 162; **634** 131
Ricardo, A.A., **632** 113
Ricart, S., **618** 334
Ricci, A., **624** 223; **639** 407
Richard, P., **639** 126; **640** 113
Richards, A.F., **629** 109
Richards, C.J., **639** 669
Richard Stephenson, G., **630** 88
Rickard, C.E.F., **619** 293; **623** 109; **625** 40; **625** 77; **626** 199; **627** 206; **629** 114
Riegel, N., **624** 333
Riera, X., **629** 97
Rigby, S.S., **639** 372
Rigo, P., **618** 511
Riguet, E., **624** 376
Riihimäki, H., **633** 69
Rima, G., **622** 190; **636** 96
Rivarola, E., **633** 7
Robalo, M.P., **619** 252; **632** 145
Robertson, S.M., **630** 104
Robin-Le Guen, F., **626** 37
Robins, E.G., **640** 182
Robinson, B.H., **630** 84
Robl, C., **621** 352
Rocha, J., **626** 1
Rochon, F.D., **631** 164
Rodezno, J.M., **618** 242; **618** 737
Rodiel, M.A., **623** 120
Rodríguez, A.M., **627** 263
Rodríguez-Borges, J.E., **621** 207; **626** 1
Rodríguez, J.-G., **639** 230
Rodrigues, J.C., **632** 133
Rodrigues, S.S., **632** 58
Roesky, H.W., **621** 310
Roesky, P.W., **621** 277
Roig, A., **620** 32
Roitershtein, D.M., **628** 25
Roland, S., **631** 157
Romão, C.C., **621** 207; **626** 1; **632** 1; **632** 94; **632** 197
Romão Dias, A., **632** 133
Romero, M.P., **622** 274
Romerosa, A., **618** 233
Rominger, F., **618** 288
Rooney, A.D., **618** 269
Roper, W.R., **619** 293; **623** 109; **625** 77
Roque, K., **639** 531
Rosas, N., **634** 5
Rose, E., **624** 124
Rose-Munch, F., **624** 124
Rosenberg, E., **625** 112
Rosenberger, C., **618** 495
Rosenblum, M., **639** 13
Rosenthal, U., **635** 204
Ros, J., **619** 14
Rossell, O., **619** 245; **622** 33
Rossetto, G., **626** 11
Rossi, R., **618** 233
Roth, G., **620** 165
Roths, K., **618** 322
Rotrekl, L., **618** 329
Roussel, P., **635** 69
Routaboul, L., **639** 364
Rovira, C., **639** 251
Rovis, T., **624** 259
Royal, G., **639** 356
Royo, E., **634** 177
Royo, P., **621** 299; **634** 177
Rozhenko, A.J.B., **618** 435
Rüba, E., **639** 70
Rubina, K., **634** 69
Rudler, H., **618** 571; **621** 284; **624** 186
Rufino, H., **619** 226
Ruiz, A., **619** 287; **629** 77
Ruiz-Molina, D., **639** 251; **639** 507
Rumin, R., **622** 297; **635** 110
Runqiu, H., **639** 94
Russo, A., **622** 43
Russo, M.V., **619** 49; **627** 13
Russo, U., **626** 161; **630** 205
Rust, J., **618** 412
Ruthe, F., **623** 14; **628** 280
Rutjes, F.P.J.T., **624** 244
Ruiz Ramírez, L., **628** 107; **633** 137
Ryabov, A.D., **622** 38; **639** 469
Ryabova, E.S., **639** 469
Rybinskaya, M.I., **631** 9
Rzeźniczak, M., **631** 105

Saak, W., **636** 7
Sadorge, A., **634** 47
Saillard, J.-Y., **620** 119
Saint-Aman, E., **639** 356
Sainz, D., **639** 191
Saito, H., **627** 221
Saito, K., **625** 7
Saito, T., **626** 32
Saitou, M., **618** 741
Sakaki, S., **635** 173
Sakamoto, K., **624** 287
Sakurai, H., **633** 131; **636** 144
Salaün, J.-Y., **618** 483
Salerno, G., **622** 84
Salesch, T., **628** 151
Salmain, M., **618** 376
Salmon, A., **619** 74; **639** 595
Salvini, A., **625** 255
Samanta, U., **618** 709
Samoc, M., **633** 114
Samuel, M.S., **636** 130
Samuelson, A.G., **639** 827
Sánchez, F., **634** 25
Sánchez-Nieves, J., **621** 299
Sanna, G., **622** 47
Santamaría, C., **618** 81
Santes, V., **622** 54
Santillan, R., **622** 259
Santos, A., **627** 159
Santos, A.M., **621** 207; **626** 1
Santos, I., **628** 271; **632** 41
Santra, P.K., **629** 28
Sarkar, A., **618** 709; **624** 18
Sata, D., **620** 127
Sato, F., **624** 151
Sato, K., **633** 18
Sato, S., **639** 476
Sato, T., **627** 121
Sato, Y., **625** 133
Saur, I., **622** 190
Savignac, P., **624** 203
Savi, S., **619** 241
Saweczko, P., **639** 335
Saxena, A., **628** 262
Sbrana, G., **622** 286
Scanlan, T.H., **620** 150
Scapacci, G., **621** 26
Schakel, M., **618** 311
Schareina, T., **622** 6; **634** 39
Scheiring, T., **639** 240
Scherer, M., **639** 343
Schiemenz, B., **619** 99
Schlegel, A., **621** 231
Schmalle, H.W., **622** 97
Schmedake, T.A., **636** 17
Schmid, R., **618** 301; **639** 70
Schmidt, R., **621** 304
Schneider, H., **621** 177; **621** 184
Schobert, R., **618** 346
Schoeller, W.W., **618** 435
Schollhammer, P., **622** 297; **627** 67
Scholz, J., **626** 168; **626** 243
Schormann, M., **621** 310
Schottenberger, H., **625** 200; **639** 70; **639** 558
Schraml, J., **628** 81
Schrock, R.R., **618** 495
Schubert, U., **636** 172
Schuermann, M., **623** 161
Schulz, H., **622** 19
Schumann, H., **618** 588; **621** 317; **626** 243; **636** 31
Schürmann, M., **626** 49
Schütze, J.-U., **621** 254
Schwarzhans, K.-E., **621** 173
Schweiger, A., **634** 185
Schweiger, M., **622** 135
Scott, P., **635** 69
Seco, M., **619** 245; **622** 33
Seeber, R., **622** 47
Segalés, G., **619** 245; **622** 33
Schnert, J., **639** 349
Seidel, N., **620** 243; **630** 149
Seidel, S.W., **618** 495
Sekiguchi, A., **636** 41
Seki, K., **624** 143
Selke, R., **621** 120
Sella, A., **619** 152
Selva, S., **623** 191
Semeikin, O.V., **631** 47
Senda, Y., **619** 313; **622** 302
Senthil Kumar, K., **639** 616
Seo, H., **627** 233
Seo, W.S., **640** 79
Seppälä, E., **623** 14; **628** 280
Sequeira, L.J., **631** 181
Sessler, J.L., **639** 343
Settambolo, R., **619** 241
Sevumyan, K.A., **631** 47
Shahidzadeh, M., **625** 108
Shalimoff, G.V., **636** 124
Shane, J.J., **634** 185
Shankar, R., **628** 262

Sharma, P., **634** 5
Shaver, A., **622** 1; **622** 293
Sheldon, R.A., **621** 337
Shen, C.K.F., **624** 63
Shen, Q., **626** 176; **631** 94
Shestakova, I., **636** 26
Shete, V.S., **625** 195
Shiau, C.-W., **624** 63
Shibata, K., **624** 348
Shields, G.P., **635** 119
Shih, K.-Y., **618** 495
Shimada, T., **624** 136
Shimizu, H., **624** 364
Shimizu, I., **622** 199
Shipov, A.G., **620** 139
Shiro, M.-o., **625** 133
Shi, S., **627** 127
Shi, X., **624** 229; **634** 214
Shi, Y., **618** 182
Shi, Y.-C., **626** 192
Shore, S.G., **627** 109
Shutov, P.L., **627** 1
Sidorenkova, H., **634** 136
Sidorov, A.A., **636** 157
Siebert, W., **619** 7
Sieler, J., **621** 327; **626** 243
Siemeling, U., **639** 733
Siesler, H.W., **625** 208
Sigal, N., **636** 148
Šik, V., **631** 125
Silberg, J., **622** 6
Silveira, C.C., **623** 131
Silver, J., **631** 59; **639** 311
Silvestru, A., **623** 153
Silvestru, C., **623** 161
Simonetti, K.D., **623** 185
Simonneaux, G., **618** 360; **629** 145
Simons, R.S., **628** 241
Singer, D., **620** 249
Singh, H.B., **623** 87
Singh, V., **627** 80
Sinha, C., **629** 28
Sinyashin, O.G., **630** 185
Sixt, T., **639** 167
Sizov, A.I., **619** 36
Skakle, J.M.S., **627** 189
Skelton, B.W., **618** 546; **639** 484
Skibar, W., **622** 135
Skowroński, R., **631** 105
Slade, E., **639** 311
Sladky, F., **639** 745
Slawin, A.M.Z., **623** 116; **623** 120
Slugovc, C., **618** 301
Smith, A.K., **628** 1
Smith, F.E., **633** 7
Smith, J.D., **631** 76
Smith, M.D., **639** 514
Smith, M.E., **639** 484
Sohár, P., **634** 122
Sokolov, N.I., **639** 445
Sokolov, V.I., **639** 182
Solan, G.A., **625** 245
Solans, X., **625** 67
Sommer, C., **640** 1
Somsák, L., **639** 813
Song, D., **631** 175
Song, L.-C., **619** 194; **622** 210; **623** 56; **626** 192; **627** 255
Song, M., **639** 27
Song, X., **619** 43
Sotelo-Lerma, M., **623** 81
Soto, J., **639** 151
Soukupová, L., **628** 81
Spaniol, T.P., **621** 3
Spannenberg, A., **621** 89
Spano, N., **622** 47
Spek, A.L., **618** 311; **620** 227; **621** 190; **624** 244; **624** 271; **625** 58; **626** 118; **630** 281; **640** 166
Spey, S.E., **619** 209
Spiegler, M., **626** 100
Spies, T., **639** 300
Spindler, F., **621** 34
Spoida, M., **625** 1
Sporer, C., **639** 507
Stafford, P.R., **639** 837
Stammler, A., **619** 74
Stammler, H.-G., **619** 74; **620** 20; **625** 180; **639** 733
Stanciu, G., **639** 356
Stańczyk, W.A., **640** 29
Stankovic, E., **639** 426
Star, A., **630** 67
Stœckli-Evans, H., **633** 85; **634** 12
Steffen, W., **630** 132
Steimann, M., **630** 266
Steinborn, D., **622** 172; **625** 86
Steiner, G., **639** 558
Stein, T., **633** 71
Stelzer, O., **626** 106; **630** 177
Stephany, H.A., **639** 832
Stephenson, G.R., **632** 49
Štěpnička, P., **639** 291
Štepnička, P., **628** 30
Štěpnička, P., **620** 39
Sterenberg, B.T., **618** 696
Stoeckli-Evans, H., **620** 119; **621** 103
Stolarzewicz, A., **628** 65
Stoll, S., **634** 185
Stol, M., **624** 244
Straub, B.F., **618** 288
Streubel, R., **618** 423
Ströbele, M., **630** 266
Stufkens, D.J., **626** 118
Stüger, H., **627** 167
Stumpf, R., **634** 209
Suades, J., **626** 139
Suárez, A., **620** 8
Šubrt, J., **640** 170
Su, C.-Y., **628** 99
Su, F.-H., **622** 210
Sugawara, S., **627** 121
Sugimoto, H., **622** 280
Sugimoto, M., **635** 173
Suh, I.L.-H., **631** 16
Suisse, I., **626** 157; **628** 114
Sumida, C.Y., **623** 43
Sundermeier, U., **621** 70
Sundermeyer, J., **640** 21
Sun, H., **640** 127
Sun, J., **618** 292; **622** 210; **623** 56; **626** 171; **626** 176; **626** 192; **627** 255; **628** 99; **634** 145; **639** 204
Sünkel, K., **639** 796
Sun, W.-H., **640** 57
Suomalainen, P., **633** 69
Suo, Q.L., **631** 87
Surowiec, M., **624** 167
Sur, S., **624** 18
Süss-Fink, G., **620** 119; **621** 103; **633** 85; **634** 12
Sutcliffe, O.B., **639** 134
Suter, M., **618** 530; **621** 231
Sutherland, H.S., **626** 199; **627** 206; **628** 155; **629** 114; **629** 131
Suzuki, E., **619** 235
Suzuki, K., **624** 143
Suzuki, R., **636** 108
Suzuki, T., **622** 149
Swamy, V.M., **624** 18
Sweigart, D.A., **630** 84
Swennenhuis, B.H.G., **639** 805
Szymańska-Buzar, T., **622** 74; **640** 72

Tachikawa, M., **622** 199
Tacke, R., **628** 183; **640** 140
Tafeenko, V.A., **639** 653
Tagliavini, E., **639** 609
Tahir, M.N., **633** 27
Taillefer, M., **624** 307
Takagi, H., **626** 32
Takagi, M., **639** 476
Takahashi, K., **625** 47
Takahashi, S., **618** 601
Takahashi, T., **633** 18
Takats, J., **626** 76; **632** 119; **632** 209
Takemura, M., **620** 282
Takenaka, S., **639** 476
Taketomi, T., **636** 108
Takeuchi, Y., **636** 108
Talarmin, J., **622** 297; **627** 67
Tamai, M., **633** 131
Tamaru, Y., **624** 348
Tamm, M., **618** 640
Tamura, H., **625** 7
Tanaka, K., **619** 299; **622** 280; **636** 108
Tanaka, S., **624** 348
Tang, L.-F., **639** 209
Tang, Z., **620** 69
Taraban, M.B., **636** 12
Tárraga, A., **639** 258
Tasin, A., **627** 99
Taube, R., **621** 327; **640** 1
Tay, C.T., **625** 231
Taylor, M., **624** 259
Taylor, P.G., **619** 132; **620** 139
Taylor, R.E., **619** 321
Teeple, R., **631** 19
Teixeira, A.P.S., **632** 145
Teixeira, C., **632** 188
Teixeira-Dias, J.J.C., **632** 11
Tejeda, J., **618** 395; **627** 263; **629** 68
Templeton, J.L., **618** 520
Terayama, M., **622** 302
Teresa Duarte, M., **632** 133
Tesauro, D., **622** 242
Tesouro Vallina, A., **621** 103
Tessier, C.A., **628** 241
Thaler, G., **639** 745
Thépot, J.-Y., **627** 179
Thewalt, U., **620** 39; **621** 267

Thiele, K.-H., **626** 243
Thiel, W.R., **621** 153; **626** 100
Thomas, C.M., **633** 85
Thomas, E.J., **631** 29
Thomas, P., **631** 59
Thomas, R.C., **622** 61
Thomas, R.D., **625** 13
Thominot, P., **629** 39
Thorimbert, S., **624** 333
Tian, G., **634** 145
Tian, S., **636** 124
Tian, X., **640** 57
Tiekink, E.R.T., **620** 194; **633** 7; **633** 149; **634** 55; **636** 138
Tierney, D.L., **620** 211
Timmons, D.J., **618** 98
Tiripicchio, A., **618** 399; **619** 179; **639** 463; **639** 586; **639** 677
Tisato, F., **639** 772
Tišlerová, I., **620** 39
Titcomb, L.R., **618** 635
Tiwari, U., **627** 80; **629** 83
Tlenkopatchev, M., **630** 157
Tobisch, S., **619** 24
Toffoletti, A., **639** 710
Tokarčik, M., **622** 166
Tolstikov, G.A., **636** 76
Toma, S., **639** 426
Tomasulo, M., **639** 407
Tomon, T., **619** 299
Tomooka, K., **624** 364
Tonachini, G., **626** 24
Top, S., **639** 500
Törös, S., **622** 112
Torralba, M.C., **633** 91
Torres, M.R., **633** 91
Torres, T., **639** 751
Torroni, S., **626** 24
Toscano, A., **634** 5
Toscano, A.R., **628** 107
Toscano, R.A., **623** 74
Toullec, P., **634** 131
Toupet, L., **618** 483; **629** 19
Train, C., **639** 182
Traldi, P., **626** 11
Tranchier, J.-P., **624** 124
Tran-Huy, H., **618** 376
Traveria, M., **623** 137
Troitskaya, L.L., **639** 182
Trojan, L., **639** 291
Trzeciak, A.M., **620** 174; **628** 195
Tschinkl, M., **619** 321
Tsuchiya, T., **624** 392
Tsuge, K., **619** 299
Tsukada, N., **627** 121
Tsukamoto, H., **622** 199
Tsutsumi, K., **620** 190
Tsvetkov, A.V., **639** 653
Tuck, D.G., **626** 68
Tucker, J.H.R., **639** 304
Tully, W., **633** 162
Tumminia, F., **631** 110
Tunik, S.P., **623** 65
Turnbull, M.M., **630** 33
Turos, E., **630** 57
Türös, G., **634** 122
Tutone, F., **619** 293
Uccelli, L., **639** 772
Ueda, M., **639** 832
Uematsu, M., **619** 235
Ueyama, N., **627** 221
Uguagliati, P., **622** 155
Uhl, W., **634** 193; **639** 300
Ülkü, D., **633** 27
Umbarkar, S.B., **629** 160
Undheim, K., **625** 160
Unger, G., **622** 143
Uosaki, K., **639** 841
Uria, P., **620** 8
Urch, C.J., **624** 344
Uriel, S., **640** 113
Urnezius, E., **630** 193
Ustynyuk, N.A., **622** 221; **631** 47
Utimoto, K., **618** 39

Vahrenkamp, H., **627** 153
Vaissermann, J., **621** 284; **624** 186
Valach, F., **622** 166
Valderrama, M., **619** 1; **620** 256; **633** 182
Valls, E., **626** 139
Valyaev, D.A., **631** 47
VanAelstyn, M.A., **628** 71
Van Boxel, R., **619** 141; **633** 114; **639** 426
Vandais, A., **618** 744
VanDerveer, D.G., **639** 683
Van Doorslaer, S., **634** 185
Vankar, Y.D., **624** 359
van Koten, G., **620** 227; **621** 190; **624** 271; **630** 281; **640** 166
van Leeuwen, P.W.N.M., **625** 58; **639** 805
van Slageren, J., **620** 202; **626** 118
Varchi, G., **639** 407
Vargaftik, M.N., **636** 69
Varga, R.A., **623** 161
Varghese, B., **623** 48
Varkey, S.P., **621** 310
Varshavsky, Y.S., **628** 195
Vasyanina, L.K., **631** 1
Vázquez-Garcia, D., **620** 8
Vázquez López, E.A., **628** 107
Vázquez, P., **639** 751
Veciana, J., **639** 251; **639** 507
Veiros, L.F., **632** 3; **632** 49; **635** 197
Vela, J., **634** 5
Velasco, M.D., **639** 258
Veltri, L., **622** 84
Venter, M.M., **627** 6
Venugopalan, P., **619** 157
Vermeer, A.L., **626** 118
Verrazzani, A., **621** 246
Verspui, G., **621** 337
Vessières, A., **639** 500
Viani, I., **634** 25
Vicente, V., **624** 307
Vickers, D.M., **635** 212
Vidal-Gancedo, J., **639** 251
Vieira, M.L., **623** 43
Vila, J.M., **620** 8; **623** 176; **639** 577
Villa de Brito, M.J., **620** 276; **632** 75
Villiers, C., **618** 744
Virgili, A., **625** 148
Visentin, F., **622** 155
Vitagliano, A., **622** 242
Vittal, J.J., **639** 757
Vitulli, G., **621** 246
Vlaar, M.J.M., **618** 311
Vogeley, N.J., **618** 520
Vogler, A., **639** 777
Volkova, O.S., **636** 12
Volland, M.A.O., **618** 288
von Koblinski, C., **619** 305
Vorfeld, U., **639** 733
Voskoboynikov, A.Z., **619** 280
Vitek, J., **640** 170
Vuano, S., **618** 511
Vyklický, L., **618** 329

Wachter, J., **627** 139; **628** 39; **634** 47
Wade, K., **634** 99
Waffenschmidt, H., **630** 177
Wagener, K.B., **620** 287
Wagner, C., **628** 144; **630** 149
Wagner, M., **639** 390
Wagner, S., **619** 110
Wakahara, T., **636** 63
Wakasa, M., **636** 63
Walawalker, M.G., **628** 76
Waldkircher, M., **622** 121
Wall, E.A., **623** 185
Walsh, R., **636** 49; **640** 177
Walter, O., **627** 249
Wamhoff, H., **634** 122
Wang, B., **626** 186; **634** 145
Wang, J., **629** 213; **639** 631
Wang, J.-t., **639** 204; **639** 209
Wang, K., **634** 1
Wang, L., **631** 87
Wang, Q., **618** 751; **630** 78
Wang, R., **618** 292
Wang, R.-Y., **631** 175
Wang, S., **631** 175
Wang, Y., **618** 133; **626** 176; **631** 87
Wang, Z., **624** 372
Wang, Z.-H., **639** 209
Wanner, M., **639** 240
Warchhold, M., **628** 46
Ward, A.J., **619** 218
Wardell, J.L., **619** 226; **627** 189
Wardell, S.M.S.V., **627** 189
Wartchow, R., **618** 412
Wassermann, B.C., **621** 317
Wasserscheid, P., **630** 177
Watanabe, S., **625** 54
Watanabe, Y., **629** 44
Watkin, D.J., **622** 166
Waugh, M., **620** 150
Webb, T.R., **620** 133
Weber, M., **639** 167
Weberndörfer, B., **618** 502
Weibert, B., **626** 16
Weidenbruch, M., **636** 7
Weißenbach, K., **618** 464; **621** 344
Weißenborn, H., **640** 1
Weigand, W., **621** 352
Weiß, J., **630** 253
Weimann, R., **626** 243
Weingarten, U., **636** 31
Wei, Q., **640** 127
Weis, A., **628** 169
Weiss, R., **618** 473
Wendler, C., **626** 53

Wendling, E., **623** 131
Weng, L., **626** 186; **639** 631
Weng, Z., **631** 67
Wen, L., **631** 87
Wenseleers, W., **619** 252
Werner, H., **618** 502
Wernik, S., **621** 317
Weskamp, T., **618** 616
West, R., **636** 17
White, A.H., **618** 546; **639** 484
White, A.J.P., **618** 546; **639** 418
White, P.S., **618** 520
Whiting, M.C., **639** 16
Wibbeling, B., **622** 143; **624** 96
Wiberg, N., **619** 110; **628** 46; **628** 57
Willem, R., **634** 55
Willermann, M., **629** 97
Williams, C.K., **639** 418
Williams, D.J., **618** 546; **639** 418
Williams, M.R.V., **618** 635
Williamson, A., **625** 77
Willis, A.C., **629** 7
Wilson, D.R., **639** 172
Wimperis, S., **633** 173
Winkler, M., **622** 121
Winter, J.G., **628** 11
Winter, M., **630** 253
Winter, R.F., **639** 240
Wittenbecher, L., **618** 629
Wittenburg, C., **625** 32
Wittmann, K., **621** 130
Wojcicki, A., **630** 44
Wolf, M.O., **639** 145
Wolke, S.I., **625** 101
Wong Chi Man, M., **627** 239
Wong, C.-K., **639** 159
Wong, R.C.S., **631** 67
Wong, W.-T., **626** 125; **634** 61; **639** 276
Wong, W.-Y., **639** 159
Woode, P.D.W., **624** 69
Woodgate, P.D., **626** 199; **627** 206; **628** 155; **629** 114; **629** 131
Woodgate, S.D., **619** 293; **623** 109; **625** 77
Wood, J.S., **625** 95
Woo, K., **630** 84
Woollins, J.D., **623** 116
Wostyn, K., **639** 435
Wrackmeyer, B., **620** 51; **623** 149; **630** 263; **639** 727
Wright, L.J., **619** 293; **623** 109; **625** 77
Wright, M.E., **639** 837
Wright, P.J., **619** 209
Wu, B., **640** 57
Wu, C., **639** 327
Wu Jiang, X., **618** 182
Wu, J.-J., **628** 123
Wu, K., **640** 127
Wu, L., **626** 176
Wulff, W.D., **618** 182
Wünsch, R., **621** 352
Wurst, K., **622** 6; **622** 135; **625** 200; **634** 39; **639** 507; **639** 558; **639** 745
Wu, X.-l., **639** 723
Wu, X.-T., **640** 57
Wu, Y., **639** 27; **639** 793

Xiang, J., **624** 287
Xie, Q., **619** 43
Xie, T., **627** 93
Xiong, Y.-L., **628** 99
Xi, Z., **633** 18
Xuan, Z., **620** 235
Xue, P., **639** 327
Xu, Q.-h., **625** 128; **639** 719; **639** 782
Xu, S., **626** 186; **634** 145
Xu, Y., **639** 335

Yakhvarov, D.G., **630** 185
Yalalova, D.F., **636** 76
Yamada, Y., **639** 80
Yamagaki, T., **636** 82
Yamaguchi, S., **635** 173
Yamaguchi, Y., **634** 167
Yamaji, T., **630** 11
Yamamoto, A., **622** 199
Yamamoto, T., **639** 809
Yamamoto, Y., **624** 136; **640** 10
Yamanoi, S., **624** 143
Yamasaki, M., **625** 133
Yamashita, K., **639** 476
Yamashita, M., **625** 133
Yamazaki, H., **618** 601; **634** 109
Yamuna, R., **627** 80
Yáñez, R., **619** 14
Yang, B., **639** 738; **639** 742
Yang, J., **623** 56
Yan, H., **623** 149
Yao, J.W., **631** 181
Yap, G.P.A., **618** 182; **639** 145
Yates, B.F., **635** 142
Yauchibara, R., **636** 144
Yeh, W.-Y., **620** 106
Yeung, C.-H., **619** 204
Yiğit, B., **633** 27
Yin, G., **630** 11
Yin, Y.-Q., **628** 123
Yoder, C.H., **633** 33
Yoo, B.R., **631** 36
Yoon, S.C., **640** 79
Yoshida, K., **639** 75
Yoshida, T., **625** 54
Yoshizawa, K., **635** 100
Young, D.W., **619** 320
Youngs, W.J., **628** 241
Young, V.G., Jr., **620** 113; **626** 43
You, S.-L., **639** 762; **639** 845
Yuan, J.-C., **628** 123
Yuan, Q., **639** 327
Yuan, R., **639** 793
Yuan, Y., **639** 631
Yuan, Y.-f., **639** 204
Yu, K., **619** 204; **630** 84
Yun, H., **639** 793
Yun, S.-S., **631** 16
Yu, N.-T., **634** 61
Yus, M., **624** 53

Zabel, M., **627** 139; **628** 39; **630** 169; **633** 1; **634** 47
Zaitseva, G.S., **627** 1
Zakrzewski, J., **627** 135; **631** 105
Záliš, S., **620** 202
Zamora, M., **639** 642
Zamyshlyaeva, O.A., **620** 139
Zanella, P., **626** 11
Zanello, P., **620** 243; **626** 145; **630** 149; **639** 390; **639** 418; **639** 538; **639** 586; **639** 733; **639** 800
Zang, E., **618** 671
Zanotto, L., **629** 201
Zard, S.Z., **624** 316
Zhang, C., **640** 121
Zhang, D., **640** 121
Zhang, H., **631** 87
Zhang, J., **626** 186
Zhang, L.-y., **639** 204
Zhang, Q.-Q., **627** 201
Zhang, R., **634** 34
Zhang, S., **627** 127
Zhang, W., **628** 99
Zhang, X.-l., **629** 47
Zhang, Y., **626** 176; **634** 1; **634** 102; **639** 664
Zhang, Y.-H., **628** 123
Zhang, Z.-T., **629** 47
Zheng, X., **619** 305
Zhou, Q.-L., **640** 65
Zhou, X., **626** 186; **634** 145
Zhou, Z., **640** 127
Zhuang, B., **640** 127
Zhu, B., **626** 186
Zhu, K., **639** 738
Ziegler, T., **635** 153
Zimmerman, R.S., **639** 343
Zimniak, A., **634** 198
Zingaro, R.A., **623** 81
Ziółkowski, J.J., **628** 195
Ziółkowski, J.J., **620** 174
Zsolnai, L., **634** 74
Zucca, A., **622** 47
Zuccaccia, C., **628** 255
Zucchi, C., **639** 813
Zuideveld, M.A., **639** 805
Zúñiga-Villarreal, N., **626** 113
Zuzlov, A.N., **636** 56
Zvukova, T.M., **619** 36

ELSEVIER

Journal of Organometallic Chemistry, Supplement (2002) 15–108

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Cumulative Subject Index of Volumes 617–640

ab initio
A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, **629**, 165

Ab initio calculations
Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+ BF_4^-$ (M = Pt, Pd, R = CH_3, C_6H_5, s = coordinated solvent), **622**, 199
Gas-phase formation of mono- and dications from iron-subgroup decamethylmetallocenes and their calculation by the density functional method, **631**, 9
Synthesis and characterisation of $[M(\eta^5\text{-}NC_4Me_4)(CH_2Ph)_3]$ (M = Ti, Zr, Hf) and $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$. Structural determination and bonding of $[Ti\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$ depicting an agostic interaction, **632**, 157
Synthesis, bonding and dynamic behavior of *fac*-$[Mo(II)(CO)_2(\eta^3\text{-allyl})]$ derivatives, **632**, 197
UV photoelectron and ab initio study of intramolecular interactions in α-diethoxyphosphoryl carbonyl derivatives, **625**, 121

Absolute configuration
Diastereomeric amides from *rac*-3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, **627**, 135

Acaricial activity
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, **619**, 43

π-Acceptor ligands
Complexes with phosphorus analogues of imidazoyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis, **617-618**, 383

Acetal
Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, **637-639**, 230

Acetals
Triformylferrocenes, novel modules for organometallic scaffolds, **630**, 132

Acetonitrile
Synthesis and reactions of the dichloro bis(3-hexyne) complex $[WCl_2(CO)(NCMe)(\eta^2\text{-}EtC_2Et)_2]$, **628**, 91

Acetylacetonate
Degradation of a methacrylate-substituted oxozirconium cluster by acetylacetone, **636**, 172

Acetylacetonate complexes
Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenerhodium(I) complexes, **617-618**, 502

Acetyl complex
Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, **619**, 299

π-Acetylene complexes
Synthesis and electrochemical study of cobalt carbonyl complexes of trimethylsilyl-substituted 1,3,5-triethynylbenzene, **631**, 19

Acetylene dicobalthexacarbonyl adducts
Semimasked 1,1′-diethynylferrocenes: synthetic concepts, preparations, and reactions, **637-639**, 558

Acetylenes
Acetylene cyclopropanation by CH_2I_2–Et_3Al reagent, **636**, 91
'One-pot' synthesis of 1,1-disubstituted cyclopropanes in the presence of metal complex catalysts, **636**, 76
Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, **637-639**, 230
Synthesis of (*Z*)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via $Pd(dba)_2$–$P(OCH_2)_3CEt$-catalyzed germastannation of acetylenes in THF, **622**, 302
X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, **625**, 200

Acetylenic lactams
Palladium catalyzed cyclization reactions of acetylenic lactams, **624**, 244

1-Acetyl-1′-enonylferrocenes
Preparation of ferrocenyl mono- and dienone derivatives through aldol condensation of 1,1′-diacetylferrocene with aromatic aldehydes in dry conditions, **637-639**, 782

Acetylide
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, **633**, 114
Synthesis of highly ethynylated mono and dinuclear Pt(II) tethers bearing the 4,4′-bis(ethynyl)biphenyl (debp) unit as central core, **619**, 49
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster $[Fe_2(CO)_6(\mu_3\text{-}S)_2W\{(\eta^5\text{-}C_5H_4)W(CO)_3(CCPh)\}_2]$, **629**, 160

Acetylides
Preparation and electrochemical behaviour of dinuclear platinum complexes containing NCN ligands (NCN = $[C_6H_3(Me_2NCH_2)_2\text{-}2,6]^-$). The crystal structure of $[C_6H_3(Me_2NCH_2)_2\text{-}1,3\text{-}(C{\equiv}C)\text{-}5]_2$, **620**, 227

Actinide ions
Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes $Fe(CO)_5$ and $Fe(C_5H_5)_2$, **632**, 126

Acyl
Migratory insertion and CO substitution reactions of the β,γ-unsaturated esters and amides $[Fe_2(CO)_5(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2\}]$ (Nu = OMe, OEt, OPr^i, NHPh, NHBu^t): synthesis and characterisation of acyl-bridged $[Fe_2(CO)_4L_2(\mu\text{-}PPh_2)(\mu\text{-}C{=}O\{C{=}CH_2\}CH_2C(O)Nu)]$ (L_2 = dppm, dppe) and alkenyl-bridged $[Fe_2(CO)_4\{P(Ome)_3\}_2(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2)]$, **620**, 150

PII: S0022-328X(02)01361-X

Acyl anion equivalent
Reaction of iron aminocarbene complexes with electronically deficient alkenes, **617-618**, 329
Acyl chlorides
C–C-bond formation in reactions of $[(\eta^5\text{-}C_5H_4SiMe_3)_2\text{-}Ti(C{=}CR^1)_2]CuR$ with acyl chlorides and anhydrides, **625**, 140
Acylsilanes
Stereoselective addition of organomanganese reagents to chiral acylsilanes and aldehydes, **624**, 223
Acyl thiourea
Synthesis and molecular structure of a novel ferrocene-containing macrocyclic acyl thiourea derivative, **637-639**, 204
Addition
A highly efficient and practical preparation of 2,4-pentadienyltitaniums and their γ-selective addition reaction with aldehydes and ketones, **624**, 151
Stereoselective addition of organomanganese reagents to chiral acylsilanes and aldehydes, **624**, 223
Synthesis and structure of the chromiumcarbonyl complexed phenyl allene, **630**, 198
Addition reaction
Direct use of chiral or achiral organophosphorus boranes as pro-ligands for transition metal catalyzed reactions, **624**, 333
Addition to aldehydes
New preparation of benzylic zinc reagents via a fragmentation reaction, **624**, 88
Adduct
A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene, **617-618**, 629
[4 + 2] Adduct
Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, **629**, 44
Adduct formation
Zwitterionic adducts from addition of imines to the α-carbon atom of pentacarbonyl(vinylidene)chromium and -tungsten complexes, **620**, 165
Adduct tetrahydrofuran
New synthesis of a stable dialkylstannylene and its reversible complexation with tetrahydrofuran, **636**, 144
Agostic interaction
Rhenium(I) organometallic complexes with novel bis(mercaptoimidazolyl)borates and with hydrotris(mercaptoimidazolyl)borate: chemical and structural studies, **632**, 41
Synthesis and characterisation of $[M(\eta^5\text{-}NC_3Me_4)(CH_2Ph)_3]$ (M = Ti, Zr, Hf) and $[Ti(\eta^5\text{-}NC_3Me_4)(Me)Cl_2]$. Structural determination and bonding of $[Ti(\eta^5\text{-}NC_3Me_4)(Me)Cl_2]$ depicting an agostic interaction, **632**, 157
Air
Dihydroxylation of olefins using air as the terminal oxidant, **621**, 70
Alcohol
An examination of the substitution chemistry of di-*n*-hexyldichlorosilane, **620**, 287
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, **619**, 235
P-chiral β-aminophosphine oxides vs. β-aminophosphines as auxiliaries for ruthenium catalysed enantioselective transfer hydrogenation of arylketones, **626**, 157
Alcohols
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, **624**, 327
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, **634**, 216
Neutral, non-racemising, catalytic aerobic oxidation of alcohols, **624**, 344
Oxidation of organometallic compounds (RM, M = Li, MgBr, ZnBr, CuCNLi, $Cu(R)CNLi_2$) with ^tBuOOLi, $Ti(O^iPr)_4$-mediated with ^tBuOOH, and with O_2, to give alcohols (ROH). Are radicals $R^\bullet$ involved?, **624**, 47
Synthesis of ferrocenylketyl radicals by chromium(II) complexes, **637-639**, 813
Aldehyde
A highly efficient and practical preparation of 2,4-pentadienyltitaniums and their γ-selective addition reaction with aldehydes and ketones, **624**, 151
Synthesis and crystal structure of oxo-bridged binuclear titanium complex $[\{Ti(acac)_2Cl\}\{TiCp_2(Cl)\}(\mu\text{-}O)]$ and its catalytic reactions toward silation of aldehyde, **631**, 16
Aldehydes
Synthesis of novel 1,1′-bis(oxazolinyl)metallocenes and their application in the asymmetric phenyl transfer from organozincs to aldehydes, **624**, 157
Triformylferrocenes, novel modules for organometallic scaffolds, **630**, 132
Aldol condensation
Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, **622**, 251
Preparation of ferrocenyl mono- and dienone derivatives through aldol condensation of 1,1′-diacetylferrocene with aromatic aldehydes in dry conditions, **637-639**, 782
Aldopentoses
Reactivity of γ-benzyloxyallyltins with cyclohexylidene glyceraldehydes, **624**, 383
Alkaline earth compounds
Metallocenes of the alkaline earth metals and their carbene complexes, **617-618**, 588
Alkaline metals
Alkalimetalldisupersilylsilanide $MSiXR^*_2$ ($R^* = Si^tBu_3$; X = H, Me, Ph, Hal): Synthesen, Charakterisierung, Strukturen, Reaktionen, **628**, 46
Alkane hydroxylation
Methane inversion on transition metal ions: a possible mechanism for stereochemical scrambling in metal-catalyzed alkane hydroxylations, **635**, 100
Alkanethiol SAM on gold
Anion effect on the electrochemical characteristics of a gold electrode modified with a self-assembled monolayer of ferrocenylhexanethiol in aqueous and dichloromethane solutions, **637-639**, 841
Alkanoylferrocenes
A convenient synthesis of *E*-alkenylferrocenes, **629**, 208
Alkene
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, **619**, 235
Insertion reactions of alkenes with diterpenoid chromium aminocarbenes, **628**, 155
Alkene complexes
Chelated η^2-alkene- and η^3-allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, **617-618**, 346
Olefin strain energies and platinum complexes of highly pyramidalised alkenes, **635**, 142
Alkenes
Cross-coupling of vinylpolysiloxanes with aryl iodides, **624**, 372
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, **625**, 58

Alkenyl
Migratory insertion and CO substitution reactions of the β,γ-unsaturated esters and amides $[Fe_2(CO)_5(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2\}]$ (Nu = OMe, OEt, OPr^i, NHPh, NHBu^t): synthesis and characterisation of acyl-bridged $[Fe_2(CO)_4L_2(\mu\text{-}PPh_2)(\mu\text{-}C{=}O\{C{=}CH_2\}CH_2C(O)Nu)]$ (L_2 = dppm, dppe) and alkenyl-bridged $[Fe_2(CO)_4\{P(OMe)_3\}_2(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2)]$, **620**, 150
Alkenyl complexes
Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, **617-618**, 261
Alkenylferrocene
A convenient synthesis of *E*-alkenylferrocenes, **629**, 208
Alkenylindenes
Synthesis, characterization, and catalytic properties of bis[alkylindenyl]-, bis[alkenylindenyl]- and [alkenylindenyl(cyclopentadienyl)]zirconium dichloride complexes, **636**, 31
Alkoxides
Preparation of bistrimethylsilylmethylniobiumtetrafluoride and the application of KHF_2 and $n\text{-}Bu_4NHF_2$ as fluorinating reagents, **621**, 310
Alkoxysilanes
α-Lithioalkoxysilanes: applications to alkene synthesis, **625**, 13
Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, **625**, 208
Alkyl
The synthesis of alkyl niobocene imido complexes and the X-ray crystal structure of $[Nb(=O)Cp_2Me]$ ($Cp = \eta^5\text{-}C_5H_5$), **631**, 151
1-Alkylaminopyrazoles
Organometallic rhodium (I) complexes with 1-alkylaminopyrazole ligands, **619**, 14
Alkylation
Alkylation of nitroarenes with Grignard reagents via oxidative nucleophilic substitution of hydrogen, **624**, 167
Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, **617-618**, 399
Friedel–Crafts alkylation of benzene with (polychloromethyl)-silanes, **631**, 36
Ligands with cycloalkane backbones VIII. Steric effects in the ligand accelerated enantioselective alkylation of benzaldehyde, **621**, 153
Novel ferrocene modified *P,N*-ligands for enantioselective palladium-catalyzed allylic substitution reactions, **637-639**, 762
Palladium-catalyzed asymmetric allylic alkylations of cycloalkenyl acetates with planar chiral phosphino-ferrocene carboxylic acids, **637-639**, 845
Alkylative reduction
Carbon–carbon bond formation via oxidative-addition processes of titanium(II) reagents with π-bonded organic substrates. Reactivity modifications by Lewis acids and Lewis bases: Part 22. Organic chemistry of subvalent transition metal complexes, **624**, 229
Alkyl ferrocenes
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, **637-639**, 469
Alkylidene
Factors governing the equilibrium between metal–alkyl, alkylidene and alkylidyne: MCX_2R, X–M–CXR and $X_2M{=}CR$, **617-618**, 56
Alkylidyne
A comparison of ferrocenyl carbenium/non-carbenium structures in isomeric osmium cluster complexes obtained from the reaction of bis-ferrocenylbutadiyne with $Os_3(CO)_{10}(\mu\text{-}py)(\mu\text{-}H)$, **637-639**, 514
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, **633**, 51
Factors governing the equilibrium between metal–alkyl, alkylidene and alkylidyne: MCX_2R, X–M–CXR and $X_2M{=}CR$, **617-618**, 56
Alkylindenes
Synthesis, characterization, and catalytic properties of bis[alkylindenyl]-, bis[alkenylindenyl]- and [alkenylindenyl(cyclopentadienyl)]zirconium dichloride complexes, **636**, 31
Alkyl polyglycosides
Synthesis of achiral, but unsymmetric, seven-membered rhodium(I)-chelates for hydrogenation in the chiral environment of alkyl polyglucoside micelles, **621**, 120
(Alkylthio)aminobenzenes
Metallation reactions XXVII. Metallation of (methylthio)anilines, **620**, 263
Alkylzirconocene complexes
Regioselective alkylzirconation of internal alkynes, **624**, 143
Alkyne
Addition of diphenylphosphine to molybdenum alkynyl complexes, **633**, 125
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
$CpCo(CO)_2$-catalysed cyclotrimerisation of alkynes in supercritical carbon dioxide, **632**, 113
β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl– and η^5-oxocycloheptadienyl–$Mn(CO)_3$ complexes, **633**, 162
Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, **627**, 206
Mixed-metal cluster chemistry. Part 17. Syntheses of $WIr_3(CO)_{11}(\eta\text{-}C_5H_4Me)$ and its reactivity towards diphenylacetylene, **631**, 143
New approach to 1-(phenylethynyl)germatranes and 1-(phenylethynyl)-3,7,10-trimethylgermatrane. Reactions of 1-(phenylethynyl)germatrane with *N*-bromosuccinimide and bromine, **627**, 1
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, **617-618**, 3
Stabilisation of alkynyl dithiocarboxylates at a ruthenium centre: X-ray crystal structures of $[Ru(H)(CO)(S_2CC{=}CPh)(PPh_3)_2]$, $[Ru(CO)(CPh{=}CHPh)(S_2CC{=}CPh)(PPh_3)_2]$ and $[Ru(CO)(C{=}CMes)(S_2CC{=}CPh)(PPh_3)_2]$, **619**, 209
Synthesis and reactions of the dichloro bis(3-hexyne) complex $[WCl_2(CO)(NCMe)(\eta^2\text{-}EtC_2Et)_2]$, **628**, 91
Alkyne complexes
Photosubstitution of carbon monoxide in $W(CO)_6$ by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, **622**, 74
Alkyne cyclisation
New trisubstituted cyclopentadienyl ligands: synthesis, characterisation and catalytic properties of mono and dinuclear cobalt, rhodium, iron and ruthenium complexes, **619**, 179
Alkyne cyclopropenation
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, **617-618**, 110
Alkyne cyclotrimerisation
Stoichiometric cyclotrimerisation of chiral alkynes at a ruthenium centre: preparation of optically active $(\eta^6\text{-arene})(\eta^4\text{-cycloocta-1,5-diene})$ruthenium(0) complexes, **621**, 246

Alkynes
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, Cp*Rh[$E_2C_2(B_{10}H_{10})$], E = S, Se, **623**, 149

Alk-1-ynes
Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, **622**, 84

Alkynes
A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β-unsaturated carbonyl compounds and terminal alkynes, **625**, 47
Internal ferrocenylalkynes—a comparative electrochemical and mass spectrometric study, **637-639**, 291
Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, **628**, 30
Silyl-cupration of a propargylsilane as a test for the reversibility of a metallo-metallation, **624**, 69
Synthesis and structure analysis of tricarbonyl[tetrakis(1'-methylcyclopropyl)cyclobutadiene]iron(0), **624**, 110
Triformylferrocenes, novel modules for organometallic scaffolds, **630**, 132

Alkynyl
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Synthesis and characterisation of some azo-containing phosphine complexes of Au(I): crystal and molecular structure of [Au{C≡CPh}{6-$P(Ph)_2$-1-(4-Me_2N-$C_6H_4N_2$)-$C_{10}H_5$-2-OH}]·$CHCl_3$, **629**, 153

Alkynyl alcohols
Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, **617-618**, 444

Alkynylaminocarbenes
Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, **629**, 131

Alkynylation
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, **634**, 1

Alkynyl carbene complexes
Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, **617-618**, 723

Alkynyl complexes
Stereoselective synthesis of chiral terminal (*E*)-1,3-enynes derived from the aldehydes (1*R*)-(−)-myrtenal and (*S*)-(−)-perillaldehyde using the alkynyl–phosphonio complex [Ru{C≡$CCH_2(PPh_3)$}(η^5-C_9H_7)(PPh_3)$_2$][PF_6] as synthon, **621**, 39
Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, **617-618**, 301
Synthesis, structures and electrochemistry of bis(alkynylferrocene) complexes with fluorene spacers, **637-639**, 159

Alkynylsilane
Reaction of alkynylsilanes with CuCl in polar solvents leading to alkynyl group transfer from Si to Cu, **620**, 282

Allene
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, **617-618**, 723

Allenes
Synthesis and structure of the chromiumcarbonyl complexed phenyl allene, **630**, 198

Allenyl
Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, **617-618**, 723

η^1-Allenyl
Reactions of $Rh(SbPh_3)_3(CO)X$ (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodiacyclopent-3-ene-2-one complexes, **630**, 44

Allenylation
The deviating behavior of thiols in nucleophilic trapping reactions of chromiumcarbonyl phenyl complex substituted propargyl cation, **640**, 41

Allenyl carbene complexes
The reaction of ferrocenyl acetylene with [$RuCp(PR_3)(CH_3CN)_2$]PF_6 (R = Me, Ph, Cy). Formation of the first allenyl carbene complexes, **637-639**, 70

Allenylidene
Activation of 2-propyn-1-ols by the rhenium(I) fragment [{$MeC(CH_2PPh_2)_3$}$Re(CO)_2$]$^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, **617-618**, 233

Allenylidene complexes
Stereoselective synthesis of chiral terminal (*E*)-1,3-enynes derived from the aldehydes (1*R*)-(−)-myrtenal and (*S*)-(−)-perillaldehyde using the alkynyl–phosphonio complex [Ru{C≡$CCH_2(PPh_3)$}(η^5-C_9H_7)(PPh_3)$_2$][PF_6] as synthon, **621**, 39

Allenylsilane
Silyl-cupration of a propargylsilane as a test for the reversibility of a metallo-metallation, **624**, 69

Allylation
Direct use of chiral or achiral organophosphorus boranes as pro-ligands for transition metal catalyzed reactions, **624**, 333

Allylboration
Asymmetric allylboration for the synthesis of β-hydroxy-δ-lactone unit of statin drug analogs, **624**, 239

Allyl complexes
Chelated η^2-alkene- and η^3-allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, **617-618**, 346
Cp*Ru-allylcarbene complexes by nucleophilic attack of cyclic Cp*Ru-dicarbenes, **627**, 249
Heptacoordinate dithiophosphate Mo(II) and W(II) complexes: molecular structures of mono and binuclear phosphine complexes, **632**, 175
Isolation of a diketone species that is allylically bound to tungsten, and its relationship to a tungsten η^2-ketone complex, **630**, 215
Rate and mechanism of the reversible formation of a cationic (η^3-allyl)palladium(II) complex in the oxidative addition of allylic acetate to a palladium(0) complex ligated by diop: an unusual behavior, **624**, 217

1-Allyl-2-formylpyrrole
A shortcut hydroformylation route to 7-formyl-5,6-dihydroindolizine from 1-allyl-2-formylpyrrole, **619**, 241

Allylgermanes
Palladium complex-catalyzed germylation of allylic halides using (germyl)stannanes, **619**, 313

Allyl halides
Palladium complex-catalyzed germylation of allylic halides using (germyl)stannanes, **619**, 313

Allylic acetates
Transition-metal catalyzed synthesis of δ-hydroxy-γ-lactones from bis(trimethylsilyl) ketene acetals and allylic acetates via γ-unsaturated carboxylic acids. Comments on the formation of α-cyclopropyl carboxylic acids, **624**, 186
Allylic alcohols
Heck arylation of allylic alcohols in molten salts, **634**, 153
Allylic alkylation
Synthesis of chiral 2-alkyl-8-quinolinyl-oxazoline ligands: reversal of enantioselectivity in the asymmetric palladium-catalyzed allylic alkylation, **640**, 65
Allylic complexes
Synthesis, bonding and dynamic behavior of *fac*-[Mo(II)(CO)$_3$(η^3-allyl)] derivatives, **632**, 197
Allylic stannanes
The BF_3 and $B(C_6F_5)_3$-catalyzed 1,3-isomerization of allylic stannanes, **624**, 294
Allyllithium
Generation of allylic and benzylic organolithium compounds by fluorine–lithium exchange: reaction with electrophiles, **624**, 53
π-Allylpalladium
Synthesis and crystal structure of twisted dinuclear η^3-allylpalladium complexes containing tetradentate nitrogen ligands, **627**, 121
Allylsilane
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, **624**, 327
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, **634**, 216
Allylsilanes
Rhodium-catalyzed cyclopropanations of allylsilanes and allylstannanes: the role of the silyl/stannyl group in *trans–cis* stereoselection, **630**, 57
Allylstannane
Highly diastereoselective desymmetrizing intramolecular cyclization of allylstannane with a diketone promoted by Lewis acid or transition metal complex, **624**, 136
Allylstannanes
Rhodium-catalyzed cyclopropanations of allylsilanes and allylstannanes: the role of the silyl/stannyl group in *trans–cis* stereoselection, **630**, 57
Allylstannation
Reactivity of γ-benzyloxyallyltins with cyclohexylidene glyceraldehydes, **624**, 383
Aluminacyclopentanes
'One-pot' synthesis of 1,1-disubstituted cyclopropanes in the presence of metal complex catalysts, **636**, 76
Aluminacyclopentenes
'One-pot' synthesis of 1,1-disubstituted cyclopropanes in the presence of metal complex catalysts, **636**, 76
Aluminium
Aluminium zirconium (+3 and +4) heterometallic hydrido complexes of compositions $[(\eta^5\text{-}C_5H_5)_2Zr(\mu\text{-}H)]_2(\mu\text{-}H)AlCl_2$ and $[(\eta^5\text{-}C_5H_5)_2ZrH(\mu\text{-}H)_2]_3Al$, **619**, 36
Aluminum
Monomeric Group 13 compounds with bidentate (N,O) ligands, **628**, 71
Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, **617-618**, 702
Syntheses and structures of new blue luminescent B(III) and Al(III) complexes: BPh_2(acac-azain) and $Al(CH_3)$(acac-azain)$_2$, acac-azain = 1-*N*-7-azaindolyl-1,3-butanedionato, **631**, 175
Aluminum chloride
Friedel–Crafts alkylation of benzene with (polychloromethyl)silanes, **631**, 36
Amide
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, **635**, 153
Diastereomeric amides from *rac*-3,3',4,4'-tetramethyl-1,1'-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, **627**, 135
Amide coupling
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, **637-639**, 343
Amides
Iodo bis bistrimethylsilylamido lanthanides, **628**, 271
Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, **622**, 84
Amidinate
Preparation and structure elucidation of novel organoruthenium amidinates bearing η^4-diene ligands, **634**, 167
Amidinates
Synthesis, reactivity, and crystal structures of ferrocene-substituted amidinate derivatives, **637-639**, 521
Amido
Amido- and imido-ethylpyridine titanium complexes. Crystal structure of $\{Ti[NCH_2CH_2py]Cl_2(THF)\}_2$, **632**, 17
Amido ligand
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of $[Zr(Ind)_2(NC_3H_6)_2]$, **632**, 58
Aminal
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, **617-618**, 242
Amination
Novel ferrocene modified *P,N*-ligands for enantioselective palladium-catalyzed allylic substitution reactions, **637-639**, 762
Aminations
An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, **617-618**, 635
Aminations reactions
Bis(pyrimidine)-based palladium catalysts: synthesis, X-ray structure and applications in Heck–, Suzuki–, Sonogashira–Hagihara couplings and amination reactions, **634**, 39
Amine
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, **635**, 153
Amino acid derivatives
Solution phase peptide synthesis with ferrocenyl amino acid derivatives, **637-639**, 349
Amino acids
Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, **617-618**, 464
α-Amino acids
Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type $H_2NCH(CH_2ElR_3)COOH$ (El = Si, Ge; R = organyl) and incorporation of D-$H_2NCH(CH_2SiMe_3)COOH$ and D-$H_2NCH(CH_2GeMe_3)COOH$ into biologically active decapeptides: a study on C/Si/Ge bioisosterism, **628**, 183
Aminoalkynes
Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, **622**, 149
Amino binding to titanium
Continuous wave and pulse EPR as a tool for the characterization of monocyclopentadienyl Ti(III) catalysts, **634**, 185

Aminoborane
New ferrocenyl amine derivatives: *N*-silyl, *N*-stannyl and *N*-boryl ferrocenyl amines, **637-639**, 727
Aminocarbene
Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, **627**, 206
Insertion reactions of alkenes with diterpenoid chromium aminocarbenes, **628**, 155
Reaction of iron aminocarbene complexes with electronically deficient alkenes, **617-618**, 329
Synthesis of chromium aminocarbene complexes of diterpenoids, **626**, 199
Aminocarbene complexes
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, **617-618**, 423
Tethering strategies in alkynylamino carbene complexes, **617-618**, 334
Aminocarbonylation
Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, **622**, 84
Aminocarbyne
Coordination chemistry of CNH_2, the simplest aminocarbyne, **617-618**, 65
Amino enynes
Weakly ligated palladium complexes $PdCl_2(RCN)_2$ in piperidine: versatile catalysts for Sonogashira reaction of vinyl chlorides at room temperature, **624**, 114
2′-Aminoethyl-2-pyridyl derivatives
Amido- and imido-ethylpyridine titanium complexes. Crystal structure of $\{Ti[NCH_2CH_2py]Cl_2(THF)\}_2$, **632**, 17
Aminolysis
Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, **617-618**, 464
Aminonaphthalenes
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, **634**, 1
Aminophosphinidene
Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, **617-618**, 696
Aminophosphonates
The first synthesis of ferrocenyl aminophosphonic esters, **631**, 105
Aminosilane
New ferrocenyl amine derivatives: *N*-silyl, *N*-stannyl and *N*-boryl ferrocenyl amines, **637-639**, 727
Aminostannane
New ferrocenyl amine derivatives: *N*-silyl, *N*-stannyl and *N*-boryl ferrocenyl amines, **637-639**, 727
β-Amino sulphides
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, **637-639**, 407
Aminothiolate ligands
Schiff bases derived from mercury(II)–aminothiolate complexes as metalloligands for transition metals, **623**, 137
Aminotroponiminate
Cyclooctatetraene complexes of yttrium and the lanthanides with chiral and achiral aminotroponiminates, **621**, 277
Amino vinyl chlorides
Weakly ligated palladium complexes $PdCl_2(RCN)_2$ in piperidine: versatile catalysts for Sonogashira reaction of vinyl chlorides at room temperature, **624**, 114
Amphiphiles
Aqueous micellar and non-micellar effects during the asymmetric hydrogenation of dehydroamino acid derivatives: influence of amphiphiles on enantioselectivity and α-CH/CD exchange, **621**, 158
Amphiphilic ligand
Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N,P,N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, **634**, 90
Anaerobic reaction
Alkyl hex-1-ynyl tellurides: Syntheses and multinuclear NMR (^{125}Te-, $^{13}C\{^1H\}$-, ^{1}H-) studies, **625**, 23
Anchimeric assistance
Anchimeric assistance by γ-substituents Z, Z = MeO, PhO, MeS or PhS, in reactions of the bromides $(Me_3Si)_2(ZMe_2Si)CSiMe_2Br$ with $AgBF_4$, **640**, 29
Anhydrides
C–C-bond formation in reactions of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CR^1)_2]CuR$ with acyl chlorides and anhydrides, **625**, 140
Anion complexation
Complexation and electrochemical sensing of anions by amide-substituted ferrocenyl ligands, **637-639**, 356
Anion effect
Anion effect on the electrochemical characteristics of a gold electrode modified with a self-assembled monolayer of ferrocenylhexanethiol in aqueous and dichloromethane solutions, **637-639**, 841
Anionic benzyl phosphines
ortho-Lithiated benzyl diorganophosphines $[o\text{-}(R_2PCH_2)C_6H_4Li(Et_2O)]$, R = Ph, Me. Synthesis, structural characterization, and reactions, **622**, 121
Anion sensing
An electrochemical study in acetonitrile of macrocyclic or open-chain ferrocene-containing oxa-aza or polyaza receptors in the presence of protons, metal cations and anions, **637-639**, 151
ansa Half-sandwich complexes
Amido functionalized *ansa* half-sandwich dichloride complexes of titanium, zirconium and hafnium with alkyl and ω-alkenyl substituents as homogeneous and self-immobilizing catalyst precursors for ethylene polymerization, **628**, 169
ω-Phenylalkyl substituted amido functionalized *ansa* half-sandwich complexes of titanium and zirconium and metallacycles thereof as catalyst precursors for homogeneous ethylene polymerization, **628**, 211
ansa-Metallocenes
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, **625**, 180
Synthesis and X-ray crystal structures of *ansa*-complexes of titanium, zirconium, and hafnium involving methylene-bis(indenyl) ligand, **619**, 280
Antiestrogen
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, **637-639**, 500
Antimony
Synthesis and structure of organoantimony (V) cyclometallates: transannular interactions and the barrier to cyclisation, **622**, 265
Synthesis, characterization and antitumor activity of some arylantimony triphenylgermanylpropionates and crystal structures of $Ph_3GeCH(Ph)CH_2CO_2SbPh_4$ and $[Ph_3GeCH_2CH(CH_3)CO_2]_2Sb(4\text{-}ClC_6H_4)_3$, **620**, 235
Antitumor activity
Synthesis, characterization and antitumor activity of some arylantimony triphenylgermanylpropionates and crystal structures of $Ph_3GeCH(Ph)CH_2CO_2SbPh_4$ and $[Ph_3GeCH_2CH(CH_3)CO_2]_2Sb(4\text{-}ClC_6H_4)_3$, **620**, 235

Application in organic synthesis
Chemistry of thermally stable bis(amino)silylenes, **617-618**, 209
Applications
Studies on the cyclometallation of ferrocenylimines, **637-639**, 27
Aqueous biphase catalysis
Transition metal complexes with the C_1-symmetric diphosphines (*R*)-(*R*)-3-benzyl-2,4-bis(diphenylphosphino)pentane and (*R*)-(*R*)-3-benzyl(*p*-sulphonate)-2,4-bis(diphenylphosphino)-pentane sodium salt. Applications to enantioselective catalysis in different phase systems, **621**, 26
Aqueous solution
Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, **627**, 37
Reactions of the cationic complex $[(\eta^5\text{-}C_5Me_5)_2Ir_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, **634**, 12
Arene
Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, **629**, 7
Arene chromium complexes
Solution and solid state conformation of Fischer carbene complexes vis-à-vis conformation of aryl carboxamides: complexation of the aromatic ring by tricarbonylchromium makes a difference, **617-618**, 709
Arene complexes
Regio- and diastereoselective formation of some (η^6-2-methylindoline)tricarbonylchromium(0) complex derivatives, **626**, 233
Stoichiometric cyclotrimerisation of chiral alkynes at a ruthenium centre: preparation of optically active (η^6-arene)(η^4-cycloocta-1,5-diene)ruthenium(0) complexes, **621**, 246
Synthesis and structure of the chromiumcarbonyl complexed phenyl allene, **630**, 198
The deviating behavior of thiols in nucleophilic trapping reactions of chromiumcarbonyl phenyl complex substituted propargyl cation, **640**, 41
The effect of solubility on the stability of titanium(IV) arene complexes derived from hexasubstituted arenes and $TiCl_4$, **620**, 113
Arene ligand
Catalytic hydrogenation of aromatics under biphasic conditions: isolation and structural characterisation of the cluster intermediate $[(\eta^6\text{-}C_6Me_6)_2(\eta^6\text{-}C_6H_6)Ru_3(\mu_2\text{-}H)_2(\mu_2\text{-}OH)(\mu_3\text{-}O)]^+$, **621**, 103
Arene ruthenium
Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, **633**, 79
Arene stacking
Conformational control of intramolecular arene stacking in ferrocene complexes bearing *tert*-butyl and pentafluorophenyl substituents, **637-639**, 107
Arenetricarbonylchromium complexes
Bimetallic π-conjugated complexes modulated by a carbonyl spacer: synthesis of arenetricarbonylchromium–ferrocene derivatives, **624**, 124
Arene–tricarbonyl complexes
Contra-intuitive stereocontrol: *endo*-selective nucleophilic additions on an arene–tricarbonylchromium template, **624**, 18
Argon
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, **625**, 255
Aromatic diselenides
The oxidative addition of diphenyl diselenide and ditelluride to tetrakis(triphenylphosphine)palladium, **623**, 168
Aromatic ditellurides
The oxidative addition of diphenyl diselenide and ditelluride to tetrakis(triphenylphosphine)palladium, **623**, 168
Aromatic heterocycles
Tertiary stibines containing aromatic heterocycles and their silver complexes: synthesis and X-ray structures, **634**, 5
Aromatic hydrogenation
Catalytic hydrogenation of aromatics under biphasic conditions: isolation and structural characterisation of the cluster intermediate $[(\eta^6\text{-}C_6Me_6)_2(\eta^6\text{-}C_6H_6)Ru_3(\mu_2\text{-}H)_2(\mu_2\text{-}OH)(\mu_3\text{-}O)]^+$, **621**, 103
Arrangement
1,1′,2,2′-Tetrakis(diphenylphosphino)-4,4′-di-*tert*-butylferrocene, a new *cisoid* arrangement of phosphino groups, **637-639**, 126
Arsaphosphene
New routes to diarsenes and arsaphosphenes involving fluorinated arsines, **619**, 275
Arsenic
Cyclopentadienylcobalt complexes containing sulfosalt units: synthesis and structure of $[(C_5Me_4Et)_3Co_3AsS_3]I$ and $[(C_5Me_4Et)_3Co_3AsSe_3][Cr(CO)_5I]$, **628**, 39
Dinuclear molybdenum complexes containing the novel $\mu,\eta^{1,3}$-AsS_2 ligand: synthesis and molecular structure of $[\{Cp^*_2Mo_2(CO)_2As_2S_4\}\cdot 2Cr(CO)_5]\cdot 0.5CH_2Cl_2$ ($Cp^* = C_5Me_5$), **627**, 139
The thermolysis products of $Os_3(CO)_{11}(AsPh_3)$, **625**, 231
Arsenidenes
Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, **617-618**, 105
Arsine
Fragmentation of a As_4Ph_4-chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $Fe_2(CO)_9$, **625**, 245
Arsonic acid
Synthesis and characterisation of ferrocenyl-phosphonic and -arsonic acids, **637-639**, 216
Aryl
Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, **632**, 3
Arylamine ligands
A new homobimetallic arenediyl diplatinum(II) unit as building block for macromolecular synthesis. X-ray crystal structure of $[C_6H_2\{CH_2NMe_2\}_2\text{-}1,5\text{-}\{PtCl(PPh_3)\}_2\text{-}2,4]$, **640**, 166
Arylation
Versatile palladium-catalyzed arylation of organomanganese chlorides by aryl bromides, **624**, 376
Arylboronic esters
Bis(diphosphaferrocene) palladium(II) dimer complexes as efficient catalysts in the synthesis of arylboronic esters, **640**, 197
Aryl bromides
Versatile palladium-catalyzed arylation of organomanganese chlorides by aryl bromides, **624**, 376
Aryl carboxamides
Solution and solid state conformation of Fischer carbene complexes vis-à-vis conformation of aryl carboxamides: complexation of the aromatic ring by tricarbonylchromium makes a difference, **617-618**, 709
Aryl complexes
Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of $Os[Si(OEt)_3]R(CO)(PPh_3)_2$ and $Os[Si(OEt)_3]R(CO)_2(PPh_3)_2$ (R = phenyl or *o*-tolyl), **625**, 77
Aryldiazene complexes
Preparation of aryldiazene complexes of rhodium, **627**, 99

Arylene–alkynylene
A new phthalocyanine–ferrocene conjugated dyad, **637-639**, 751
Aryl ethers
Meta, *para* and *meta*, *ortho* double *exo* nucleophilic additions of trimethylsilylester enolates derived from saturated and unsaturated carboxylic acids to tricarbonylchromium complexes of aryl ethers: dearomatizing cyclization to lactones, **621**, 284
Arylethynyl
Synthesis, structure and reactivities of the dinuclear μ-η^1:η^6-arylethynyl ruthenium complexes $[Cp(PR_3)_2Ru(\mu\text{-}\eta^1\text{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\text{-}Cl$ (R = Ph, Me; Cp = η^5-C_5H_5, Cp* = η^5-C_5Me_5). The molecular structure of $[Cp(PPh_3)_2Ru(\mu\text{-}\eta^1\text{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\text{-}PF_6$, **625**, 133
Aryl halides
NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, **622**, 89
Arylisocyanates
Transition-metal-mediated activation of arylisocyanates in supercritical carbon dioxide, **626**, 227
Aryl ketone
Insertion reactions of alkenes with diterpenoid chromium aminocarbenes, **628**, 155
Aryllithium reagents
Reactions of di-μ-carbonyl-*cis*-μ-(1-5-η:1′-5′-η-dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_5\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$ and $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_4OCH_3\text{-}p\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$, **617-618**, 292
Arylpalladium complexes
Thioether- and selenoether-carboxylates in palladium chemistry: conclusive proof of hemilabile properties of O–Se ligands, **619**, 164
Asymmetrical induction
The first synthesis of ferrocenyl aminophosphonic esters, **631**, 105
Asymmetric catalysis
Catalyst selection for metal carbene transformations, **617-618**, 98
Highly enantioselective Diels–Alder catalysis with a chiral ruthenium bisoxazoline complex, **630**, 17
Palladium-catalyzed asymmetric allylic alkylations of cycloalkenyl acetates with planar chiral phosphino-ferrocene carboxylic acids, **637-639**, 845
Synthesis and crystal structure of bis[(4*S*,5*S*)-4,5-dihydro-4,5-diphenyl-2-(2′-oxidophenyl-χO)oxazole-χN]copper(II) and its application in the asymmetric Baeyer–Villiger reaction, **619**, 204
Synthesis of chiral 2-alkyl-8-quinolinyl-oxazoline ligands: reversal of enantioselectivity in the asymmetric palladium-catalyzed allylic alkylation, **640**, 65
Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, **617-618**, 70
Transition metal complexes with the C_1-symmetric diphosphines (*R*)-(*R*)-3-benzyl-2,4-bis(diphenylphosphino)pentane and (*R*)-(*R*)-3-benzyl(*p*-sulphonate)-2,4-bis(diphenylphosphino) pentane sodium salt. Applications to enantioselective catalysis in different phase systems, **621**, 26
Asymmetric dihydroxylation
Dihydroxylation of olefins using air as the terminal oxidant, **621**, 70
Asymmetric hydrogenation
Aqueous micellar and non-micellar effects during the asymmetric hydrogenation of dehydroamino acid derivatives: influence of amphiphiles on enantioselectivity and α-CH/CD exchange, **621**, 158
Chiral 1,2-bis(phosphetano)ethanes, **624**, 162
Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, **627**, 37
Synthesis of achiral, but unsymmetric, seven-membered rhodium(I)-chelates for hydrogenation in the chiral environment of alkyl polyglucoside micelles, **621**, 120
Synthesis of Rh(I) and Ir(I) complexes with chiral C_2-multitopic ligands: Structural and catalytic properties, **634**, 25
Asymmetric induction
Stereoselective addition of organomanganese reagents to chiral acylsilanes and aldehydes, **624**, 223
Stereoselectivity of formation of polycyclic ferrocenyl-4,5-dihydropyrazoles based on *E*- and *Z*-*s*-*cis*-α,β-enones, **628**, 107
Asymmetric metallocenes
Novel octahydro- and tetrahydro-fluorenyl containing C_1 symmetric zirconocenes for the stereoregular polymerization of propylene, **631**, 29
Asymmetric phenyl transfer
Synthesis of novel 1,1′-bis(oxazolinyl)metallocenes and their application in the asymmetric phenyl transfer from organozincs to aldehydes, **624**, 157
Asymmetric ring opening
Rhodium-catalysed asymmetric ring opening of oxabicyclic alkenes with heteroatom nucleophiles, **624**, 259
Asymmetric synthesis
Asymmetric allylboration for the synthesis of β-hydroxy-δ-lactone unit of statin drug analogs, **624**, 239
Asymmetric synthesis of planar chiral 2-mono- and 2,2′-disubstituted 1,1′-bisbenzoylferrocenes, **637-639**, 698
Carbon nucleophile addition to sp^2-unsaturated Fischer carbene complexes, **624**, 5
Chiral platinum and palladium complexes containing functionalized C_2-symmetric bisaminoaryl 'Pincer' ligands, **624**, 271
Direct use of chiral or achiral organophosphorus boranes as pro-ligands for transition metal catalyzed reactions, **624**, 333
Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, **617-618**, 119
Regio- and diastereoselective formation of some (η^6-2-methylindoline)tricarbonylchromium(0) complex derivatives, **626**, 233
Synthesis of chiral (7*R*)-[η^6-5-(*N*,*N*-dimethylamino)-7-formyl-1,3-benzodioxole]chromium complex and its application in the synthesis of optically active *cis*-β-lactams, **632**, 27
Azaallenylidene
2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand, **617-618**, 640
Azaindolyl
Syntheses and structures of new blue luminescent B(III) and Al(III) complexes: BPh_2(acac-azain) and $Al(CH_3)$(acac-azain)$_2$, acac-azain = 1-*N*-7-azaindolyl-1,3-butanedionato, **631**, 175
Aziridines
An explanation for the apparent *cis*-aziridine selectivity in the iron Lewis acid-catalyzed reaction of *N*-benzylidene aniline and ethyl diazoacetate, **630**, 78
Azobenzene
A novel cis-push–pull effect in cycloruthenated azobenzene thiocarbonyl-containing complexes: crystal and molecular structures of $[RuX(CS)(\eta^2\text{-}C,N\text{-}C_6H_4N{=}NPh)(PPh_3)_2]$(X = Cl, I), **620**, 60
Azophenol ligands
Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, **633**, 79

Back bonding
Back bonding without σ-bonding: a unique π-complex of dinitrogen with uranium, **635**, 69
Backdonation
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, **635**, 37
Baeyer–Villiger reaction
Synthesis and crystal structure of bis[(4*S*,5*S*)-4,5-dihydro-4,5-diphenyl-2-(2′-oxidophenyl-κO)oxazole-κN]copper(II) and its application in the asymmetric Baeyer–Villiger reaction, **619**, 204
Base catalysts
Disproportionation reactions of organohydrosilanes in the presence of base catalysts, **629**, 1
Base-stabilized metal-silylines
Reaction chemistry, NMR spectroscopy, and X-ray crystallography of $[Fe_2(\mu\text{-}SiMe_2)_2(CO)_4]$ and $[Fe_2(\mu\text{-}SiMeCl)_2(CO)_4]$. Electronic structure and bonding in Fe_2E_2 rings of $[Fe_2(\mu\text{-}ER'_2)_2(CO)_4]$ binuclear complexes (E = C, Si, Ge, Sn, Pb), **628**, 241
Baylis–Hillman adducts
Ferrocenyl substituted chlorostilbenes and butadienes, **637-639**, 616
Benzannulation
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, **634**, 1
1,4-Benzenedimethanol
Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, **622**, 54
Benzhydroxamic acid
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81
Benzhydroximic acid
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81
Benzoferrocenes
Ferrocenes derived from cyclopenta[*l*]phenanthrene: dibenzindene–metal complexes that resist haptotropic shifts, **637-639**, 372
Benzonitrile
Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of $[FeCp(DPPE)(p\text{-}NCC_6H_4NO_2)][PF_6]\cdot CH_2Cl_2$, **619**, 252
Benzonitrile derivatives
Synthesis of new donor/acceptor η^5-cyclopentadienyl and η^5-indenyliron(II) complexes with *p*-benzonitrile derivatives. Crystal structures of $[Fe(\eta^5\text{-}C_5H_5)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]\cdot CH_2Cl_2$ and $[Fe(\eta^5\text{-}C_9H_7)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]$, **632**, 145
Benzoquinone
Evidence for single electron transfer (SET) pathway in the reaction of primary alkylcadmium reagents with *p*-benzoquinone, **625**, 108
Benzotriazole
Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), **633**, 85
Benzyl group abstraction
Benzyl group abstraction from $Ti(CH_2Ph)_4$ by $B(C_6F_5)_3$ and $[Ph_3C][B(C_6F_5)_4]$ to form Ziegler–Natta and carbocationic alkene polymerization initiators, **619**, 62
Benzylic Grignard reagents
Studies on regioselective addition of benzylic organometallics to α-oxoketene dithioacetals in our aromatic annelation protocol, **624**, 34
Benzylic organometallics
New preparation of benzylic zinc reagents via a fragmentation reaction, **624**, 88
Benzyllithium
Generation of allylic and benzylic organolithium compounds by fluorine–lithium exchange: reaction with electrophiles, **624**, 53
Benzyloxyallyltributyltins
Reactivity of γ-benzyloxyallyltins with cyclohexylidene glyceraldehydes, **624**, 383
Benzylselenolate
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), **623**, 48
B–H Activation
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, $Cp^*Rh[E_2C_2(B_{10}H_{10})]$, E = S, Se, **623**, 149
bicyclo[3.3.0]octane skeleton
Group 14 chalcogenides featuring a bicyclo[3.3.0]octane skeleton, **630**, 139
Biferrocene
From dihydropentafulvalenes to asymmetric biferrocene and terferrocene, **627**, 71
Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using $[NBu_4][B(C_6F_5)_4]$ as supporting electrolyte, **637-639**, 823
Bifunctional ligands
Immobilized rhodium hydrogenation catalysts, **627**, 44
Bimetallic complexes
Synthesis of metallocenes of zirconium, hafnium, manganese, iron, tin, lead and half-sandwich complexes of rhodium and iridium containing the ligands $(\eta\text{-}C_5R_4CR'_2PMe_2)$, where R and R′ may be H or Me, **640**, 93
Bimetallic compounds
Preparation and electrochemical behaviour of dinuclear platinum complexes containing NCN ligands (NCN = $[C_6H_3(Me_2NCH_2)_2\text{-}2,6]^-$). The crystal structure of $[C_6H_3(Me_2NCH_2)_2\text{-}1,3\text{-}(C{\equiv}C\text{-}5]_2$, **620**, 227
Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, **632**, 164
Binaphtholato aluminates
A study of Noyori's reagent, **621**, 231
Binaphthyl
Study on the synthesis of nonracemic C_2-symmetric 1,1′-binaphthyl-2,2′-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, **637-639**, 318
Binding constants
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, **637-639**, 343
Binuclear
Biscyclopentadienyl Group 6 metal complexes as metalloligands in the synthesis of heterobimetallic species. Crystal structures of new thiolato-bridged molybdenum(IV)–copper(I) complexes, **632**, 75
Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, **633**, 66
Binuclear complexes
Heptacoordinate dithiophosphate Mo(II) and W(II) complexes: molecular structures of mono and binuclear phosphine complexes, **632**, 175
Synthesis and characterization of [Cp*Fe-dicyclopenta(a,f)-naphthalene-FeCp*] and [Cp*Fe-dicyclopenta(a,f)naphthalene-FeCp*] BF_4, **620**, 32

Binuclear compounds
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), **623**, 48
Binuclear ferrocene derivatives
Control of the symmetry of binuclear ferrocene derivative by using chiral substituent and its mixed-valence state, **637-639**, 820
Bioelectrocatalysis
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, **637-639**, 469
Biological activity
Gold(III) thiosalicylate complexes containing cycloaurated 2-arylpyridine, 2-anilinopyridine and 2-benzylpyridine ligands, **631**, 41
Bioorganometallic
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, **637-639**, 335
Bioorganometallic chemistry
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), **637-639**, 75
Bio-organometallic chemistry
Solution phase peptide synthesis with ferrocenyl amino acid derivatives, **637-639**, 349
Bioorganometallic chemistry
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, **637-639**, 398
Bioorganometallics
Transition metal ('Fischer-type') carbene complexes as protein labelling reagents, **617-618**, 376
Biosensors
Solution phase peptide synthesis with ferrocenyl amino acid derivatives, **637-639**, 349
Biphenyl
Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, **637-639**, 230
2,2′-Bipyridylboronium cations
Multistep redox properties of 2,2′-bipyridylboronium substituted ferrocenes, **637-639**, 390
Bis(allyl) complexes
Reactivity of the bis(allyl)-ruthenium(IV) dimer $[\{Ru(\eta^3:\eta^3\text{-}C_{10}H_{16})(\mu\text{-}Cl)Cl\}_2]$ ($C_{10}H_{16}$ = 2,7-dimethylocta-2,6-diene-1,8-diyl) towards dppf (dppf = $[Fe(\eta^5\text{-}C_5H_4PPh_2)_2]$) and dppfO (dppfO = $[Fe(\eta^5\text{-}C_5H_4PPh_2)(\eta^5\text{-}C_5H_4P(=O)Ph_2)]$), **637-639**, 767
Biscarbene complexes
Synthesis and crystal structures of carbene complexes with conjugated thiophene units, **617-618**, 280
Bis(1,1-diphenylallenylidene)-octacarbonyltriiron
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, **634**, 198
Bis(diphenylphosphine)amine complexes
Synthesis of transition-metal complexes with heterodifunctional ligands derived of $NH(PPh_2)_2$. Crystal structure of $[(\eta^5\text{-}C_5Me_5)RhCl\{\eta^2\text{-}P,Se\text{-}Ph_2PNP(Se)Ph_2\}]\cdot CH_2Cl_2$, **633**, 182
1,1′-bis(Diphenylphosphino)-2-[1-((boronato-functionalised)amino)-ethyl)]ferrocenes
Redox behavior of boronato-functionalized 1,1′-bis(diphenylphosphino)ferrocenes, **637-639**, 800
1,1′-Bis(diphenylphosphino)ferrocene
Reactivity of the bis(allyl)-ruthenium(IV) dimer $[\{Ru(\eta^3:\eta^3\text{-}C_{10}H_{16})(\mu\text{-}Cl)Cl\}_2]$ ($C_{10}H_{16}$ = 2,7-dimethylocta-2,6-diene-1,8-diyl) towards dppf (dppf = $[Fe(\eta^5\text{-}C_5H_4PPh_2)_2]$) and dppfO (dppfO = $[Fe(\eta^5\text{-}C_5H_4PPh_2)(\eta^5\text{-}C_5H_4P(=O)Ph_2)]$), **637-639**, 767
Synthesis, X-ray, spectroscopic and a preliminary Suzuki coupling screening studies of a complete series of $dppfMX_2$ (M = Pt, Pd; X = Cl, Br, I), **637-639**, 691
Bis-dithioacetals
$W(CO)_6$-Mediated desulfuroligomerization of bis-dithioacetals. New synthesis of substituted oligo(phenylene–vinylenes), **624**, 63
Bis(ferrocenes)
Characterization and electrochemical study of bis(ferrocenes) with a furan spacer and ferrocenophanes prepared from α-bromoacetyl substituted ferrocenes, **637-639**, 258
bis-(Ferrocenyl)butadiyne
A comparison of ferrocenyl carbenium non-carbenium structures in isomeric osmium cluster complexes obtained from the reaction of bis-ferrocenylbutadiyne with $Os_3(CO)_{10}(\mu\text{-}py)(\mu\text{-}H)$, **637-639**, 514
Insertion of bis-ferrocenylbutadiyne into an osmium hydride bond. The synthesis, structure and electrochemical response of $Os_4(CO)_{11}(\mu\text{-}\eta\text{-}Z\text{-}FcCC(H)C_2Fc)(\mu\text{-}H)_3$, **619**, 271
Bis-ferrocenylbutadiyne ligand
Mixed metal cluster complexes containing the bis-ferrocenylbutadiyne ligand: their structures and electrochemical responses, **620**, 303
Bis(ferrocenyl)mercury
Bis(ferrocenyl)mercury as a source of ferrocenyl moiety in Pd-catalyzed reactions of carbon–carbon bond formation, **637-639**, 653
Bis(fulvalene)diiron
Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using $[NBu_4][B(C_6F_5)_4]$ as supporting electrolyte, **637-639**, 823
bis(Hexafluoro-2,4-pentandionato)nickel(II)
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, **622**, 286
Bisiminopyridines
Trimethylammonium[tetrakis(pentafluorophenoxy)borate], a safe way to synthesize novel co-catalysts for olefin polymerization, **621**, 184
1,1′-bis(Oxazolinyl)metallocenes
Synthesis of novel 1,1′-bis(oxazolinyl)metallocenes and their application in the asymmetric phenyl transfer from organozincs to aldehydes, **624**, 157
Bisphosphine
Synthesis of new rhodium complexes with a hemilabile nitrogen-containing bis(phosphinite) or bis(phosphine) ligand. Application to hydroformylation of styrene, **626**, 221
Bis(phosphines)
Transition metal chemistry of phosphorus based ligands: synthesis and transition metal chemistry of *N,N′*-dimethyl,-bis(-diphenylphosphino)ethylenediamine. The crystal and molecular structure of $[ReBr(CO)_3\{Ph_2PN(Me)CH_2\text{-}CH_2(Me)NPPh_2\}]$, **628**, 76
Bisphosphinite
Synthesis of new rhodium complexes with a hemilabile nitrogen-containing bis(phosphinite) or bis(phosphine) ligand. Application to hydroformylation of styrene, **626**, 221
bis(*p*-Nitrophenyl)phosphate
A single-strand polymer of hexacoordinated zinc(II) phosphodiester complex, **624**, 58

Bis(pyrazol-1-yl)acetate
Bis(pyrazol-1-yl)acetates as tripodal "scorpionate" ligands in transition metal carbonyl chemistry: syntheses, structures and reactivity of manganese and rhenium carbonyl complexes of the type [LM(CO)$_3$] (L = bpza, bdmpza), **626**, 16
bis(Tetradecafluoro-4,6-nonandionato) nickel(II)·2dmf
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, **622**, 286
Bis[2,2,6,6-tetramethylpiperidyl-(1)]-disulfide
Improved synthesis of the radical source bis[2,2,6,6-tetramethylpiperidyl-(1)]-disulfide and photoinduced reactions with $M_2(CO)_{10}$ (M = Mn, Re), **621**, 173
Bis-μ-thiolato complexes
A comparison of the reactions of pentacarbonyliron with cyclic thioethers and related dialkyl sulfides, **627**, 201
Bis(tricarbonyliron)
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, **634**, 198
Bis(trimethylsilyl)ethyne complexes
Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, **620**, 39
bis(Trimethylsilyl)ketene acetals
Transition-metal catalyzed synthesis of δ-hydroxy-γ-lactones from bis(trimethylsilyl) ketene acetals and allylic acetates via γ-unsaturated carboxylic acids. Comments on the formation of α-cyclopropyl carboxylic acids, **624**, 186
Bithienyl
The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C\text{–}CH_3)]^+ [BF_4]^-$: Crystal structure of $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}(E)\text{-}C\text{–}CH\text{–}CH\text{-}7\text{-}(thieno[3,2\text{-}e][1]benzothiophene))]^+ [BF_4]^-$, **619**, 141
σ-Bond coordination
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, **635**, 37
Bond dissociation enthalpy
Bond dissociation enthalpies of U(IV) complexes. An integrated view, **632**, 209
Bond enthalpies
Organometallic thermochemistry at CQE-IST. An overview, **632**, 188
Bond heterolysis
Complexes with phosphorus analogues of imidazoyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis, **617-618**, 383
Bonding
The electronic structure and bonding in $W_2(\mu\text{-}H)_2(O^iPr)_4(DMPE)_2$ and a comparison with $Mo_2(O^iPr)_4(DMPE)_2$, **621**, 66
Bonding analysis
Electron counting and bonding analysis in triruthenium clusters containing sulfoximido ligands: true or false electron-deficient systems?, **620**, 119
Bonding in π-complexes
A historical perspective on Dewar's landmark contribution to organometallic chemistry, **635**, 1
σ-Bond metathesis
Reactions of $Cp(NAr)NbMe_2$ with H_2 and $HSiMe_2Cl$. Molecular structure of $[CpNb(\mu\text{-}NAr)Me]_2$ (Ar = 2,6-$C_6H_3^iPr_2$), **628**, 25
Bond theory
New types of non-classical interligand interactions involving silicon based ligands, **635**, 24
Bond-valence sum model
Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)dicopper-(II) at 210 K, **622**, 166
Boraadamantane
1-Boraadamantane: reactivity towards mono-1-alkynyltin, -germanium and -silicon compounds — synthesis of 4-methylene-3-borahomoadamantanes, **620**, 51
3-Borabicyclo[3.3.1]nonanes
Conformational behavior of 3-borabicyclo[3.3.1]nonanes. Intramolecular p–σ and p–π interactions in 3,7-*endo*-disubstituted 3-borabicyclo[3.3.1]nonanes, **636**, 3
3-Borahomoadamantanes
1-Boraadamantane: reactivity towards mono-1-alkynyltin, -germanium and -silicon compounds — synthesis of 4-methylene-3-borahomoadamantanes, **620**, 51
Borane
Highly efficient reduction of ferrocenyl derivatives by borane, **637-639**, 364
Boranes
Analogies between the chemical bonding topologies in metal–olefin complexes and in metallaboranes: the role of three-center two-electron bonding, **635**, 75
1-Boraadamantane: reactivity towards mono-1-alkynyltin, -germanium and -silicon compounds — synthesis of 4-methylene-3-borahomoadamantanes, **620**, 51
(Fluoroorgano)fluoroboranes and -fluoroborates: Part 3. Polyfluoroalken-1-yldifluoroboranes, **631**, 54
Borates
(Fluoroorgano)fluoroboranes and -fluoroborates: Part 3. Polyfluoroalken-1-yldifluoroboranes, **631**, 54
Syntheses and properties of the novel co-catalysts *N*,*N*-dimethylanilinium- and trityl{tetrakis[4-(trifluoromethyl)-2,3,5,6-tetrafluorophenyl]borate}, **621**, 177
Trimethylammonium[tetrakis(pentafluorophenoxy)borate], a safe way to synthesize novel co-catalysts for olefin polymerization, **621**, 184
Boron
Syntheses and structures of new blue luminescent B(III) and Al(III) complexes: BPh_2(acac-azain) and $Al(CH_3)_2$(acac-azain)$_2$, acac-azain = 1-*N*-7-azaindolyl-1,3-butanedionato, **631**, 175
Boron bis(cyclopentadienyl)boranes
Synthesis and structure of aminobis(η^1-cyclopentadienyl)boranes and related compounds, **619**, 305
Boroxine rings
Ring strain in boroxine rings: computational and experimental considerations, **633**, 149
Bridging alkynes
Reactions of the μ-alkyne-dicobalt complexes $[Co_2(CO)_6(\mu\text{-}CF_3\text{–}C{\equiv}C\text{–}R)]$ (R = CF_3, H) with $[Co_2Cp_2(\mu\text{-}SMe)_2]$: substitution and insertion leading to novel thiolato-alkyne tetra- and tricobalt clusters, **635**, 110
Bridging bis(phosphorus) metal carbenes
Early transition metal and lanthanide bis(iminophosphorano)methandiide complexes; 'pincer' and bridging bis(phosphorus) metal carbenes, **617-618**, 158
Bridging carbene complexes
Reactions of di-μ-carbonyl-*cis*-μ-(1-5-η:1′-5′-η-dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)\text{-}C_6H_4\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$ and $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_4OCH_3\text{-}p\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$, **617-618**, 292

Bromination
Bromination of ferrocene chalcone derivatives mediated by β-cyclodextrin, **627**, 93
New approach to 1-(phenylethynyl)germatranes and 1-(phenylethynyl)-3,7,10-trimethylgermatrane. Reactions of 1-(phenylethynyl)germatrane with *N*-bromosuccinimide and bromine, **627**, 1
α-Bromoacetyl substituted ferrocenes
Characterization and electrochemical study of bis(ferrocenes) with a furan spacer and ferrocenophanes prepared from α-bromoacetyl substituted ferrocenes, **637-639**, 258
Bromomethyl
Preparation, crystal structure determination, and properties of adducts of halogenomethyl compounds of indium with Group 16 donors, **626**, 68
Bromopentaarylcyclopentadienes
A convenient synthesis of bromopentaarylcyclopentadienes containing methyl or fluorine substituents, **627**, 179
Bromopentacarbonylmanganese
A new ligating mode for the anions of the type $[R_2P(S)NP(S)R_2]^-$: study of the interaction of $[K\{Me_2P(S)NP(S)Me_2\}]$ with the early transition halometalcarbonyl, $[BrMn(CO)_5]$, **626**, 113
Building blocks
A new homobimetallic arenediyl diplatinum(II) unit as building block for macromolecular synthesis. X-ray crystal structure of $[C_6H_2\{CH_2NMe_2\}_2$-1,5-$\{PtCl(PPh_3)\}_2$-2,4], **640**, 166
Bulky cyclopentadienyl ligand
Hindering the formation of ferrocenes: mono(cyclopentadienyl)halo iron complexes $[Fe(C_5R_5)X]$ containing a sterically bulky cyclopentadienyl ligand, **637-639**, 786
Bulky ligands
Crystal structures of organometallic compounds of lithium and magnesium containing the bulky ligands $C(SiMe_3)_2(SiMe_2X)$ X = Me, Ph, NMe_2, or C_5H_4N-2, **631**, 76
Reactions of $[LiC(SiMe_2H)_3]\cdot 2THF$: Sterically hindered tris(dimethylsilyl)methane derivatives and their hydrosilylation, **620**, 127
Butadiene ligand
Interaction of half-sandwich alkylmolybdenum(III) complexes with $B(C_6F_5)_3$. The X-ray structure of $[CpMo(\eta^4\text{-}C_4H_6)(\mu\text{-}Cl)(\mu\text{-}CH_2)(O)MoCp][CH_3B(C_6F_5)_3]$, **640**, 113
Butadiyne complexes
Structure and bonding of metallacyclocumulenes, radialenes, butadiyne complexes and their possible interconversion: a theoretical study, **635**, 204
Butatrienylidene
Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, **637-639**, 240
Butterfly iron carbonyl complexes
Synthesis of single and double butterfly iron carbonyl complexes by reactions of $[(\mu\text{-}RSe)(\mu\text{-}CO)Fe_2(CO)_6]^-$ anions. Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)[\mu\text{-}PhCH_2N(H)C{=}S]Fe_2(CO)_6$ and $[(\mu\text{-}PhSe)(\mu\text{-}MeAs)Fe_2(CO)_6]_2$, **627**, 255

Cadmium
Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[M(\eta^1\text{-}P_3C_2^tBu_2)_2(NC_5H_5)_n]$ (M = Zn, $n = 2$; M = Cd, $n = 3$), **633**, 143
Cadmium sulfide
Transition metal complexes of 2,4,6-trimercapto-1,3,5-triazine (TMT): potential precursors to nanoparticulate metal sulfides, **623**, 185
Cadmium telluride
Preparation of CdTe coatings using the chemical deposition method, **623**, 81
Caffeine
Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)dicopper(II) at 210 K, **622**, 166
Cage
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, **629**, 109
Cage compound
The synthesis and structural characterisation of a diphosphastibolyl potassium complex, $[\{[K(DME)][1,4,2\text{-}P_2SbC_2\text{-}Bu^t_2]\}_\infty]$, and a novel hetero-cage compound, **622**, 61
Calcium
Formation and crystal structures of a monomer–dimer pair of mono(cyclopentadienyl)calcium complexes, $[C_5(t\text{-}Bu)_3H_2]_2CaI(THF)_2$ and $\{[C_5(t\text{-}Bu)_3H_2]_2CaI(THF)\}_2$, **626**, 43
ε-Caprolactone
Syntheses of $\{(MeC_5H_4)_2Ln[O\cdots\overline{C\cdots N(CH_2)_4CH_2}]\}_2$ (Ln = Yb, Y, Er) and the X-ray crystal structure of the ytterbium complex, **626**, 176
Carbamate compounds
Insertion of carbon dioxide and isocyanide into tantalum–amide and tantalum–methyl bonds, **621**, 299
Carbamoyl
Mechanism of formation of the metallacyclic iron carbenes $(CO)_3Fe[{=}C(NR2)OC(O)NR_2]$ formed by thermal evolution of bis carbamoyl complexes, characterization of η^2-carbamoyl intermediates, **617-618**, 483
η^2-Carbamoyl
Mechanism of formation of the metallacyclic iron carbenes $(CO)_3Fe[{=}C(NR2)OC(O)NR_2]$ formed by thermal evolution of bis carbamoyl complexes, characterization of η^2-carbamoyl intermediates, **617-618**, 483
1-Carbamoyl-4,5-dihydropyrazole
The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β-enones, **633**, 137
Carbene
A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene, **617-618**, 629
Carbenes with ferrocenyl substituents, **617-618**, 28
Coordination chemistry of CNH_2, the simplest aminocarbyne, **617-618**, 65
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, **617-618**, 133
Mechanism of formation of the metallacyclic iron carbenes $(CO)_3Fe[{=}C(NR2)OC(O)NR_2]$ formed by thermal evolution of bis carbamoyl complexes, characterization of η^2-carbamoyl intermediates, **617-618**, 483
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, **617-618**, 520
Carbene analogues
Complexes with phosphorus analogues of imidazoyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis, **617-618**, 383
Carbene anion
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}C(OEt)CH_2\text{-}CH_2(EtO)C{=}\}$, $(E)\text{-}\{Cp'(CO)_2Mn\}_2\{\mu\text{-}C(OEt)CH{=}CH\text{-}(EtO)C{=}\}$ and $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}\overline{CN(Ph)CH(Ph)CHCHCH(Ph)N(Ph)C}{=}\}$, **617-618**, 681

Carbene complex
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of {Cp'(CO)$_2$Mn}$_2${μ-=C(OEt)-CH$_2$CH$_2$(EtO)C=}, (*E*)-{Cp'(CO)$_2$Mn}$_2${μ-=C(OEt)CH=CH(EtO)C=} and {Cp'(CO)$_2$Mn}$_2${μ-=CN(Ph)CH(Ph)CHCHCH(Ph)N(Ph)C=}, **617-618**, 681

Carbene complexes
Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, **617-618**, 464
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, **617-618**, 656
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, **617-618**, 170
Carbene complexes of titanium group metals — formation and reactivity, **617-618**, 81
Chelated η^2-alkene- and η^3-allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, **617-618**, 346
C–O bond activation in carbene-*C*,*O* chelate tungsten(II) complexes — MeX elimination in the reaction of [X$_2$(CO)$_3$W=C(C$_6$H$_4$OMe-*o*)OMe] with L$_2$ (L$_2$ = dppe, 2 PMe$_3$), **634**, 209
Cp*Ru-allylcarbene complexes by nucleophilic attack of cyclic Cp*Ru-dicarbenes, **627**, 249
Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, **617-618**, 288
Factors governing the equilibrium between metal–alkyl, alkylidene and alkylidyne: MCX$_2$R, X–M=CXR and X$_2$M≡CR, **617-618**, 56
Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, **617-618**, 364
Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, **617-618**, 119
Metallocenes of the alkaline earth metals and their carbene complexes, **617-618**, 588
Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, **622**, 251
Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, **617-618**, 322
Stereoselective insertion of GeCl$_2$ into tungsten–chlorine bonds of aminomethylene and aminocarbyne complexes, **628**, 11
Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenerhodium(I) complexes, **617-618**, 502
Synthesis of chiral β-aminoalcohol-substituted carbene complexes of manganese and influence of the chiral carbene ligand on the diastereoselectivity of the CO/PR$_3$ exchange, **621**, 344
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, **625**, 58
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, **617-618**, 182
Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to [RuH$_2$Cl$_2$(PH$_3$)$_2$]: a quantum chemical study, **617-618**, 225
Versatile behaviour of iron–arylcarbene complexes towards alkoxides: C–Cl and C–C bond activation reactions, **629**, 19
Zwitterionic adducts from addition of imines to the α-carbon atom of pentacarbonyl(vinylidene)chromium and -tungsten complexes, **620**, 165

Carbene ligands
A simple access to palladium complexes of functionalized heterocyclic carbenes, **626**, 100

Carbenes
Development of olefin metathesis catalyst precursors bearing nucleophilic carbene ligands, **617-618**, 17
Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with PPh$_2$(2-MeC$_6$H$_4$), **617-618**, 511
Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, **617-618**, 105
Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine) platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(*C*H$_2$,*P*)-chloro(chloromethyl)(dimethylaminomethylene)(triphenylphosphine)-platinum(II) and [1,2-bis(diphenylphosphino)ethane]-(dimethylaminomethylene)(triphenylphosphine)platinum-(II) bis(hexafluorophosphate), **617-618**, 671
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **617-618**, 737
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, **617-618**, 242

Carbene transfer agents
Palladium(II) complexes containing mono-, bi- and tridentate carbene ligands. Synthesis, characterisation and application as catalysts in C–C coupling reactions, **617-618**, 546

Carbenoid
Are disilacyclopropylidenes and their carbenoids good precursors for the unknown 1,3-disilaallenes?, **636**, 148

Carbenoids
Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, **617-618**, 702

Carbenoid species
Formation of carbenoid intermediates in the reaction of ditertiobutyl ketone with low-valent titanium reagents, **617-618**, 744

Carbiminium carbonylmetalates
Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, **617-618**, 322

Carbocationic initiator
Benzyl group abstraction from Ti(CH$_2$Ph)$_4$ by B(C$_6$F$_5$)$_3$ and [Ph$_3$C][B(C$_6$F$_5$)$_4$] to form Ziegler–Natta and carbocationic alkene polymerization initiators, **619**, 62

Carbocations
Oxidative esterification of alkenes via π- and σ-organopalladium complexes: new pathways for the reaction, **636**, 69

Carbohydrate
Synthesis, solution and solid-state NMR spectra of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-(organostannylmethyl)-α-D-glucopyranosides: Crystal structure of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-[(dimethylphenylstannyl)methyl]-α-D-glucopyranoside, **619**, 226

Carbohydrate glycals
Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, **617-618**, 444

Carbohydrates
Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, **617-618**, 119

Organotransition metal modified sugars: Part 22. Direct metalation of glycals: short and efficient routes to diversely protected stannylated glycals, **624**, 172

Carbometallation

Synthesis of substituted cyclopropanone acetals by carbometallation and its oxidative cleavage with manganese(IV) oxide and lead(IV) oxide, **624**, 300

Carbon–carbon bond formation

Preparations and selectivities of magnesium-based mixed cuprates, **619**, 31

Carbon–carbon coupling

Isolation of a diketone species that is allylically bound to tungsten, and its relationship to a tungsten η^2-ketone complex, **630**, 215

Carbon chains

Syntheses and some reactions of complexes containing carbon chains capped by ferrocenyl and $W(CO)_3Cp$ groups, **637-639**, 484

Carbon–copper bond

Preparations and selectivities of magnesium-based mixed cuprates, **619**, 31

Carbon dioxide

Insertion of carbon dioxide and isocyanide into tantalum–amide and tantalum–methyl bonds, **621**, 299

Carbon monoxide

New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, **619**, 287

Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, **617-618**, 495

Selectivity for the methoxycarbonylation of ethylene versus CO–ethylene copolymerization with catalysts based on C_4-bridged bidentate phosphines and phospholes, **640**, 182

Carbon monoxide insertion

Reactivity of the dinuclear fulvalene cyclopentadienyl zirconium cationic species $[\{Zr(\eta^5\text{-}C_5H_5)\}_2(\mu\text{-}CH_2)(\mu\text{-}Cl)(\mu\text{-}\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)]^+$ with isocyanides and carbon monoxide: insertion reactions, spectroscopic characterization and synthetic aspects, **634**, 177

Carbon nucleophile

$(\eta^5\text{-}C_5H_5)$-Ring alkylation reaction with the C_5H_5 anion: towards the construction of tri-Fe complex $Fe\{[\mu,\eta^5\text{:}\eta^4\text{-}5\text{-}exo\text{-}(1'\text{-}C_5H_4)C_5H_5]Fe(CO)_2(PPh_3)\}_2$, **637-639**, 549

Carbon nucleophilic addition

Carbon nucleophile addition to sp^2-unsaturated Fischer carbene complexes, **624**, 5

Carbon–oxygen coupling

Mechanism of formation of the metallacyclic iron carbenes $(CO)_3Fe[\text{=}C(NR2)OC(O)NR_2]$ formed by thermal evolution of bis carbamoyl complexes, characterization of η^2-carbamoyl intermediates, **617-618**, 483

Carbonyl

Bis(pyrazol-1-yl)acetates as tripodal "scorpionate" ligands in transition metal carbonyl chemistry: syntheses, structures and reactivity of manganese and rhenium carbonyl complexes of the type $[LM(CO)_3]$ (L = bpza, bdmpza), **626**, 16

cis- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)-tetracarbonylmolybdenum(0), $[Mo(CO)_4(tmpPh)_2]$. Syntheses and structures, **622**, 297

3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), **622**, 228

Mixed-metal cluster chemistry. Part 17. Syntheses of $WIr_3(CO)_{11}(\eta\text{-}C_5H_4Me)$ and its reactivity towards diphenylacetylene, **631**, 143

Mixed-metal cluster chemistry. Part 18. Synthesis and crystal structure of $W_2Ir_5(\mu_4\text{-}\eta^2\text{-}CO)(\mu\text{-}CO)(CO)_{19}(\eta\text{-}C_5H_4Me)_3$, **631**, 139

Preparation and properties of the halogenoalkyl compounds $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_iMe_{3-i})Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; $i = 0–3$; X = Br, I) and $[\{\eta^5\text{-}C_5(CH_3)_5\}(CO)_3Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; X = Br, I) and the crystal structures of $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_5I\}]$, $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3Br\}]$ and $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_3)Mo\{(CH_2)_3I\}]$, **633**, 39

Protonation of metal–metal bonds: X-ray crystal structures of the complex salts $[Ru_2(CO)_4(\mu\text{-}H)(\mu\text{-}Cl)(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ and $[M_2(CO)_4(\mu\text{-}H)_2(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ (M = Fe, Ru), **628**, 144

Reactivity of the unsaturated triosmium cluster $[(\mu\text{-}H)Os_3(CO)_8\{Ph_2PCH_2P(Ph)C_6H_4\}]$ with dithiols; X-ray structures of $[Os_3(CO)_8(\mu\text{-}SCH_2CH_2CH_2S)(Ph_2PCH_2PPh_2)]\cdot 1/2CH_2Cl_2$ and $[(\mu\text{-}H)Os_3(CO)_7(\mu_3\text{-}\eta^3\text{-}SCH_2CH_2CHS)(Ph_2PCH_2PPh_2)]\cdot 1/2H_2O$, **625**, 112

Rhenium(I) organometallic complexes with novel bis(mercaptoimidazolyl)borates and with hydrotris(mercaptoimidazolyl)borate: chemical and structural studies, **632**, 41

Selective CO oxidation of heterometallic carbonyl clusters with the oxygen transfer reagent $(p\text{-}CH_3OC_6H_4)_2TeO$. Crystal structures of $(\mu_3\text{-}S)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$ and $(\mu_3\text{-}Se)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$, **619**, 194

Solid state structure of $P(o\text{-}(CF_3)Ph)_3$ substituted $Rh_2(CO)_4(\mu\text{-}Cl)_2$. Formation of dimeric $[Rh_2(CO)_3(\mu\text{-}Cl)_2\{P(o\text{-}(CF_3)Ph)_3\}]_2$, **633**, 69

Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, **622**, 280

Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane: $[Mo(\eta^5\text{-}C_5H_5)_2(H)CO]\text{-}[Mn_3(CO)_9(\mu\text{-}SC_6H_5)_4]$, **620**, 276

Synthesis and reactions of the dichloro bis(3-hexyne) complex $[WCl_2(CO)(NCMe)(\eta^2\text{-}EtC_2Et)_2]$, **628**, 91

Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster $[Fe_2(CO)_6(\mu_3\text{-}S)_2W\{(\eta^5\text{-}C_5H_5)W(CO)_3(CCPh)\}_2]$, **629**, 160

The synthesis and structure of the thiosulfonato iron complexes $CpFe(CO)_2SS(O)_2R$, **622**, 293

Carbonylation

Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, **622**, 112

Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, **622**, 84

Carbonyl attack

Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with $[Fe(\eta\text{-}C_5H_5)(CO)_2(L)]^+$ salts and $[Fe(\eta\text{-}C_5H_5)(CO)_2X]$ complexes, **629**, 182

Carbonyl clusters

Reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with symmetric diynes and their reactivity towards $[Co_2(CO)_8]$, **635**, 119

Carbonyl complexes

Facile displacement of cyclohexadienide ligand from $K[Cr(\eta^5\text{-}C_6H_7)(CO)_3]$ to give crystallographically characterized *trans*-$[Cr(CO)_4(PPh_3)_2]$, **631**, 188

Photosubstitution of carbon monoxide in $W(CO)_6$ by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, **622**, 74

Synthesis and electrochemical study of cobalt carbonyl complexes of trimethylsilyl-substituted 1,3,5-triethynylbenzene, **631**, 19

Carbonyl compounds

On the evolution of organozinc carbenoid chemistry from carbonyl compounds — a personal account, **624**, 41

Reactions of lithium silenolates with benzophenone, **633**, 131
Carbonyl derivatives
Neutral, non-racemising, catalytic aerobic oxidation of alcohols, **624**, 344
Carbonyl insertion
Reactions of silyl-substituted Fischer-type carbene complexes with silanes, **617-618**, 741
Carbonyl iron complexes
Reactivity of acyclic (pentadienyl)iron(1 +) cations with weak carbon nucleophiles, **630**, 5
Carbonyls
Halo-carbonyl complexes of platinum(II) and palladium(II), **622**, 180
Understanding the nature of the bonding in transition metal complexes: from Dewar's molecular orbital model to an energy partitioning analysis of the metal–ligand bond, **635**, 9
Carbonyl spacer
Bimetallic π-conjugated complexes modulated by a carbonyl spacer: synthesis of arenetricarbonylchromium–ferrocene derivatives, **624**, 124
Carborane
Synthesis and solid state structure of α,α′-bis(2-phenyl-1,2-carboran-1-yl)lutidine, **634**, 99
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, $Cp^*Rh[E_2C_2(B_{10}H_{10})]$, E = S, Se, **623**, 149
Carbosilane
End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, **629**, 194
Carbosilanes
Synthesis and characterization of platinum(II)-terminated dendritic carbosilanes: X-ray crystal structure of the model species $[PtCl(C_6H_3\{CH_2NMe_2\}\text{-}2\text{-}SiMe_3\text{-}5)(PPh_3)]$, **621**, 190
Synthesis and reactivity of novel oligosilanes bearing functional carbosilane side chains, **628**, 262
Carboxylate
Degradation of a methacrylate-substituted oxozirconium cluster by acetylacetone, **636**, 172
Carboxylates
Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), **633**, 7
Carboxylic acid
Diastereomeric amides from *rac*-3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, **627**, 135
Carboxylic esters
Synthesis of α-phenylseleno-α,β-unsaturated esters by Wittig-type reactions. Studies on the Diels–Alder reaction, **623**, 131
Carbyne
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Carbyne complex
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}C(OEt)CH_2\text{-}CH_2(EtO)C\}$, (*E*)-$\{Cp'(CO)_2Mn\}_2\{\mu\text{-}C(OEt)CH{=}CH(EtO)C\}$ and $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}CN(Ph)CH(Ph)CHCHCH(Ph)N(Ph)C\}$, **617-618**, 681
Carbyne complexes
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, **617-618**, 656
Stereoselective insertion of $GeCl_2$ into tungsten–chlorine bonds of aminomethylene and aminocarbyne complexes, **628**, 11
Carbyne tungsten complexes
Cationic chelate phosphane substituted carbyne tungsten complexes, **622**, 97
Catalysis
A shortcut hydroformylation route to 7-formyl-5,6-dihydroindolizine from 1-allyl-2-formylpyrrole, **619**, 241
Bis(diphosphaferrocene) palladium(II) dimer complexes as efficient catalysts in the synthesis of arylboronic esters, **640**, 197
Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$, **627**, 127
Chiral chelate phosphanes: XI. Application of cyclopentane-based C_2 chiral bis(phosphane) ligands $C_5H_6(PR_2)_2$ to Pt–Sn-catalyzed styrene hydroformylation, **630**, 221
Direct use of chiral or achiral organophosphorus boranes as pro-ligands for transition metal catalyzed reactions, **624**, 333
Hybrid QM/MM study of propene insertion into the Rh–H bond of $HRh(PPh_3)_2(CO)(\eta^2\text{-}CH_2{=}CHCH_3)$: the role of the olefin adduct in determining product selectivity, **635**, 132
NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, **622**, 89
New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, **619**, 287
'One-pot' synthesis of 1,1-disubstituted cyclopropanes in the presence of metal complex catalysts, **636**, 76
ortho-Silylation of 2,2′-bis(oxazolinyl)-1,1′-bis(diphenylphosphino)ferrocenes and remarkable effect of the silyl groups on the enantioselectivity in Pd-catalyzed asymmetric allylic alkylation, **637-639**, 99
Reaction mechanism of the reductive elimination in the catalytic carbonylation of methanol. A density functional study, **628**, 222
Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, **622**, 112
Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, **617-618**, 360
Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, **633**, 173
Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, **617-618**, 301
Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, **633**, 79
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, $Cp^*Rh[E_2C_2(B_{10}H_{10})]$, E = S, Se, **623**, 149
Unbridged metallocene dichloride complexes with mono-substituted indenyl ligands and their application for the polymerization of propene, **621**, 304
Catalyst
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, **617-618**, 3
Synthesis and X-ray crystal structure of a chiral molybdenum porphyrin and its catalytic behaviour toward asymmetric epoxidation of aromatic alkenes, **634**, 34

Synthesis, structure and ethylene polymerization behavior of zirconium complexes with chelating ketoiminate ligands, **620**, 1

Catalysts
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, **625**, 58

Catalytic addition
Synthesis and structures of heterobimetallic Ir_2M (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, **620**, 69

Catalytic aerobic oxidation
Neutral, non-racemising, catalytic aerobic oxidation of alcohols, **624**, 344

Catalytic C–H/olefin coupling
Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$, **627**, 127

Catalytic hydrogenation
Formation and structural characterization of amino-substituted [3]ferrocenophanes derived from intramolecular Mannich-type coupling reactions at the metallocene framework, **637-639**, 621

Catalytic reaction
The rhodium-catalyzed Pauson–Khand reaction, **624**, 73

Catecholato
Synthesis of *supine–prone* bis(diene)tungsten complexes bearing catecholate and diphenylacetylene ligands, **627**, 221

Cationic complex
Reactions of $HOSiMe_2Ar$ with Pt–PPh_3 complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, **629**, 61

Cations derivatives
Reactivity of the dinuclear fulvalene cyclopentadienyl zirconium cationic species $[\{Zr(\eta^5\text{-}C_5H_5)\}_2(\mu\text{-}CH_2)(\mu\text{-}Cl)(\mu\text{-}\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)]^+$ with isocyanides and carbon monoxide: insertion reactions, spectroscopic characterization and synthetic aspects, **634**, 177

Cation sensing
An electrochemical study in acetonitrile of macrocyclic or open-chain ferrocene-containing oxa-aza or polyaza receptors in the presence of protons, metal cations and anions, **637-639**, 151

Cation symmetry
Control of the symmetry of binuclear ferrocene derivative by using chiral substituent and its mixed-valence state, **637-639**, 820

Cation transport
Synthesis of azacrown ethers modified with side-chains containing germanium, **636**, 108

C–C activation
Versatile behaviour of iron–arylcarbene complexes towards alkoxides: C–Cl and C–C bond activation reactions, **629**, 19

C≡C bond activation
Stable Pt(IV) vinylic complexes with unusual regioselectivity formed in the reaction of methylpropiolate triple bond activation, **636**, 175

C–C-bond formation
C–C-bond formation in reactions of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CR^1)_2]CuR$ with acyl chlorides and anhydrides, **625**, 140

C–C bond formation
The reaction of ferrocenyl acetylene with $[RuCp(PR_3)(CH_3CN)_2]PF_6$ (R = Me, Ph, Cy). Formation of the first allenyl carbene complexes, **637-639**, 70

C–C cleavage
A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene, **617-618**, 629

CC-coupling
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, **617-618**, 616

C–C coupling
Stable Pt(IV) vinylic complexes with unusual regioselectivity formed in the reaction of methylpropiolate triple bond activation, **636**, 175

C–C-couplings
Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, **617-618**, 261

C–Cl activation
Versatile behaviour of iron–arylcarbene complexes towards alkoxides: C–Cl and C–C bond activation reactions, **629**, 19

Cd NMR
Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[M(\eta^1\text{-}P_3C_2Bu_2)_2(NC_5H_5)_n]$ (M = Zn, n = 2; M = Cd, n = 3), **633**, 143

CD spectra
Synthesis and circular dichroism spectra of silver(I) complexes with *R,R*-DIOP (*4R,5R-trans*-4,5-bis[(diphenylphosphino)methyl]-2,2-dimethyl-1,3-dioxalane): crystal structures of $[AgCl(R,R\text{-DIOP})]_2{\cdot}2CHCl_3$, $\{[AgBr(R,R\text{-DIOP})]_2\}_2{\cdot}CH_2Cl_2{\cdot}2H_2O$, $[AgI(R,R\text{-DIOP})]_2$ and $[AgSCN(R,R\text{-DIOP})]_2$, **640**, 57

Central chirality
Diastereomeric amides from *rac*-3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, **627**, 135

C–F Activation
ω-Monofluoroalkylrhodoximes: synthesis and structures of $[Rh\{(CH_2)_nF\}(dmgH)_2(PPh_3)]$ (n = 1, 3) and C–F activation reactions, **622**, 172

C–F bond activation
Density functional studies of the reactivity in the C–F bond activation of fluoromethane by bare lanthanum monocation, **640**, 121

C-Glycosidation
Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, **617-618**, 119

C-glycosidation
Organotransition metal modified sugars: Part 22. Direct metalation of glycals: short and efficient routes to diversely protected stannylated glycals, **624**, 172

C–H activation
A new homobimetallic arenediyl diplatinum(II) unit as building block for macromolecular synthesis. X-ray crystal structure of $[C_6H_2\{CH_2NMe_2\}_2\text{-}1,5\text{-}\{PtCl(PPh_3)\}_2\text{-}2,4]$, **640**, 166

Recent progress in asymmetric intermolecular C–H activation by rhodium carbenoid intermediates, **617-618**, 47

Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, **620**, 39

Synthesis and characterization of platinum(II)-terminated dendritic carbosilanes: X-ray crystal structure of the model species $[PtCl(C_6H_3\{CH_2NMe_2\}\text{-}2\text{-}SiMe_3\text{-}5)(PPh_3)]$, **621**, 190

Chain
Fragmentation of a As_4Ph_4-chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $Fe_2(CO)_9$, **625**, 245

Chalcogen
Hypervalent organotin(IV) derivatives containing [2-(Me_2NCH_2)C_6H_4]Sn moieties. Competition between nitrogen and chalcogen atoms for coordination to the metal centre, **623**, 161
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster [$Fe_2(CO)_6(\mu_3\text{-}S)_2W\{(\eta^5\text{-}C_5H_5)W(CO)_3(CCPh)\}_2$], **629**, 160
Charge transfer
Charge transfer spectra and photoreactivity of (*E*)-1-ferrocenyl-2-(1-methyl-4-pyridiniumyl)ethylene cation, **637-639**, 777
Charge-transfer complexes
Short syntheses of 8-substituted 8′-[1-(1′-phenylthio)ferrocenyl]-1,1′-binaphthyls from Suzuki coupling reactions. A strategy for generating new chiral ligands and charge-transfer complexes, **637-639**, 832
C–H bond cleavage
Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$, **627**, 127
Chelate
Monomeric Group 13 compounds with bidentate (N,O) ligands, **628**, 71
Synthesis and characterisation of novel multidentate ferrocene ligands and their Re(I) and Pt(II) complexes, **637-639**, 418
Chelate complexes
Transition metal chemistry of phosphorus based ligands: synthesis and transition metal chemistry of *N,N′*-dimethyl,-bis(-diphenylphosphino)ethylenediamine. The crystal and molecular structure of [$ReBr(CO)_3\{Ph_2PN(Me)\text{-}CH_2CH_2(Me)NPPh_2\}$], **628**, 76
Chelated Fischer carbene complexes
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, **617-618**, 182
Chelate Fischer carbenes
Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, **617-618**, 399
Chelate ligands
Ligands with cycloalkane backbones VIII. Steric effects in the ligand accelerated enantioselective alkylation of benzaldehyde, **621**, 153
Chelates
Study on structural properties and solution dynamics of zinc complexes with the (*N,N*-dimethylaminomethyl)ferrocenyl ligand, **620**, 243
Chelating cyclopentadienyl-phosphine complexes
Synthesis of metallocenes of zirconium, hafnium, manganese, iron, tin, lead and half-sandwich complexes of rhodium and iridium containing the ligands ($\eta\text{-}C_5R_4CR'_2PMe_2$), where R and R′ may be H or Me, **640**, 93
Chelating cyclopentadienyl-phosphine ligands
Synthesis of metallocenes of zirconium, hafnium, manganese, iron, tin, lead and half-sandwich complexes of rhodium and iridium containing the ligands ($\eta\text{-}C_5R_4CR'_2PMe_2$), where R and R′ may be H or Me, **640**, 93
Chelating ligand
Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, **629**, 7
Chemical bonding topology
Analogies between the chemical bonding topologies in metal–olefin complexes and in metallaboranes: the role of three-center two-electron bonding, **635**, 75
Chemical shift parameters
Chemical shift effects in the ^{13}C-NMR spectra of [$(C_5H_5)(CO)_2Fe^{II}$]-substituted cyclohexanes, dioxanes and tetrahydropyrans, **630**, 33
Chemical shifts
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81
Chemoselectivity
Synthesis and reactivity of novel oligosilanes bearing functional carbosilane side chains, **628**, 262
C–H insertion
Reaction of iron aminocarbene complexes with electronically deficient alkenes, **617-618**, 329
Chiral
Chiral ferrocenylthiazolidines, new ligands for palladium complexes, **637-639**, 116
Regio- and stereoselectivity in long-range asymmetric induction controlled by carbonyliron groups: crystal structures of dicarbonyl-L-[(1,2,3,4,5-η)-1-R-4-methoxycyclohexadienyl]-iron(1+) hexafluorophosphate(1−) [(R = isopropenyl, L = CO), (R = 1-styryl, L = CO), (R = 1-prop-1-enyl, L = PPh_3)] and tricarbonyl[methyl(2,3,4,5-η)-2-carbomethoxy-2-(4-methoxy-1-(1′-methylethenyl)cyclohexadien-1-yl)-ethanoate]iron(0), **630**, 88
Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, **628**, 123
Chiral-at-metal complexes
Synthesis of rhodium(III) complexes with the chiral phosphine (*S*)-$Ph_2PCH_2CHMeCH_2OH$. Crystal structure of (S_{Rh},S_C)-[$(\eta^5\text{-}C_5Me_5)RhCl(\eta^2\text{-}PPh_2CH_2CHMeCH_2OH\text{-}P,O)$]$BF_4$, **619**, 1
Chiral bidentate ligand
Synthesis of rhodium(III) complexes with the chiral phosphine (*S*)-$Ph_2PCH_2CHMeCH_2OH$. Crystal structure of (S_{Rh},S_C)-[$(\eta^5\text{-}C_5Me_5)RhCl(\eta^2\text{-}PPh_2CH_2CHMeCH_2OH\text{-}P,O)$]$BF_4$, **619**, 1
Chiral carbanions
Synthesis of enantioenriched indene-derived bicyclic alcohols and tricyclic cyclopropanes via (−)-sparteine-mediated lithiation of a racemic precursor and kinetic resolution during the cyclocarbolithiation, **624**, 96
Chiral catalysts
Recent progress in asymmetric intermolecular C–H activation by rhodium carbenoid intermediates, **617-618**, 47
Chiral complexes
Synthesis of chiral β-aminoalcohol-substituted carbene complexes of manganese and influence of the chiral carbene ligand on the diastereoselectivity of the CO/PR_3 exchange, **621**, 344
Chiral imidazolinylidenes
Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, **617-618**, 70
Chirality
Chiral chelate phosphanes: XI. Application of cyclopentane-based C_2 chiral bis(phosphane) ligands $C_5H_8(PR_2)_2$ to Pt–Sn-catalyzed styrene hydroformylation, **630**, 221
(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, **637-639**, 182
New chiral ferrocenyl-pyridinium salts for non-linear optics, **637-639**, 531
P-chiral β-aminophosphine oxides vs. β-aminophosphines as auxiliaries for ruthenium catalysed enantioselective transfer hydrogenation of arylketones, **626**, 157
Study on structural properties and solution dynamics of zinc complexes with the (*N,N*-dimethylaminomethyl)ferrocenyl ligand, **620**, 243

Syntheses and pharmacological characterization of achiral and chiral enantiopure C/Si/Ge-analogous derivatives of the muscarinic antagonist cycrimine: a study on C/Si/Ge bioisosterism, **640**, 140

Synthesis and structure of [Sm(η^5-CpPPh$_2$)(κ^3-Tp^{Me2})(I)(THF)]; a samarium complex with four different ligands, **626**, 76

Chiral ligand

Octahedral ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(S_p)-2-(diphenylphosphino)ferrocenyl]-4-(isopropyl)-oxazoline (FcPN). X-Ray crystal structures of *fac*-[RuCl$_2$(PMe$_3$)$_2$(FcPN)] and *fac*-[RuCl$_2$(dppm)(FcPN)] (dppm = bis(diphenylphosphino)methane), **637-639**, 463

Chiral ligands

Chelating behaviour of a phosphinoalcohol leading to a stable alcohol palladium complex, **621**, 218

Chiral bis(oxazoline) and pyridyl alcoholate dioxo-molybdenum(VI) complexes: synthesis, characterization and catalytic examinations, **621**, 207

Chiral dioxomolybdenum(VI) complexes for enantioselective alkene epoxidation, **626**, 1

Synthesis of chiral 2-alkyl-8-quinolinyl-oxazoline ligands: reversal of enantioselectivity in the asymmetric palladium-catalyzed allylic alkylation, **640**, 65

Synthesis of chiral silver(I) diaminocarbene complexes from (*R*,*R*)-4,5-di-*tert*-butylimidazoline, **631**, 157

Chiral metallocene

Synthesis, characterization and polymerization properties of isopropylidene(η^5 - 3 - neomenthylcyclopentadienyl)(η^5 - fluorenyl)zirconium dichloride, **625**, 154

Chiral oxazoline

Synthesis and crystal structure of bis[(4*S*,5*S*)-4,5-dihydro-4,5-diphenyl-2-(2′-oxidophenyl-χO)oxazole-χN]copper(II) and its application in the asymmetric Baeyer–Villiger reaction, **619**, 204

Chiral phosphine

Synthesis of rhodium(III) complexes with the chiral phosphine (*S*)-Ph$_2$PCH$_2$CHMeCH$_2$OH. Crystal structure of (S_{Rh},S_C)-[(η^5-C$_5$Me$_5$)RhCl(η^2-PPh$_2$CH$_2$CHMeCH$_2$OH–P,O)]BF$_4$, **619**, 1

Chiral phosphines

Short syntheses of 8-substituted 8′-[1-(1′-phenylthio)ferrocenyl]-1,1′-binaphthyls from Suzuki coupling reactions. A strategy for generating new chiral ligands and charge-transfer complexes, **637-639**, 832

Chiral stannanes

The BF$_3$ and B(C$_6$F$_5$)$_3$-catalyzed 1,3-isomerization of allylic stannanes, **624**, 294

Chiral triazolinylidenes

Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, **617-618**, 70

Chloroaminophosphido

Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, **617-618**, 696

Cholesterol

End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, **629**, 194

Chromium

Alkylaminophosphanyl substituted half-sandwich complexes of vanadium(III) and chromium(III): preparation and reactivity in ethylene polymerisation, **640**, 21

2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand, **617-618**, 640

Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, **635**, 153

Facile displacement of cyclohexadienide ligand from K[Cr(η^5-C$_6$H$_7$)(CO)$_3$] to give crystallographically characterized *trans*-[Cr(CO)$_4$(PPh$_3$)$_2$], **631**, 188

(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, **637-639**, 182

Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, **627**, 206

Insertion reactions of alkenes with diterpenoid chromium aminocarbenes, **628**, 155

β-Lactams (including polycyclic) derived from chromium carbenes, **629**, 114

Regio- and diastereoselective formation of some (η^6-2-methylindoline)tricarbonylchromium(0) complex derivatives, **626**, 233

Synthesis and crystal structures of carbene complexes with conjugated thiophene units, **617-618**, 280

Synthesis and structure of the chromiumcarbonyl complexed phenyl allene, **630**, 198

Synthesis of chiral (7*R*)-[η^6-5-(*N*,*N*-dimethylamino)-7-formyl-1,3-benzodioxole]chromium complex and its application in the synthesis of optically active *cis*-β-lactams, **632**, 27

Synthesis of chromium aminocarbene complexes of diterpenoids, **626**, 199

Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, **629**, 131

The deviating behavior of thiols in nucleophilic trapping reactions of chromiumcarbonyl phenyl complex substituted propargyl cation, **640**, 41

The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, **617-618**, 182

Chromium and tungsten complexes

Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, **617-618**, 322

Chromium carbenes

A matrix isolation and flash photolysis study of the cyclization reactions of chromium amino carbenes, **617-618**, 269

Chromium complexes

Synthesis of ferrocenylketyl radicals by chromium(II) complexes, **637-639**, 813

CIDNP

Spin chemistry of organometallic compounds: Part 1. Interaction of *N*-bromohexamethyldisilazane with allyltriethylstannane, **636**, 12

Cinnamaldehyde

Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N*,*P*,*N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, **634**, 90

Circular dichroism

(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, **637-639**, 182

Cisoid

1,1′,2,2′-Tetrakis(diphenylphosphino)-4,4′-di-*tert*-butylferrocene, a new *cisoid* arrangement of phosphino groups, **637-639**, 126

cis–trans Influence

Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of N$_5$Co^{III}(dmgH)(dpgH)Py and N$_5$Co^{III}(chgH)(dpgH)Py, **629**, 83

Cis–trans isomerization

Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic

complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+ BF_4^-$ (M = Pt, Pd, R = CH_3, C_6H_5, s = coordinated solvent), **622**, 199

Claisen–Schmidt
Bimetallic π-conjugated complexes modulated by a carbonyl spacer: synthesis of arenetricarbonylchromium–ferrocene derivatives, **624**, 124

Claus process
The synthesis and structure of the thiosulfonato iron complexes $CpFe(CO)_2SS(O)_2R$, **622**, 293

β-Cleavage
Spin chemistry of organometallic compounds: Part 1. Interaction of *N*-bromohexamethyldisilazane with allyltriethylstannane, **636**, 12

Cleavage reactions
Versatile behaviour of iron–arylcarbene complexes towards alkoxides: C–Cl and C–C bond activation reactions, **629**, 19

Close contacts
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, **634**, 198

Cluster
A comparison of ferrocenyl carbenium/non-carbenium structures in isomeric osmium cluster complexes obtained from the reaction of bis-ferrocenylbutadiyne with $Os_3(CO)_{10}(\mu\text{-py})(\mu\text{-H})$, **637-639**, 514
Catalytic hydrogenation of aromatics under biphasic conditions: isolation and structural characterisation of the cluster intermediate $[(\eta^6\text{-}C_6Me_6)_2(\eta^6\text{-}C_6H_6)Ru_3(\mu_2\text{-}H)_2(\mu_2\text{-}OH)(\mu_3\text{-}O)]^+$, **621**, 103
Formation of rhodium carbonyl thiolate dimers via elimination of dihydrogen; crystal and molecular structure of $[Rh_2(CO)_4(\mu\text{-}SC_6H_4CH_3)_2]$, **623**, 65
Fragmentation of a As_4Ph_4-chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $Fe_2(CO)_9$, **625**, 245
Insertion of bis-ferrocenylbutadiyne into an osmium hydride bond. The synthesis, structure and electrochemical response of $Os_4(CO)_{11}(\mu\text{-}\eta\text{-}Z\text{-}FcCC(H)C_2Fc)(\mu\text{-}H)_3$, **619**, 271
Mixed-metal cluster chemistry. Part 18. Synthesis and crystal structure of $W_3Ir_3(\mu_4\text{-}\eta^2\text{-}CO)(\mu\text{-}CO)(CO)_{10}(\eta\text{-}C_5H_4Me)_3$, **631**, 139
Synthesis and characterization of new thioether derivatives of $[Os_3(CO)_{12}]$ and $[H_2Os_3(CO)_{10}]$; crystal and molecular structures of $[Os_3(CO)_{11}(L)]$ $[Et_2S, Pr_2S, S(CH_2)_5]$ and $[Os_3(CO)_9(\mu\text{-}H)(\mu\text{-}X)\{SMe(Bu^t)\}]$ (X = H, OH), **623**, 191
Synthesis and structures of heterobimetallic Ir_2M (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, **620**, 69
Synthesis, characterisation, crystal structures and electrochemistry of triosmium nitrite carbonyl clusters containing ferrocenyl phosphines, **637-639**, 276
Synthesis, characterisation, crystal structures and reactivity of a series of ruthenium–cobalt mixed-metal nitrido carbonyl clusters with iodide ligands, **626**, 125
Transition metal clusters containing carbosilane dendrimers, **619**, 245
Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, **622**, 33

Cluster complex
Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, **628**, 123

Cluster family
Methylidene and hydrazone complexes of the cluster family: $Cp'_3M_3(CO)_2(CH_2)$ (M = Co, Rh, Ir), **617-618**, 561

Clusters
$[Cp_2MoH_2]$–silver complexes with pseudohalide ligands, **633**, 1
Mixed-metal cluster chemistry. Part 17. Syntheses of $WIr_3(CO)_{11}(\eta\text{-}C_5H_4Me)$ and its reactivity towards diphenylacetylene, **631**, 143
Monomeric, dimeric and polymeric $[Cp_2MoH_2]$ complexes with Ag–S bonds, **630**, 169
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster $[Fe_2(CO)_6(\mu_3\text{-}S)_2W\{(\eta^5\text{-}C_5H_5)W(CO)_3(CCPh)\}_2]$, **629**, 160
The thermolysis products of $Os_3(CO)_{11}(AsPh_3)$, **625**, 231

$(C_5Me_5)(dppe)FeC{\equiv}C\text{–}C{\equiv}C\text{–}Fe(dppe)(C_5Me_5)$
Reaction of 1,3-diynes with the electron rich iron complex $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-dppe})Fe\text{–}Cl$. A new and direct access to the iron butadiynyl complex $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-dppe})Fe\text{–}C{\equiv}CC{\equiv}CSiMe_3$, **629**, 39

$(C_5Me_5)Fe(dppe)(C{\equiv}C\text{–}C{\equiv}CSiMe_3)$
Reaction of 1,3-diynes with the electron rich iron complex $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-dppe})Fe\text{–}Cl$. A new and direct access to the iron butadiynyl complex $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-dppe})Fe\text{–}C{\equiv}CC{\equiv}CSiMe_3$, **629**, 39

^{13}C-NMR
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81

Cobaloxime
Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of N_3Co^{III}(dmgH)(dpgH)Py and N_3Co^{III}(chgH)(dpgH)Py, **629**, 83
Organocobaloximes with mixed dioxime equatorial ligands: a convenient one-pot synthesis. X-ray crystal structures of $BnCo^{III}$(dmgH)(dpgH)Py and $BnCO^{III}$(chgH)(dpgH)py, **627**, 80

Cobaloximes
Characterization of the photolysis products of *sec*-butylcobaloximes with imidazole and benzimidazole bases, **632**, 85

Cobalt
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, **635**, 197
Cyclopentadienylcobalt complexes containing sulfosalt units: synthesis and structure of $[(C_5Me_4Et)_3Co_3AsS_5]I$ and $[(C_5Me_4Et)_3Co_3AsSe_5][Cr(CO)_5I]$, **628**, 39
Fragmentation of a As_4Ph_4-chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $Fe_2(CO)_9$, **625**, 245
Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of N_3Co^{III}(dmgH)(dpgH)Py and N_3Co^{III}(chgH)(dpgH)Py, **629**, 83
Metal vapour synthesis of phospha-organometallic compounds via reaction of cobalt atoms with the phospha-alkyne ^{t}BuC≡P: synthesis and structural characterisation of the sandwich compounds $[Co(\eta^5\text{-}P_3C_2^tBu_2)(\eta^4\text{-}P_2C_2^tBu_2)]$, $[Co(\eta^5\text{-}P_2C_3^tBu_3)(\eta^4\text{-}P_2C_2^tBu_2)]$ and the protonated tetraphospha-barrelene complex $[Co(\eta^4\text{-}P_4C_4^tBu_4H)(\eta^4\text{-}P_2C_2^tBu_2)]$, the latter as its $[W(CO)_5]$ adduct, **635**, 212
Organocobaloximes with mixed dioxime equatorial ligands: a convenient one-pot synthesis. X-ray crystal structures of $BnCo^{III}$(dmgH)(dpgH)Py and $BnCO^{III}$(chgH)(dpgH)py, **627**, 80
Reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with symmetric diynes and their reactivity towards $[Co_2(CO)_8]$, **635**, 119

Reactions of the μ-alkyne-dicobalt complexes $[Co_2(CO)_6(\mu\text{-}CF_3\text{–}C{\equiv}C\text{–}R)]$ (R = CF_3, H) with $[Co_2Cp_2(\mu\text{-}SMe)_2]$: substitution and insertion leading to novel thiolato-alkyne tetra- and tricobalt clusters, **635**, 110

Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral $Mo_2Fe(\mu_3\text{-}S)$ cluster cores. Crystal structures of $[Mo_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_n\ CH_2C_5H_4\text{-}\eta^5]$ ($n = 1-3$), **622**, 210

Synthesis and electrochemical study of cobalt carbonyl complexes of trimethylsilyl-substituted 1,3,5-triethynylbenzene, **631**, 19

Synthesis, reactivity, and crystal structures of ferrocene-substituted amidinate derivatives, **637-639**, 521

Cobalt(II) complexes

Characterization of the photolysis products of *sec*-butylcobaloximes with imidazole and benzimidazole bases, **632**, 85

CO-bridged anions

Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se, Te). Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)(\mu\text{-}MeS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ and $\{(\mu\text{-}t\text{-}BuS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)\}_2[(\mu\text{-}p\text{-}SCH_2)_2C_6H_4]$, **623**, 56

Synthesis of single and double butterfly iron carbonyl complexes by reactions of $[(\mu\text{-}RSe)(\mu\text{-}CO)Fe_2(CO)_6]^-$ anions. Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)[\mu\text{-}PhCH{=}N(H)C\text{–}S]Fe_2(CO)_6$ and $[(\mu\text{-}PhSe)(\mu\text{-}MeAs)Fe_2(CO)_6]_2$, **627**, 255

Co-catalyst

Syntheses and properties of the novel co-catalysts *N*,*N*-dimethylanilinium- and trityl[tetrakis[4-(trifluoromethyl)-2,3,5,6-tetrafluorophenyl]borate], **621**, 177

Co-catalysts

Trimethylammonium[tetrakis(pentafluorophenoxy)borate], a safe way to synthesize novel co-catalysts for olefin polymerization, **621**, 184

Co complexes

Transition-metal-mediated activation of arylisocyanates in supercritical carbon dioxide, **626**, 227

CO-factored force field

Force constant calculations for octahedral complexes of the type $M(CO)_5L$, based on the CO-factored force field, **640**, 37

Co(III) complexes

Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III): the orthometalation of *trans*-azobenzene, **625**, 186

CO insertion

Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+BF_4^-$ (M = Pt, Pd, R = CH_3, C_6H_5, s = coordinated solvent), **622**, 199

Combinatorial virtual libraries

Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, **630**, 67

Competition for π-backdonation

Structural preference in complexes containing both double-face and single-face π-acceptor ligands, **635**, 84

π-Complex

Oxidative esterification of alkenes via π- and σ-organopalladium complexes: new pathways for the reaction, **636**, 69

σ-Complex

Oxidative esterification of alkenes via π- and σ-organopalladium complexes: new pathways for the reaction, **636**, 69

Complex

Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, **633**, 66

Complexation

Complexes of P(III)-phosphocavitands with Groups VI and VII transition metal carbonyls, **631**, 1

New synthesis of a stable dialkylstannylene and its reversible complexation with tetrahydrofuran, **636**, 144

Complexes

A comparison of the coordination chemistry of Ph_2SNH and $Ph_2SNCH_2CH_2CN$; the preparation and X-ray crystal structures of $[PPh_4][PdBr_3(Ph_2SNCH_2CH_2CN)]$ and *trans*-$[PdBr_2(Ph_2SNCH_2CH_2CN)_2]$, the first fully characterised complexes of a N-substituted sulfimide, **623**, 120

Electronic properties of the trimethylenemethaneiron tricarbonyl group, **620**, 308

π-Complexes

Back bonding without σ-bonding: a unique π-complex of dinitrogen with uranium, **635**, 69

Complexes

Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, **630**, 67

Fluorenyl derivatives of early transition elements: a synthetic and structural study, **631**, 110

Synthesis, characterization and reactivity of tetracyclopentadienylniobium(IV), a precursor to organometallic derivatives of niobium(IV), **630**, 275

Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[M(\eta^1\text{-}P_3C_2^tBu_2)_2(NC_5H_5)_n]$ (M = Zn, $n = 2$; M = Cd, $n = 3$), **633**, 143

The effect of d-block metal complexation on the spectroscopic and redox properties of ferrocene derivatives containing pyridine ligands, **637-639**, 304

Condensation

Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, **625**, 208

Condensed aromatics

Studies on regioselective addition of benzylic organometallics to α-oxoketene dithioacetals in our aromatic annelation protocol, **624**, 34

Conformational analysis

Conformational control of intramolecular arene stacking in ferrocene complexes bearing *tert*-butyl and pentafluorophenyl substituents, **637-639**, 107

UV photoelectron and ab initio study of intramolecular interactions in α-diethoxyphosphoryl carbonyl derivatives, **625**, 121

Conformation analysis

Conformational behavior of 3-borabicyclo[3.3.1]nonanes. Intramolecular p–σ and p–π interactions in 3,7-*endo*-disubstituted 3-borabicyclo[3.3.1]nonanes, **636**, 3

Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, **619**, 74

Conjugate addition

A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β-unsaturated carbonyl compounds and terminal alkynes, **625**, 47

Preparations and selectivities of magnesium-based mixed cuprates, **619**, 31

Conjugated carboxylic acids

Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, **617-618**, 571

Conjugated diimine
Iron carbonyl complexes from 2-[2,3-diaza-4-(2-thienyl)buta-1,3-dienyl]thiophene: N–N bond cleavage and cyclometalation, **640**, 85
π-Conjugated polymers
Electrochemical determination of diffusion coefficient of π-conjugated polymers containing ferrocene unit, **637-639**, 809
Conjugation
Radical isomerization of 9,10-dihydro-9,10-disilaanthracene derivatives: stabilization factor of silyl radicals, **626**, 32
Reaction of disilagermirenes with phenylacetylene: from a germasilene –Ge=Si– to a metalladiene of the type –Si–Ge–C=C–, **636**, 41
π-Conjugation
4-Ethinyl-benzonitrile-ferrocenes bridged by a $Pd(PPh_3)_2$ unit; the solid-state structure of $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4C{\equiv}CC_6H_4C{\equiv}N\text{-}1,4)$, **637-639**, 198
Constitutional isomers
Synthesis and structure of aminobis(η^1-cyclopentadienyl)boranes and related compounds, **619**, 305
Conversions
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, **623**, 3
Coordinate link
A historical perspective on Dewar's landmark contribution to organometallic chemistry, **635**, 1
Coordination
Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, **637-639**, 327
Coordination bond
Nature of the metal–ligand bond in trivalent neodymium complexes with neutral π-donor ligands. A theoretical study, **619**, 24
Coordination chemistry
Chemistry of thermally stable bis(amino)silylenes, **617-618**, 209
Coordination complexes
Electronic and steric properties of stable silylene ligands in metal(0) carbonyl complexes, **636**, 17
Copolymerization
New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, **619**, 287
Selectivity for the methoxycarbonylation of ethylene versus CO–ethylene copolymerization with catalysts based on C_4-bridged bidentate phosphines and phospholes, **640**, 182
Synthesis, characterization, and catalytic properties of bis[alkylindenyl]-, bis[alkenylindenyl]- and [alkenylindenyl(cyclopentadienyl)]zirconium dichloride complexes, **636**, 31
Copper
Biscyclopentadienyl Group 6 metal complexes as metalloligands in the synthesis of heterobimetallic species. Crystal structures of new thiolato-bridged molybdenum(IV)–copper(I) complexes, **632**, 75
C–C-bond formation in reactions of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CR^1)_2]CuR$ with acyl chlorides and anhydrides, **625**, 140
New heterometallic copper zinc alkoxides: synthesis, structure properties and pyrolysis to Cu/ZnO composites, **630**, 253
Synthesis, spectroscopic and structural characterisation of complexes of the new ditelluroether 1,2-bis(methyltelluromethyl)benzene, *o*-$C_6H_4(CH_2TeMe)_2$. X-ray structures of $[Mn(CO)_3Cl\{o\text{-}C_6H_4(CH_2TeMe)_2\}]$ and $[W(CO)_4\{o\text{-}C_6H_4(CH_2TeMe)_2\}]$, **619**, 218
Weakly ligated palladium complexes $PdCl_2(RCN)_2$ in piperidine: versatile catalysts for Sonogashira reaction of vinyl chlorides at room temperature, **624**, 114
Copper catalyst
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, **619**, 235
Copper catalysts
Direct use of chiral or achiral organophosphorus boranes as pro-ligands for transition metal catalyzed reactions, **624**, 333
Copper complex
Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)-dicopper(II) at 210 K, **622**, 166
Copper halides
A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β-unsaturated carbonyl compounds and terminal alkynes, **625**, 47
Copper hydride
Hydrosilylation of aldehydes and ketones catalyzed by $[Ph_3P(CuH)]_6$, **624**, 367
Copper(I) complexes
Copper(I) complexes containing 1,1′-bis(diphenylphosphino) ferrocene (dppf) as a chelate ligand. X-ray crystal structures of $[Cu_2(\mu\text{-}Cl)_2(\kappa^2\text{-}P,P\text{-dppf})_2]$ and $[Cu(CN^tBu)_2(\kappa^2\text{-}P,P\text{-dppf})][BF_4]$, **637-639**, 677
Copper (I) cyanide
Self-assembly of $[Cu(CN)_4]^{3-}$ ions with cationic $\{Me_3Sn\}^+$ or $\{Me_2Sn(CH_2)_3SnMe_2\}^{2+}$ fragments in the presence of a $^nBu_4N^+$ template, **621**, 254
Copper salt
Reaction of alkynylsilanes with CuCl in polar solvents leading to alkynyl group transfer from Si to Cu, **620**, 282
Cotton effect
Synthesis and circular dichroism spectra of silver(I) complexes with *R,R*-DIOP (4*R*,5*R*-*trans*-4,5-bis[(diphenylphosphino)-methyl]-2,2-dimethyl-1,3-dioxalane): crystal structures of $[AgCl(R,R\text{-DIOP})]_2{\cdot}2CHCl_3$, $\{[AgBr(R,R\text{-DIOP})]_2\}_2{\cdot}CH_2Cl_2{\cdot}2H_2O$, $[AgI(R,R\text{-DIOP})]_2$ and $[AgSCN(R,R\text{-DIOP})]_2$, **640**, 57
Counter-ions
Synthesis of achiral, but unsymmetric, seven-membered rhodium(I)-chelates for hydrogenation in the chiral environment of alkyl polyglucoside micelles, **621**, 120
Coupling
Bis(pyrimidine)-based palladium catalysts: synthesis, X-ray structure and applications in Heck–, Suzuki–, Sonogashira–Hagihara couplings and amination reactions, **634**, 39
Coupling reactions
An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, **617-618**, 635
Carbon–carbon bond formation by means of organotellurium compounds, **623**, 43
Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, **637-639**, 230
$CpCo(CO)_2$
$CpCo(CO)_2$-catalysed cyclotrimerisation of alkynes in supercritical carbon dioxide, **632**, 113
Cp-ring alkylation
$(\eta^5\text{-}C_5H_5)$-Ring alkylation reaction with the $C_5H_5^-$ anion: towards the construction of tri-Fe complex $Fe\{[\mu,\eta^5{:}\eta^4\text{-}5\text{-}exo\text{-}(1'\text{-}C_5H_4)C_5H_5]Fe(CO)_2(PPh_3)\}_2$, **637-639**, 549
Cross-coupling
Cross-coupling of vinylpolysiloxanes with aryl iodides, **624**, 372
Highly reactive σ-organonickel complexes in electrocatalytic processes, **630**, 185

Study on the synthesis of nonracemic C_2-symmetric 1,1′-binaphthyl-2,2′-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, **637-639**, 318
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, **637-639**, 398
Cross-coupling reaction
Solid phase cross-coupling reaction of aryl(halo)silanes with 4-iodobenzoic acid, **624**, 208
Cross-coupling reactions
Bis(ferrocenyl)mercury as a source of ferrocenyl moiety in Pd-catalyzed reactions of carbon–carbon bond formation, **637-639**, 653
Versatile palladium-catalyzed arylation of organomanganese chlorides by aryl bromides, **624**, 376
Cross-metathesis
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, **624**, 327
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, **634**, 216
15-Crown-5
Self-decomposition of K^-, $K^+(15\text{-crown-5})_2$ tetrahydrofuran solution via organometallic intermediates, **628**, 65
Crown ether
Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral $Mo_2Fe(\mu_3\text{-}S)$ cluster cores. Crystal structures of $[Mo_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_n\ CH_2C_5H_4\text{-}\eta^5]$ ($n = 1-3$), **622**, 210
18-Crown-6 ether
The first example of a dinuclear anionic lanthanoidocene complex: $[K(18\text{-crown-6})\{(C_{13}H_8)CPh_2(C_5H_4)Nd(BH_4)_2\}]_2{\cdot}C_4H_8O_2$, **626**, 171
Crown ethers
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, **622**, 38
Crown thioethers
Synthetic, electrochemical, and structural studies on heterobimetallic crown thioether complexes with Group 10 metals: the crystal structures of $[Pt(9S3)(dppf)](PF_6)_2{\cdot}CH_3NO_2$ and $[Pd(9S3)(dppf)](PF_6)_2{\cdot}CH_3NO_2$, **637-639**, 683
Cryptand
Complexation behavior of 1,1″:1′,1‴-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyldimethyl)bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, **625**, 173
Cryptands
Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, **623**, 87
Crystal and molecular structures
The key role of sulfur in thiosemicarbazone compounds. Crystal and molecular structure of $[Pd\{4\text{-}MeOC_6H_4C(Me)=NN\text{-}C(S)NHPh\}_2]$, **623**, 176
Crystal engineering
Conformational control of intramolecular arene stacking in ferrocene complexes bearing *tert*-butyl and pentafluorophenyl substituents, **637-639**, 107
Organometallic building blocks for crystal engineering. Synthesis, structure and hydrogen bonding interactions in $[Fe(\eta^5\text{-}C_5H_4\text{-}CH_2(CH_3)OH)_2]$, $[Fe(\eta^5\text{-}C_5H_3(CH_3)COOH)_2]$, $[Fe(\eta^5\text{-}C_5H_4CH(CH_3)NH(\eta^5\text{-}C_5H_4CH(CH_3))]$ and in the diaminecyclohexane salt $[Fe(\eta^5\text{-}C_5H_4COO)_2]^{2-}\cdot[(1S,2S)\text{-}(NH_3)_2C_6H_{10}]^{2+}\cdot 2[H_2O]$, **637-639**, 609
Crystalline polymorphism
Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2(Hpz^R)]$ complexes, **633**, 91
Crystal packing
New chiral ferrocenyl-pyridinium salts for non-linear optics, **637-639**, 531
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), **637-639**, 75
Crystals structure
Silsesquioxane Chemistry. 4. Silsesquioxane Complexes of Titanium(III) and Titanium(IV), **620**, 80
Crystal structure
A novel cis-push–pull effect in cycloruthenated azobenzene thiocarbonyl-containing complexes: crystal and molecular structures of $[RuX(CS)(\eta^2\text{-}C,N\text{-}C_6H_4N{=}NPh)(PPh_3)_2]$(X = Cl, I), **620**, 60
Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)-dicopper(II) at 210 K, **622**, 166
Cationic derivatives of $RhCl[P(\eta^2\text{-}C_7H_7)_3]$. An intramolecular Diels–Alder rearrangement in the tripodal ligand tri(1-cyclohepta-2,4,6-trienyl)phosphane, $P(C_7H_7)_3$, **621**, 166
Electronic and steric properties of stable silylene ligands in metal(0) carbonyl complexes, **636**, 17
Gold(III) thiosalicylate complexes containing cycloaurated 2-arylpyridine, 2-anilinopyridine and 2-benzylpyridine ligands, **631**, 41
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on urea ligands, **619**, 132
New approach to 1-(phenylethynyl)germatranes and 1-(phenylethynyl)-3,7,10-trimethylgermatrane. Reactions of 1-(phenylethynyl)germatrane with *N*-bromosuccinimide and bromine, **627**, 1
Protonation of metal–metal bonds: X-ray crystal structures of the complex salts $[Ru_2(CO)_4(\mu\text{-}H)(\mu\text{-}Cl)(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2\text{-}PPh_2)][BF_4]$ and $[M_2(CO)_4(\mu\text{-}H)_2(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2\text{-}PPh_2)][BF_4]$ (M = Fe, Ru), **628**, 144
Reactions of metal–metal triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ (M = Mo, W) with diphenyl ditelluride. Crystal structures of $[(\eta^5\text{-}MeC_5H_4)Mo_2(CO)_4(\mu\text{-}TePh)_3]$ and $[(\eta^5\text{-}EtO_2CC_5H_4)_2W_2(CO)_4(\mu\text{-}TePh)_2]$, **626**, 192
Selective CO oxidation of heterometallic carbonyl clusters with the oxygen transfer reagent $(p\text{-}CH_3OC_6H_4)_2TeO$. Crystal structures of $(\mu_3\text{-}S)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$ and $(\mu_3\text{-}Se)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$, **619**, 194
Structural studies of diorganotin(IV) sulphonates The crystal structures of $[(n\text{-}C_4H_9)_2Sn\{\mu\text{-}OSO_2C_6H_2(CH_3)_3\}_2]_n$ and its partially hydrolyzed product $[(n\text{-}C_4H_9)_2Sn\{(\mu\text{-}OH)(\mu\text{-}OSO_2C_6H_2(CH_3)_3)\}]_n$, **619**, 157
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81
Study on structural properties and solution dynamics of zinc complexes with the (*N*,*N*-dimethylaminomethyl)ferrocenyl ligand, **620**, 243
Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, **622**, 280
Synthesis and characterisation of some azo-containing phosphine complexes of Au(I): crystal and molecular structure of $[Au(C{\equiv}CPh)\{6\text{-}P(Ph)_2\text{-}1\text{-}(4\text{-}Me_2N\text{-}C_6H_4N_2)\text{-}C_{10}H_5\text{-}2\text{-}OH\}]\cdot CHCl_3$, **629**, 153
Synthesis and characterization of new thioether derivatives of $[Os_3(CO)_{12}]$ and $[H_2Os_3(CO)_{10}]$; crystal and molecular structures of $[Os_3(CO)_{11}(L)]$ $[Et_2S,\ Pr_2S,\ S(CH_2)_5]$ and $[Os_3(CO)_9(\mu\text{-}H)(\mu\text{-}X)\{SMe(Bu^t)\}]$ (X = H, OH), **623**, 191

Synthesis and characterization of 2,4,6-tris((dimethylamino)methyl)phenoxysilicon compounds, **636**, 96

Synthesis and crystal structure of bis[(4*S*,5*S*)-4,5-dihydro-4,5-diphenyl-2-(2′-oxidophenyl-χO)oxazole-χN]copper(II) and its application in the asymmetric Baeyer–Villiger reaction, **619**, 204

Synthesis and crystal structures of carbene complexes with conjugated thiophene units, **617-618**, 280

Synthesis and structures of heterobimetallic Ir_2M (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, **620**, 69

Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, **628**, 123

Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, **633**, 66

Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, **633**, 79

The synthesis and structural characterisation of a diphosphastibolyl potassium complex, $[\{[K(DME)][1,4,2\text{-}P_2SbC_2\text{-}Bu^t_2]\}_x]$, and a novel hetero-cage compound, **622**, 61

The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, **629**, 109

The synthesis of new complexes of rhenium(I) with heterotridentate [P,N,O] ligands, **626**, 181

Crystal structure analysis

On the chemistry of gallium: Part 19. Synthesis and crystal structure analysis of novel complexes containing Ga–$FeCp(CO)_2$-fragments, **626**, 82

Crystal structure elucidation

ortho-Lithiated benzyl diorganophosphines $[o\text{-}(R_2PCH_2)\text{-}C_6H_4Li(Et_2O)]$, R = Ph, Me. Synthesis, structural characterization, and reactions, **622**, 121

Crystal structures

Addition of diphenylphosphine to molybdenum alkynyl complexes, **633**, 125

A re-examination of the reaction between 1,1′-bis(diphenylphosphino)ferrocene (dppf) diselenide and $[Ru_3(CO)_{12}]$. Electrochemical behaviour of the isomeric *nido*-clusters $[Ru_3(\mu_3\text{-}Se)_2(dppf)(CO)_7]$ and $[Ru_3(\mu_3\text{-}Se)_2(\mu\text{-}dppf)(CO)_7]$ and crystal structure of $[Ru_3Se\{\mu\text{-}P(Ph)C_5H_4\text{-}FeC_5H_4PPh_2\}(\mu\text{-}OCPh)(CO)_6]$, **637-639**, 586

Bis[bis(trimethylsilyl)cyclopentadienyl]selane as a ligand: selena-2,2′,4,4′-tetrakis(trimethylsilyl)-[1]ferrocenophane and 1,2,3-triselena-2,2′,4,4′-tetrakis(trimethylsilyl)-[3]ferrocenophane, **637-639**, 745

Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$, **627**, 127

Cation–anion interactions in triphenyl telluronium salts. The crystal structures of $(Ph_3Te)_2[MCl_6]$ (M = Pt, Ir), $(Ph_3Te)[AuCl_4]$, and $(Ph_3Te)(NO_3)\cdot HNO_3$, **640**, 50

Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphoryl)disulfanes. Syntheses and X-ray crystal structures of $CpCr(CO)_2(S_2P(OR)_2)$, $CpCr(S_2P(OR)_2)_2$ and $Cr(S_2P(OR)_2)_3$ (R = ⁱPr), **631**, 67

$[Cp_2MoH_2]$–silver complexes with pseudohalide ligands, **633**, 1

Cyclic organohydroborate complexes of metallocenes: Part VI. Syntheses and structures of $Cp_2M\{(\mu\text{-}H)_2BR_2\}$ (M = Ti, Nb; $R_2 = C_4H_8$, C_5H_{10}, C_8H_{14}), **627**, 109

β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl- and η^5-oxocycloheptadienyl–$Mn(CO)_3$ complexes, **633**, 162

Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, **625**, 40

Ferrocene substituted nitronyl nitroxide and imino nitroxide radicals. Synthesis, X-ray structure and magnetic properties, **637-639**, 507

1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, **637-639**, 335

Formation and crystal structures of a monomer–dimer pair of mono(cyclopentadienyl)calcium complexes, $[C_5(t\text{-}Bu)_3H_2]_2CaI(THF)_2$ and $\{[C_5(t\text{-}Bu)_3H_2]_2CaI(THF)\}_2$, **626**, 43

Further studies on dialkyltin 1,3-dithiole-2-thione-4,5-dithiolates, $R_2Sn(dmit)$. Crystal structures of orthorhombic- and monoclinic-$Et_2Sn(dmit)$, and $Me_2Sn(dmit)$, **627**, 189

Heptacoordinate dithiophosphate Mo(II) and W(II) complexes: molecular structures of mono and binuclear phosphine complexes, **632**, 175

3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), **622**, 228

Iron(II) versus osmium(II) oxidation in 1,1′-bis(diorganophosphino)ferrocene–osmium(II) complexes, **637-639**, 167

ω-Monofluoroalkylrhodoximes: synthesis and structures of $[Rh\{(CH_2)_nF\}(dmgH)_2(PPh_3)]$ ($n = 1$, 3) and C–F activation reactions, **622**, 172

Monomeric, dimeric and polymeric $[Cp_2MoH_2]$ complexes with Ag–S bonds, **630**, 169

New ligand substitution modes of $M_2(\mu\text{-}SR)_2(CO)_8$ (M = Mo, W; R = alkyl, aryl): synthesis, structure and properties of new di-nuclear metal(I) carbonyl thiolates, $[M_2(\mu\text{-}SPh)_2(CO)_xL_y]^{n-}$ (M = Mo, W; $x = 6$, 8; $y = 0$, 1; L = PhS, $(Ph)_2PCH_2P(Ph)_2$ and S_2CNEt_2; $n = 1$, 0) and a polymer $[W_2(\mu\text{-}SPh)_2(CO)_6(Ph)_2PCH_2P(Ph)_2]_{\infty}$, **640**, 127

New studies on the chemical oxidation of (bisη^5-cyclopentadienyl)dithiolatemolybdenum(IV) complexes. Crystal structures of $[Mo(\eta^5\text{-}C_5H_5)_2S(C_6H_4\text{-}o\text{-}SC_6H_5)][BF_4]$ and $[Mo(\eta^5\text{-}C_5H_5)_2(SC_6H_5)_2]$, **632**, 107

Novel complexes *cis*,*cis*-$[Rh(R)_2(I)(CO)(dmb)]$ (R = Me, ⁱPr; dmb = 4,4′-dimethyl-2,2′-bipyridine): synthesis, structure and photoreactivity, **626**, 118

Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of $[FeCp(DPPE)(p\text{-}NCC_6H_4NO_2)][PF_6]\cdot CH_2Cl_2$, **619**, 252

Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, **628**, 99

Preparation and crystal structures of the complexes (η^5-$C_5H_3TMS\text{-}CMe_2\text{-}\eta^5\text{-}C_{13}H_8)MCl_2$ and [3,6-di′$ButC_{13}H_6$–$SiMe_2$–N′Bu]MCl_2 (M = Hf, Zr or Ti): mechanistic aspects of the catalytic formation of a isotactic–syndiotactic stereoblock-type polypropylene, **621**, 267

Preparation and electrochemical behaviour of dinuclear platinum complexes containing NCN ligands (NCN = $[C_6H_3(Me_2NCH_2)_2\text{-}2,6]^-$). The crystal structure of $[C_6H_3(Me_2NCH_2)_2\text{-}1,3\text{-}(C{\equiv}C)\text{-}5]_2$, **620**, 227

Preparation, crystal structure determination, and properties of adducts of halogenomethyl compounds of indium with Group 16 donors, **626**, 68

Reactions of di-μ-carbonyl-*cis*-μ-(1-5-η:1′-5′-η-dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)\text{-}C_6H_5\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$ and $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_4OCH_3\text{-}p\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$, **617-618**, 292

Reactivity of the unsaturated triosmium cluster [(μ-H)Os_3(CO)$_8${$Ph_2PCH_2P(Ph)C_6H_4$}] with dithiols; X-ray structures of [Os_3(CO)$_8$(μ-$SCH_2CH_2CH_2S$)($Ph_2PCH_2PPh_2$)]·1/2CH_2Cl_2 and [(μ-H)Os_3(CO)$_7$(μ$_3$-η^3-SCH_2CH_2CHS)($Ph_2PCH_2PPh_2$)]·1/2H_2O, **625**, 112

Samarium(III) compounds supported by the hydrotris(3,5-dimethyl-pyrazolyl)borate ligand: synthetic utility of the putative, reduction prone Sm(III)-hydrocarbyls, '(Tp^{Me2})$_2$SmR', **632**, 119

Second harmonic generation of η^5-monocyclopentadienyl ruthenium *p*-benzonitrile derivatives by Kurtz powder technique. Crystal and molecular structure determinations of [Ru(η^5-C_5H_5)((+)-DIOP)(*p*-$NCC_6H_4NO_2$)][X], X = PF_6^-, $CF_3SO_3^-$ and [Ru(η^5-C_5H_5)((+)-DIOP)($NCCH_3$)][PF_6], **632**, 133

Self-organization of a rigid α,ω-bis-silanediol determined by X-ray crystal structure, **624**, 354

Solid state structure of P(*o*-$(CF_3)Ph)_3$ substituted $Rh_2(CO)_4$(μ-Cl)$_2$. Formation of dimeric [$Rh_2(CO)_3$(μ-Cl)$_2${P(*o*-$(CF_3)Ph)_3$}]$_2$, **633**, 69

Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)-platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(*C*H_2,*P*)-chloro(chloromethyl)(dimethylaminomethylene)(triphenylphosphine)-platinum(II) and [1,2-bis(diphenylphosphino)ethane]-(dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), **617-618**, 671

Stabilisation of alkynyl dithiocarboxylates at a ruthenium centre: X-ray crystal structures of [Ru(H)(CO)(S_2CC≡CPh)-(PPh_3)$_2$], [Ru(CO)(CPh=CHPh)(S_2CC≡CPh)(PPh_3)$_2$] and [Ru(CO)(C≡CMes)(S_2CC≡CPh)(PPh_3)$_2$], **619**, 209

Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, **620**, 39

Synthesis and characterisation of ferrocenyl-phosphonic and -arsonic acids, **637-639**, 216

Synthesis and characterisation of four- and eight-membered ring auralactam complexes, **620**, 182

Synthesis and characterisation of rhodium(0) and rhodium(− 1) complexes stabilised by 1,1′-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [Rh(dppf)$_2$] and [Na(THF)$_x$][Rh(dppf)$_2$]·THF, **637-639**, 710

Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, **632**, 164

Synthesis and crystal structures of chromium and molybdenum complexes containing the 2,4,6-tris(trifluoromethyl)phenyl ligand, **631**, 181

Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral Mo_2Fe(μ$_3$-S) cluster cores. Crystal structures of [Mo_2Fe(μ$_3$-S)(CO)$_7$][η^5-$C_5H_4CH_2(CH_2OCH_2)_n$ $CH_2C_5H_4$-η^5] (*n* = 1–3), **622**, 210

Synthesis and molecular structure of a novel ferrocene-containing macrocyclic acyl thiourea derivative, **637-639**, 204

Synthesis and solid state structure of α,α′-bis(2-phenyl-1,2-carboran-1-yl)lutidine, **634**, 99

Synthesis and spectroscopic characterization of new mixed ligand organotellurium(IV) compounds employing dithiocarbamates and imidotetraphenyldithiodiphosphinates. Crystal structure of [$C_4H_8Te(S_2CNEt_2)${$(SPPh_2)_2N$}], [$C_4H_8Te(S_2$-CNC_5H_{10}){$(SPPh_2)_2N$}] and [$C_4H_8Te(S_2CNC_4H_8S)$-{$(SPPh_2)_2N$}], **631**, 99

Synthesis and structural characterization of {μ$_3$-H(Ph)-C=C}$FeCo_2$(CO)-dppm (dppm = $Ph_2PCH_2PPh_2$) and {μ$_3$-H(Ph)C=C}$FeCo_2(CO)_{9-n}L_n$ [L = PPh_3 (*n* = 1, 2), $AsPh_3$ (*n* = 1)], **631**, 87

Synthesis and structure of *ansa*-cyclopentadienyl pyrrolyl titanium complexes: [(η^5-C_5H_4)CH_2(2-C_4H_3N)]Ti(NMe_2)$_2$ and [1,3-{CH_2(2-C_4H_3N)}$_2$(η^5-C_5H_3)]Ti(NMe_2), **640**, 79

Synthesis, characterisation and optical properties of symmetrical and unsymmetrical Pt(II) and Pd(II) bis-acetylides. Crystal structure of *trans*-[$Pt(PPh_3)_2$(C≡C–C_6H_4-NO_2)], **627**, 13

Synthesis, characterization and antitumor activity of some arylantimony triphenylgermanylpropionates and crystal structures of $Ph_3GeCH(Ph)CH_2CO_2SbPh_4$ and [Ph_3GeCH_2-$CH(CH_3)CO_2$]$_2$Sb(4-ClC_6H_4)$_3$, **620**, 235

Synthesis, characterization and crystal structure of [Pt(Me)-(dppe){η^1-CH(PPh_3)(COOEt)}]BF_4. An example of overcrowded molecule and correlated properties, **629**, 201

Synthesis, crystal structures and spectroscopic studies of diorganotin derivatives with mefenamic acid. Crystal and molecular structures of 1,2:3,4-di-μ$_2$-2-[(2,3-dimethylphenyl)-amino]-benzoato-*O*,*O*-1,3-bis-2-[(-[(2,3-dimethylphenyl)-amino]benzoato-*O*-1,2,4:2,3,4-di-μ$_3$-oxo-tetrakis[di-methyltin(IV)] and 1,2:3,4-di-μ$_2$-2-[(-[(-[(2,3-dimethylphenyl)-amino]-benzoato-*O*,*O*-1,3-bis-2-[(-[(-[(2,3-dimethylphenyl)-amino]benzoato-*O*-1,2,4:2,3,4-di-μ$_3$-oxo-tetrakis[di-*n*-butyltin(IV)], **630**, 205

Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, **633**, 27

Synthesis of chiral silver(I) diaminocarbene complexes from (*R*,*R*)-4,5-di-*tert*-butylimidazoline, **631**, 157

Synthesis of new donor/acceptor η^5-cyclopentadienyl and η^5-indenyliron(II) complexes with *p*-benzonitrile derivatives. Crystal structures of [Fe(η^5-C_5H_5)(CO)(P(OC_6H_5)$_3$)(*p*-$NCC_6H_4NO_2$)][BF_4]·CH_2Cl_2 and [Fe(η^5-C_9H_7)(CO)-(P(OC_6H_5)$_3$)(*p*-$NCC_6H_4NO_2$)][BF_4], **632**, 145

Synthesis of rhodium(III) complexes with the chiral phosphine (*S*)-$Ph_2PCH_2CHMeCH_2OH$. Crystal structure of (S_{Rh},S_C)-[(η^5-C_5Me_5)RhCl(η^2-$PPh_2CH_2CHMeCH_2OH$–P,O)]BF_4, **619**, 1

Synthesis, solution and solid-state NMR spectra of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-(organostannylmethyl)

-α-D-glucopyranosides: Crystal structure of methyl 4,6-*O*-benzylidene-
2,3-bis-*O*-[(dimethylphenylstannyl)methyl]

-α-D-glucopyranoside, **619**, 226

Synthesis, structural and magnetic characterization of the metamagnet [$Fe(C_5Me_5)_2$]DMe–DCNQI, **632**, 67

Synthesis, structural characterization and ^{57}Fe-Mössbauer spectra of ferrocenylhexasilanes, **627**, 167

Synthesis, structures and electrochemical properties of Group 6 metal carbonyl complexes containing ferrocenylpyrazole ligands, **637-639**, 209

Synthesis, structures and electrochemistry of bis(alkynylferrocene) complexes with fluorene spacers, **637-639**, 159

Synthetic, electrochemical, and structural studies on heterobimetallic crown thioether complexes with Group 10 metals: the crystal structures of [Pt(9S3)(dppf)]-$(PF_6)_2$·CH_3NO_2 and [Pd(9S3)(dppf)]$(PF_6)_2$·CH_3NO_2, **637-639**, 683

Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, **637-639**, 772

Tellurium complexes with new, large-bite dithio ligands. The crystal structures of *cis*- and *trans*- [Te{$Ph_2P(S)$–N–P(S)($OPh)_2$}$_2$] and [(4-$MeOC_6H_4TeCl_3$)$_2${μ-$^iPr_2P$-(S)–Fc–P(S)/Pr_2}], **623**, 124

The first example of a dinuclear anionic lanthanoidocene complex: [K(18-crown-6){($C_{13}H_9$)$CPh_2(C_5H_4)Nd(BH_4)_2$}]$_2$·$C_4H_8O_2$, **626**, 171

The initiation of ring-opening metathesis polymerisation of norbornadiene by seven-coordinate molybdenum(II) compounds. X-ray crystal structure of [Mo(μ-Cl)($SnCl_3$)-($CO)_3$(η^4-NBD)], **640**, 72

The linear and nonlinear optical properties of organometallic chromophores derived from ferrocene, [Fe_2(η^5-C_5H_4)$_2$($CO)_2$(μ-CO)(μ-C–CH_3)]$^+$[BF_4]$^-$ and terthienyl spacers. Crystal structure of 2-[(*E*)-2-ferrocenylethenyl]-5-(2-thienyl)thiophene, **637-639**, 435

The reaction of ferrocene with mercuric chloride revisited: 'Cp_2Fe*$2HgCl_2$' = [(C_5H_5)Fe(C_5H_4HgCl)]$_2$[Hg_2Cl_6], comparison of its molecular structure with that of chloromercuriferrocene, **637-639**, 796

Triphosphane formation from the terminal zirconium phosphinidene complex [Cp_2Zr=PDmp(PMe_3)] (Dmp = 2,6-$Mes_2C_6H_3$) and crystal structure of DmpP(PPh_2)$_2$, **630**, 193

C–S cleavage

Unexpected formation of the novel mixed μ-oxo, μ-sulfido, bis(μ-thiolato) compound [Mo(IV)$_2$$Cp_2$(μ-O)(μ-S)(μ-SMe)$_2$], **627**, 67

C/Si/Ge bioisosterism

Syntheses and pharmacological characterization of achiral and chiral enantiopure C/Si/Ge-analogous derivatives of the muscarinic antagonist cycrimine: a study on C/Si/Ge bioisosterism, **640**, 140

Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type H_2NCH-(CH_2ElR_3)COOH (El = Si, Ge; R = organyl) and incorporation of D-H_2NCH(CH_2SiMe_3)COOH and D-H_2NCH(CH_2GeMe_3)COOH into biologically active decapeptides: a study on C/Si/Ge bioisosterism, **628**, 183

C_1-symmetric diphosphines

Transition metal complexes with the C_1-symmetric diphosphines (*R*)-(*R*)-3-benzyl-2,4-bis(diphenylphosphino)pentane and (*R*)-(*R*)-3-benzyl(*p*-sulphonate)-2,4-bis(diphenylphosphino)-pentane sodium salt. Applications to enantioselective catalysis in different phase systems, **621**, 26

Cu(I) complexes

Copper(I) complexes with the hexaazafulleroid C_{60}($NR)_6$, derived from (2*S*,4*S*)-4-azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine as multitopic ligand. Catalytic properties in oxidation of sulfides, **627**, 159

Cumulene

In situ synthesis of the first C_7 cumulene (Fc)$_2$C=C=C=C=C=C(Fc)$_2$ via deprotonation of its conjugate acid [(Fc)$_2$$C_7$H(Fc)$_2$]$^+$ BF_4^- (Fc = ferrocenyl), **622**, 135

Cumulenes

Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, **634**, 198

Cyanide

Coordination chemistry of CNH_2, the simplest aminocarbyne, **617-618**, 65

Cyanide bridges

Metal–metal interaction in polynuclear complexes with cyanide bridges: synthesis, characterisation, and theoretical studies, **632**, 94

Cyanide bridging

Cyanide bridged oligonuclear complexes containing CuCl and $CuCl_2$, **627**, 153

Cyclic thioethers

A comparison of the reactions of pentacarbonyliron with cyclic thioethers and related dialkyl sulfides, **627**, 201

Cyclic voltametry

[2 + 2 + 2] Cyclotrimerisation of bisaryl acetylene bearing ferrocenyl units with planar chirality: synthesis of enantiopure conjugated polyferrocene complexes, **637-639**, 84

Cyclic voltammetry

Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, **637-639**, 240

Electron acceptors of the fluorene series: Part 12. 9-(Metalloceneylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, **637-639**, 445

4-Ethinyl-benzonitrile-ferrocenes bridged by a Pd(PPh_3)$_2$ unit: the solid-state structure of (η^5-C_5H_5)Fe(η^5-$C_5H_4C{\equiv}CC_6H_4C{\equiv}$N-1,4), **637-639**, 198

From dihydropentafulvalenes to asymmetric biferrocene and terferrocene, **627**, 71

Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using [NBu_4][$B(C_6F_5)_4$] as supporting electrolyte, **637-639**, 823

Multistep redox properties of 2,2′-bipyridylboronium substituted ferrocenes, **637-639**, 390

New studies on the chemical oxidation of (bisη^5-cyclopentadienyl)dithiolatemolybdenum(IV) complexes. Crystal structures of [Mo(η^5-C_5H_5)$_2$S(C_6H_4-*o*-SC_6H_5)][BF_4] and [Mo(η^5-C_5H_5)$_2$(SC_6H_5)$_2$], **632**, 107

Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, **637-639**, 327

Ruthenium(II) complexes containing 4-ferrocenylphenylisocyanide ligands. Crystal structure of *trans*, *trans*, *trans*-[$RuCl_2$(POMe–*P*)$_2$(FcC_6H_4NC)$_2$] (POMe = $PPh_2C_6H_4OCH_3$; Fc = ferrocenyl), **637-639**, 145

Synthesis and crystal structure of 1,1′-bis[4-(2,2′:6′,2″-terpyridin-4′-yl)phenyl]octamethylferrocene, **637-639**, 733

Synthesis, structures and electrochemical properties of Group 6 metal carbonyl complexes containing ferrocenylpyrazole ligands, **637-639**, 209

Synthesis, structures and electrochemistry of bis(alkynylferrocene) complexes with fluorene spacers, **637-639**, 159

The effect of d-block metal complexation on the spectroscopic and redox properties of ferrocene derivatives containing pyridine ligands, **637-639**, 304

Cyclisations

2,2-Dihydroxy-methylcyclosiloxanes and other 2,2-difunctional methylcyclosiloxanes, **626**, 53

Cyclization

Investigation into the reactivity of oxoniobocene complexes [Cp^*_2Nb(=O)R] (Cp^* = η^5-C_5Me_5; R = H, OH, OMe) towards heterocumulenes: formation of carbamato and thiocarbamato complexes and catalytic cyclization of PhNCO, **634**, 47

Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, **634**, 1

Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, **622**, 149

Cyclization reactions

Palladium catalyzed cyclization reactions of acetylenic lactams, **624**, 244

Cycloaddition

Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, **634**, 1

Reaction of disilagermirenes with phenylacetylene: from a germasilene –Ge–Si– to a metalladiene of the type –Si–Ge–C=C–, **636**, 41

Reactions of $Rh(SbPh_3)_3(CO)X$ (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodiacyclopent-3-ene-2-one complexes, **630**, 44

Syntheses and some reactions of complexes containing carbon chains capped by ferrocenyl and $W(CO)_3Cp$ groups, **637-639**, 484

Synthesis and structure analysis of tricarbonyl[tetrakis(1′-methylcyclopropyl)cyclobutadiene]iron(0), **624**, 110

The deviating behavior of thiols in nucleophilic trapping reactions of chromiumcarbonyl phenyl complex substituted propargyl cation, **640**, 41

Cycloadditions

Synthesis of chiral (7*R*)-[η^6-5-(*N*,*N*-dimethylamino)-7-formyl-1,3-benzodioxole]chromium complex and its application in the synthesis of optically active *cis*-β-lactams, **632**, 27

Cyclobutadienes

Synthesis and structure analysis of tricarbonyl[tetrakis(1′-methylcyclopropyl)cyclobutadiene]iron(0), **624**, 110

Cyclobutenylidene complexes

Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, **617-618**, 464

Cyclocarbolithiation

Synthesis of enantioenriched indene-derived bicyclic alcohols and tricyclic cyclopropanes via (−)-sparteine-mediated lithiation of a racemic precursor and kinetic resolution during the cyclocarbolithiation, **624**, 96

β-Cyclodextrin

Bromination of ferrocene chalcone derivatives mediated by β-cyclodextrin, **627**, 93

Cyclodextrins

Experimental and theoretical study of the interaction of molybdenocene dichloride (Cp_2MoCl_2) with β-cyclodextrin, **632**, 11

Cyclohexadienyl

Facile displacement of cyclohexadienide ligand from $K[Cr(\eta^5\text{-}C_6H_7)(CO)_3]$ to give crystallographically characterized *trans*-$[Cr(CO)_4(PPh_3)_2]$, **631**, 188

Mechanism of the electrochemical reduction of $[Fe(\eta^5\text{-}C_6H_7)(CO)_3][PF_6]$ — a theoretical approach to the intermediates, **632**, 49

Cyclohexadienyliron

Regio- and stereoselectivity in long-range asymmetric induction controlled by carbonyliron groups: crystal structures of dicarbonyl-L-[(1,2,3,4,5-η)-1-R-4-methoxycyclohexadienyl]-iron(1+) hexafluorophosphate(1−) [(R = isopropenyl, L = CO), (R = 1-styryl, L = CO), (R = 1-prop-1-enyl, L = PPh_3)] and tricarbonyl[methyl(2,3,4,5-η)-2-carbomethoxy-2-(4-methoxy-1-(1′-methylethenyl)cyclohexadien-1-yl)ethanoate]iron(0), **630**, 88

Cyclohexanes

Chemical shift effects in the ^{13}C-NMR spectra of $[(C_5H_5)(CO)_2Fe^{II}]$-substituted cyclohexanes, dioxanes and tetrahydropyrans, **630**, 33

Cyclohexylidene glyceraldehyde

Reactivity of γ-benzyloxyallyltins with cyclohexylidene glyceraldehydes, **624**, 383

Cyclometalation

Iron carbonyl complexes from 2-[2,3-diaza-4-(2-thienyl)buta-1,3-dienyl]thiophene: N–N bond cleavage and cyclometalation, **640**, 85

Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with $PPh_2(2\text{-}MeC_6H_4)$, **617-618**, 511

Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, **622**, 38

Cyclometallated

Novel structures of cyclometallated complexes of palladium(II) derived from terdentate ligands. Crystal and molecular structure of $[Pd\{C_6H_4C(H)=NCH_2CH_2CH_2NMe_2\}(X)]$ (X = Cl, Br, I), **620**, 8

Cyclometallated ligands

Gold(III) thiosalicylate complexes containing cycloaurated 2-arylpyridine, 2-anilinopyridine and 2-benzylpyridine ligands, **631**, 41

Cyclometallated species

Electrochemical behaviour of cyclometallated gold(III) complexes. Evidence of transcyclometallation in the fate of electroreduced species, **622**, 47

Cyclometallation

β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl- and η^5-oxocycloheptadienyl-$Mn(CO)_3$ complexes, **633**, 162

Cyclopalladated ferrocenylimines: highly active catalysts for Heck reactions, **637-639**, 793

Novel cyclopalladated ferrocenyl Schiff base compounds with bridging and chelating diphosphines. Crystal and molecular structure of $[\{Pd[(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)C(H)=N\text{-}2,4,6\text{-}Me_3C_6H_2]\}\{Ph_2P(CH_2)_nPPh_2\text{-}P,P'\}][PF_6]$ (n = 1, 2), **637-639**, 577

Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, **634**, 157

Stereoselective oxidative addition of methyl iodide to chiral cyclometallated platinum(II) compounds derived from (*R*)-(+)-1-(1-naphthylethylamine). Crystal structure of $[PtMe\{3\text{-}(R)\text{-}(C_{10}H_7)CHMeNCHC_4H_2S\}PPh_3]$, **631**, 164

Studies on the cyclometallation of ferrocenylimines, **637-639**, 27

Synthesis and structure of organoantimony (V) cyclometallates: transannular interactions and the barrier to cyclisation, **622**, 265

Versatility in the mode of coordination [(C)$^-$, (N,S), (C,N)$^-$ or (C,N,S)$^-$] of the Schiff base: $C_6H_5\text{–}CH\text{=}N\text{–}CH_2\text{–}CH_2\text{–}SEt$ to palladium(II). X-ray crystal structures of *cis*-$[Pd\{C_6H_5\text{–}CH\text{=}N\text{–}CH_2\text{–}CH_2\text{–}SEt\}Cl_2]$ and $[Pd\{C_6H_4\text{–}CH\text{=}N\text{–}CH_2\text{–}CH_2\text{–}SEt\}Cl]$, **629**, 97

1,5-Cyclooctadiene complexes

Stoichiometric cyclotrimerisation of chiral alkynes at a ruthenium centre: preparation of optically active (η^6-arene)(η^4-cycloocta-1,5-diene)ruthenium(0) complexes, **621**, 246

Cyclooctadiene platinum complexes

Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, **620**, 202

Cyclooctatetraene

Cyclooctatetraene complexes of yttrium and the lanthanides with chiral and achiral aminotroponiminates, **621**, 277

Cyclopalladated compound

Cyclopalladation versus hydroxylation. A case of pH dependence, **629**, 28

Cyclopalladates

Trans-influences in mononuclear cyclopalladated compounds containing a σ(Pd–C_{sp^2}, ferrocene) bond. X-ray crystal structures of $[Pd\{[(\eta^5\text{-}C_5H_3)\text{–}CH\text{=}N\text{–}CH_2\text{–}C_6H_4]Fe(\eta^5\text{-}C_5H_5)\}(X)(PPh_3)]$ with $X^- = Br^-$ and I^-, **625**, 67

Cyclopentaannulation

Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, **627**, 206

Cyclopentadienes

Synthesis and crystal structure of 1,1′-bis[4-(2,2′:6′,2″-terpyridin-4′-yl)phenyl]octamethylferrocene, **637-639**, 733

Cyclopentadienyl

Bis[bis(trimethylsilyl)cyclopentadienyl]selane as a ligand: selena-2,2′,4,4′-tetrakis(trimethylsilyl)-[1]ferrocenophane and 1,2,3-triselena-2,2′,4,4′-tetrakis(trimethylsilyl)-[3]ferrocenophane, **637-639**, 745

Formation and crystal structures of a monomer–dimer pair of mono(cyclopentadienyl)calcium complexes, $[C_5(t\text{-}Bu)_3H_2]_2CaI(THF)_2$ and $\{[C_5(t\text{-}Bu)_3H_2]_2CaI(THF)\}_2$, **626**, 43
Mixed-metal cluster chemistry. Part 17. Syntheses of $WIr_3(CO)_{11}(\eta\text{-}C_5H_4Me)$ and its reactivity towards diphenylacetylene, **631**, 143
Mixed-metal cluster chemistry. Part 18. Synthesis and crystal structure of $W_3Ir_3(\mu_4\text{-}\eta^2\text{-}CO)(\mu\text{-}CO)(CO)_{10}(\eta\text{-}C_5H_4Me)_3$, **631**, 139
Preparation and properties of the halogenoalkyl compounds $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_iMe_{3-i})Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; $i = 0–3$; X = Br, I) and $[\{\eta^5\text{-}C_5(CH_3)_5\}(CO)_3Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; X = Br, I) and the crystal structures of $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3I\}]$, $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3Br\}]$ and $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_3)Mo\{(CH_2)_3I\}]$, **633**, 39
Reactions of $Cp(NAr)NbMe_2$ with H_2 and $HSiMe_2Cl$. Molecular structure of $[CpNb(\mu\text{-}NAr)Me]_2$ (Ar = 2,6-$C_6H_3Pr_2$), **628**, 25
Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, **632**, 164
Synthesis and characterization of planar-chiral cyclopentadienyl-ruthenium–vinylidene complexes, **617-618**, 601
Synthesis and spectroscopic characterization of α-keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp*$ZrCl_3$(2-TCMP)], Cp* = η^5-C_5Me_5, 2-TCMP = [{2 - thiazolylcarbonyl}methylene]triphenylphosphorane, **629**, 68
Synthesis and structure of *ansa*-cyclopentadienyl pyrrolyl titanium complexes: $[(\eta^5\text{-}C_5H_4)CH_2(2\text{-}C_4H_3N)]Ti(NMe_2)_2$ and $[1,3\text{-}\{CH_2(2\text{-}C_4H_3N)\}_2(\eta^5\text{-}C_5H_3)]Ti(NMe_2)$, **640**, 79
Synthesis and structures of doubly bridged bis(cyclopentadienyl) tetracarbonyl diiron complexes, **626**, 186
Synthesis and X-ray structures of RuCpClL [L = $(\eta^1\text{-}PPh_2py)_2$ and η^2-triphos] and $[RuCp\{\eta^3\text{-}(PPh_2)_3CH\}][PF_6]$. The first η^3-$(PPh_2)_3CH$ complex of Ru(II), **628**, 1
Synthesis, characterization and polymerization properties of isopropylidene(η^5 - 3 - neomenthylcyclopentadienyl)(η^5 - fluorenyl)zirconium dichloride, **625**, 154
Synthesis, characterization and reactivity of tetracyclopentadienylniobium(IV), a precursor to organometallic derivatives of niobium(IV), **630**, 275
Synthesis of new donor/acceptor η^5-cyclopentadienyl and η^5-indenyliron(II) complexes with *p*-benzonitrile derivatives. Crystal structures of $[Fe(\eta^5\text{-}C_5H_5)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]\cdot CH_2Cl_2$ and $[Fe(\eta^5\text{-}C_9H_7)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]$, **632**, 145
Synthesis of titanium trichloride complexes of 1,2,3-trisubstituted cyclopentadienyls and their use in styrene polymerization, **627**, 233

Cyclopentadienylchromium
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphoryl)disulfanes. Syntheses and X-ray crystal structures of $CpCr(CO)_2(S_2P(OR)_2)$, $CpCr(S_2P(OR)_2)_2$ and $Cr(S_2P(OR)_2)_3$ (R = ^{i}Pr), **631**, 67

Cyclopentadienyl complexes
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, **617-618**, 656
A novel cyclic titanasiloxane derived from $[Ph_2Si(OH)]_2O$: synthesis and crystal structure of $[Cp^*Ti(Cl)(OSiPh_2\text{-}OSiPh_2OSiPh_2O)]$, **625**, 195
Vibrational spectra and structure of the cyclopentadienyl-anion (Cp^-), the pentamethylcyclopentadienyl-anion (Cp^{*-}) and of alkali metal cyclopentadienyls CpM and Cp*M (M = Li, Na, K), **627**, 55

Cyclopentadienyl complexes: cobalt, rhodium, iron, ruthenium
New trisubstituted cyclopentadienyl ligands: synthesis, characterisation and catalytic properties of mono and dinuclear cobalt, rhodium, iron and ruthenium complexes, **619**, 179

Cyclopentadienyl lanthanide complex
Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, **628**, 99

Cyclopentadienyl ligand
Mono(cyclopentadienyl)titanium complexes containing a sulfide-bridged bis(phenolato) ligand. Molecular structure of $Ti\{2,2'\text{-}S(OC_6H_2\text{-}4\text{-}Me\text{-}6\text{-}^tBu)_2\}(\eta^5\text{-}C_5H_5)Cl$, **621**, 3

Cyclopentadienyl ligands
Novel cyclopentadienyl silanes and disilanes: synthesis, structure and gas-phase pyrolysis, **620**, 20

Cyclopentadienyl metal complexes
Synthesis of homo- and heterodinuclear metal complexes with dimethylsilylene bridged unsymmetrical bis(cyclopentadienyl) ligand, **634**, 109

Cyclopentadienylnickel(II)
Synthesis and thermal behaviour of cyclopentadienylnickel(II) thiolato Schiff base complexes. Molecular structures of $Ni(\eta^5\text{-}C_5H_5)(PBu_3)(SC_6H_4NC(H)C_6H_4C_6H_5)$ and $Ni(\eta^5\text{-}C_5H_5)(PBu_3)(SC_6H_4NC(H)C_6H_4OC_4H_9)$, **629**, 171

Cyclopenta[*l*]phenanthrene
Ferrocenes derived from cyclopenta[*l*]phenanthrene: dibenzindene–metal complexes that resist haptotropic shifts, **637-639**, 372

Cyclopentenone
The rhodium-catalyzed Pauson–Khand reaction, **624**, 73

Cyclophosphazene
Synthesis and characterization of ferrocenylalcohol derivatives of hexachlorocyclotriphosphazene. X-ray crystal structure of $N_3P_3Cl_5OCH_2CH_2C_5H_4FeCp$, **637-639**, 284

Cycloplatination
Thiocyanato-bridged platinum heterocycles: structure and properties of disc-like metallomesogens, **620**, 249

Cyclopropanation
Acetylene cyclopropanation by CH_2I_2–Et_3Al reagent, **636**, 91
Catalyst selection for metal carbene transformations, **617-618**, 98
Rhodium-catalyzed cyclopropanations of allylsilanes and allylstannanes: the role of the silyl/stannyl group in *trans–cis* stereoselection, **630**, 57
The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex $[(\eta^5\text{-}C_5H_5)(CO)_2Fe{=}CH[(\eta^6\text{-}o\text{-}CH_3OC_6H_4)Cr(CO)_3]]^+$, **617-618**, 751

Cyclopropane
Synthesis of substituted cyclopropanone acetals by carbometallation and its oxidative cleavage with manganese(IV) oxide and lead(IV) oxide, **624**, 300

Cyclopropanes
Acetylene cyclopropanation by CH_2I_2–Et_3Al reagent, **636**, 91
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, **617-618**, 571

Cyclopropenation
Cyclopropenation of organometallic vinylidene complexes, **617-618**, 141

Cyclopropenylium
2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand, **617-618**, 640

α-Cyclopropyl carboxylic acids
Transition-metal catalyzed synthesis of δ-hydroxy-γ-lactones from bis(trimethylsilyl) ketene acetals and allylic acetates via γ-unsaturated carboxylic acids. Comments on the formation of α-cyclopropyl carboxylic acids, **624**, 186

Cyclosilanes
Silylene R*XSi (R* = Si^{t}Bu$_3$; X = H, Me, Ph, Hal, R*): Bildung und Reaktionen, **628**, 57

Cyclosiloxanes
2,2-Dihydroxy-methylcyclosiloxanes and other 2,2-difunctional methylcyclosiloxanes, **626**, 53
Cyclotetrasiloxane
Synthese des Cyclotetrasiloxans $[(Me)(C_6H_4CH_2NMe_2\text{-}2)\text{-}SiO]_4$ und dessen strukturanalytische Untersuchung, **633**, 157
Cyclotrimerisation
$CpCo(CO)_2$-catalysed cyclotrimerisation of alkynes in supercritical carbon dioxide, **632**, 113
[2 + 2 + 2] Cyclotrimerisation of bisaryl acetylene bearing ferrocenyl units with planar chirality: synthesis of enantiopure conjugated polyferrocene complexes, **637-639**, 84
Transition-metal-mediated activation of arylisocyanates in supercritical carbon dioxide, **626**, 227
Cyclotriveratrylene
Complexation and electrochemical sensing of anions by amide-substituted ferrocenyl ligands, **637-639**, 356
Cyclovoltammetry
Study on structural properties and solution dynamics of zinc complexes with the (*N*,*N*-dimethylaminomethyl)ferrocenyl ligand, **620**, 243
Cytotoxicity
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, **637-639**, 500
Synthesis, structure and cytotoxicity of trimethylsilyl oligothienylcarbaldehydes and their derivatives, **636**, 26

Dative bond
A historical perspective on Dewar's landmark contribution to organometallic chemistry, **635**, 1
Dearomatization
Meta, *para* and *meta*, *ortho* double *exo* nucleophilic additions of trimethylsilylester enolates derived from saturated and unsaturated carboxylic acids to tricarbonylchromium complexes of aryl ethers: dearomatizing cyclization to lactones, **621**, 284
Decamethylferrocenium
Synthesis, structural and magnetic characterization of the metamagnet $[Fe(C_5Me_5)_2]DMe\text{–}DCNQI$, **632**, 67
Decarbonylation
Migratory insertion and CO substitution reactions of the β,γ-unsaturated esters and amides $[Fe_2(CO)_5(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2\}]$ (Nu = OMe, OEt, OPr^i, NHPh, NHBu^t): synthesis and characterisation of acyl-bridged $[Fe_2(CO)_4L_2(\mu\text{-}PPh_2)(\mu\text{-}C{=}O\{C{=}CH_2\}CH_2C(O)Nu)]$ (L_2 = dppm, dppe) and alkenyl-bridged $[Fe_2(CO)_4\{P(OMe)_3\}_2(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2)]$, **620**, 150
Dehydration of crystalline hydrates of lanthanide thriclorides
Dehydration of $LnCl_3{\cdot}6H_2O$ (Ln = Tb, Nd, Dy) in the with $i\text{-}Bu_3Al$, Et_3Al, Et_2AlCl, $EtAlCl_2$ and formation of the complexes $LnCl_3{\cdot}3(BuO)_3PO$, **636**, 56
Dehydrogenation
Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, **629**, 44
Dehydropolymerization
Synthesis and reactivity of novel oligosilanes bearing functional carbosilane side chains, **628**, 262
Dendrimer
End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, **629**, 194
Transition metal clusters containing carbosilane dendrimers, **619**, 245
Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, **622**, 33
Dendrimers
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, **637-639**, 642
Synthesis and characterization of platinum(II)-terminated dendritic carbosilanes: X-ray crystal structure of the model species $[PtCl(C_6H_3\{CH_2NMe_2\}\text{-}2\text{-}SiMe_3\text{-}5)(PPh_3)]$, **621**, 190
Water soluble ferrocenyl and polyferrocenyl compounds: synthesis and electrochemistry, **637-639**, 595
(−)-Dendrobine
A short synthesis of (−)-dendrobine. Some observations on the nickel mediated radical cyclisation and on the Pauson–Khand reaction, **624**, 316
Density functional
Olefin strain energies and platinum complexes of highly pyramidalised alkenes, **635**, 142
Density functional theory
A density functional study of the structures, vibrations and bond energies of dinitrogen phosphine complexes of the first transition series, **635**, 165
Reaction mechanism of the reductive elimination in the catalytic carbonylation of methanol. A density functional study, **628**, 222
Vibrational spectra and structure of the cyclopentadienyl-anion (Cp^-), the pentamethylcyclopentadienyl-anion (Cp^{*-}) and of alkali metal cyclopentadienyls CpM and Cp*M (M = Li, Na, K), **627**, 55
density functional theory calculations
Group 14 chalcogenides featuring a bicyclo[3.3.0]octane skeleton, **630**, 139
Deoxygenation
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, **617-618**, 242
Derivatised ferrocenes
Synthesis of metallocenes of zirconium, hafnium, manganese, iron, tin, lead and half-sandwich complexes of rhodium and iridium containing the ligands $(\eta\text{-}C_5R_4CR'_2PMe_2)$, where R and R$'$ may be H or Me, **640**, 93
Derivatised manganocenes
Synthesis of metallocenes of zirconium, hafnium, manganese, iron, tin, lead and half-sandwich complexes of rhodium and iridium containing the ligands $(\eta\text{-}C_5R_4CR'_2PMe_2)$, where R and R$'$ may be H or Me, **640**, 93
Deshielded resonances
Alkyl hex-1-ynyl tellurides: Syntheses and multinuclear NMR (^{125}Te-, $^{13}C\{^1H\}$-, ^1H-) studies, **625**, 23
Destannylation
Synthesis and destannylation of η^1-1-stannylallylpalladium(II) complexes, **625**, 54
Desulfuroligomerization
$W(CO)_6$-Mediated desulfuroligomerization of bis-dithioacetals. New synthesis of substituted oligo(phenylene–vinylenes), **624**, 63
Desymmetrizing cyclization
Highly diastereoselective desymmetrizing intramolecular cyclization of allylstannane with a diketone promoted by Lewis acid or transition metal complex, **624**, 136
Detected and assumed intermediates
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, **623**, 3
Deuteration
Aqueous micellar and non-micellar effects during the asymmetric hydrogenation of dehydroamino acid derivatives: influence of amphiphiles on enantioselectivity and α-CH/CD exchange, **621**, 158

Reduction of α,β unsaturated carbonyl compounds by Ni^{2+}–BH_4^-, **620**, 90

Deuterium
Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, **622**, 112

Deviations from symmetry
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, **634**, 198

Dewar–Chatt–Duncanson
A historical perspective on Dewar's landmark contribution to organometallic chemistry, **635**, 1

Dewar–Chatt–Duncanson model
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, **635**, 37

2D-exchange NMR
Conformational flexibility and molecular dynamics of cationic diolefin–rhodium(I) complexes with iminophosphine ligands, **631**, 117

DFT
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, **635**, 153
Density functional studies of the reactivity in the C–F bond activation of fluoromethane by bare lanthanum monocation, **640**, 121
EPR and theoretical studies of the reduction product of the fulvenephosphaallene system, **634**, 136
Hybrid QM/MM study of propene insertion into the Rh–H bond of $HRh(PPh_3)_2(CO)(\eta^2\text{-}CH_2\text{–}CHCH_3)$: the role of the olefin adduct in determining product selectivity, **635**, 132
M_2E_2 four-member ring structure. $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, **635**, 173
Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, **620**, 202
Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, **632**, 3
Understanding the nature of the bonding in transition metal complexes: from Dewar's molecular orbital model to an energy partitioning analysis of the metal–ligand bond, **635**, 9

DFT analysis
Ring strain in boroxine rings: computational and experimental considerations, **633**, 149

DFT and EHT calculations
Electron counting and bonding analysis in triruthenium clusters containing sulfoximido ligands: true or false electron-deficient systems?, **620**, 119

DFT calculation
Nature of the metal–ligand bond in trivalent neodymium complexes with neutral π-donor ligands. A theoretical study, **619**, 24

DFT calculations
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, **635**, 197
Heptacoordinate dithiophosphate Mo(II) and W(II) complexes: molecular structures of mono and binuclear phosphine complexes, **632**, 175
Mechanism of the electrochemical reduction of $[Fe(\eta^5\text{-}C_5H_5)(CO)_3][PF_6]$ — a theoretical approach to the intermediates, **632**, 49
Metal–metal interaction in polynuclear complexes with cyanide bridges: synthesis, characterisation, and theoretical studies, **632**, 94
Molecular modeling of the olefin metathesis by tungsten(0) carbene complexes, **630**, 157
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, **634**, 198
Reaction chemistry, NMR spectroscopy, and X-ray crystallography of $[Fe_2(\mu\text{-}SiMe_2)_2(CO)_4]$ and $[Fe_2(\mu\text{-}SiMeCl)_2(CO)_4]$. Electronic structure and bonding in Fe_2E_2 rings of $[Fe_2(\mu\text{-}ER_2)_2(CO)_4]$ binuclear complexes (E = C, Si, Ge, Sn, Pb), **628**, 241
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **617-618**, 737
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, **617-618**, 242
Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III): the orthometalation of *trans*-azobenzene, **625**, 186

1,1'-Diacetylferrocene
Preparation of ferrocenyl mono- and dienone derivatives through aldol condensation of 1,1'-diacetylferrocene with aromatic aldehydes in dry conditions, **637-639**, 782

Diacylhydrazine
Synthesis, spectroscopy and biological activity of novel acylhydrazines containing ferrocenyl moiety, **637-639**, 94

Dialkanoylferrocenes
A convenient synthesis of *E*-alkenylferrocenes, **629**, 208

Dialkenylferrocene
A convenient synthesis of *E*-alkenylferrocenes, **629**, 208

Dialkoxysilanes
Self-organization of a rigid α,ω-bis-silanediol determined by X-ray crystal structure, **624**, 354

Dialkylstannylene
New synthesis of a stable dialkylstannylene and its reversible complexation with tetrahydrofuran, **636**, 144

Dialkyl sulfides
A comparison of the reactions of pentacarbonyliron with cyclic thioethers and related dialkyl sulfides, **627**, 201

Dialkyltin oxide
Synthesis and characterization of organotin triflate clusters, **624**, 287

Diaminocarbenes
Synthesis of chiral silver(I) diaminocarbene complexes from (*R,R*)-4,5-di-*tert*-butylimidazoline, **631**, 157

Diaminophosphenium unit
Schrock type transition metal complex formation of push–pull substituted phosphanyl-carbenes, a quantum chemical investigation by density-functional methods, **617-618**, 435

Diarsene
New routes to diarsenes and arsaphosphenes involving fluorinated arsines, **619**, 275

Diastereoisomers
Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, **628**, 123

Diastereomeric ratio
[2-(*N,N*-Dimethylaminomethyl)ferrocenyl] as a ligand towards mercury, **630**, 149

Diastereoselectivity
Diastereoselective oxidative addition of cyclic thiosulfinates to platinum(0) compounds: chiral platinum(II) complexes with sulfenato ligands Crystal structures of

S(O)–CH_2–CH(OAc)–CH(OAc)–CH_2–S and dppePt-[S(O)–$(CH_2)_4$–S]: Part 16. Metal complexes of functionalized sulfur-containing ligands, **621**, 352
Synthesis of chiral β-aminoalcohol-substituted carbene complexes of manganese and influence of the chiral carbene ligand on the diastereoselectivity of the CO/PR_3 exchange, **621**, 344
The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex $[(\eta^5\text{-}C_5H_5)(CO)_2Fe{=}CH[(\eta^6\text{-}o\text{-}CH_3OC_6H_4)Cr(CO)_3]]^+$, **617-618**, 751
Diazacrown ether
Synthesis of azacrown ethers modified with side-chains containing germanium, **636**, 108
1,4-Diaza-1,3-diene complexes
1,4-Diaza-1,3-diene (DAD) complexes of early transition elements. Syntheses, structures and molecular dynamics of mono- and bis(η^5-cyclopentadienyl)titanium-, zirconium- and hafnium(DAD) complexes. Crystal- and molecular structures of CpTi(DAD)CH_2Ph, $[CpTi(DAD)]_2O$, CpZr-[(DAD)(N,O)] and Cp_2Hf(DAD), **626**, 243
Diazene
Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, **625**, 217
Diazenido
Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, **625**, 217
Diazocarbonyl
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, **617-618**, 3
Diazo compound
Catalyst selection for metal carbene transformations, **617-618**, 98
Diazo compounds
(Diazomethyl)silyl-functionalized Fischer-type carbene complexes, **617-618**, 339
Dibenzotetraazafulvalene
A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene, **617-618**, 629
Diboroles
Syntheses and ligand properties of 1,3-di*t*-butyl-2,3-dihydro-1,3-diboroles. Rhodium-(η^5-2,3-dihydro-1,3-diborole) and rhodium-(η^5-2,3-dihydro-1,3-diborolyl) complexes, **619**, 7
Diborons
A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β-unsaturated carbonyl compounds and terminal alkynes, **625**, 47
Dicarboxylato ligand
Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, **629**, 54
Dications 1,1'-$[M(C_5Me_4CH_2)_2]^{2+}$ and $[1,2(CH_2)_2C_5Me_3MC_5Me_4]^{2+}$ (M = Fe, Ru, Os)
Gas-phase formation of mono- and dications from iron-subgroup decamethylmetallocenes and their calculation by the density functional method, **631**, 9
Dichalcogenoimidodiphosphinate anions
A new ligating mode for the anions of the type $[R_2P(S)NP(S)R_2]^-$: study of the interaction of $[K\{Me_2P(S)NP(S)Me_2\}]$ with the early transition halometalcarbonyl, $[BrMn(CO)_5]$, **626**, 113
Dichalcogenoimidodiphosphinates
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, **623**, 29
(Dichloromethyl)silanes
Friedel–Crafts alkylation of benzene with (polychloromethyl)silanes, **631**, 36
Dicyanovinyl
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, **625**, 32
Diels–Alder cycloaddition
Cationic derivatives of $RhCl[P(\eta^2\text{-}C_7H_7)_3]$. An intramolecular Diels–Alder rearrangement in the tripodal ligand tri(1-cyclohepta-2,4,6-trienyl)phosphane, $P(C_7H_7)_3$, **621**, 166
Diels–Alder reaction
Highly enantioselective Diels–Alder catalysis with a chiral ruthenium bisoxazoline complex, **630**, 17
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, **637-639**, 407
Diels–Alder reactions
Scandium perfluoroalkanesulfonate-catalyzed Diels–Alder reactions in an organic solvent, **624**, 392
Synthesis of α-phenylseleno-α,β-unsaturated esters by Wittig-type reactions. Studies on the Diels–Alder reaction, **623**, 131
Diene complexes
'*Supine*' or '*prone*' ligands: geometric preference of conjugated diene, 1-azadiene, and 1,4-diazadiene ligands on half-metallocene complexes of early transition metals, **621**, 224
Diene–iron tricarbonyl complexes
Cationic cyclizations of (diene)iron tricarbonyl complexes with pendant alkenes and arenes, **630**, 23
Diene ligand
Preparation and structure elucidation of novel organoruthenium amidinates bearing η^4-diene ligands, **634**, 167
Dienes
Nickel-catalysed three-component connection reaction of a phenyl group, conjugated dienes, and aldehydes: stereoselective synthesis of (*E*)-5-phenyl-3-penten-1-ols and (*E*)-3-methyl-5-phenyl-3-penten-1-ols, **624**, 348
Dienol
Meta, *para* and *meta*, *ortho* double *exo* nucleophilic additions of trimethylsilylester enolates derived from saturated and unsaturated carboxylic acids to tricarbonylchromium complexes of aryl ethers: dearomatizing cyclization to lactones, **621**, 284
1,1'-Dienonylferrocenes
Preparation of ferrocenyl mono- and dienone derivatives through aldol condensation of 1,1'-diacetylferrocene with aromatic aldehydes in dry conditions, **637-639**, 782
Dienyl
Reactivity of acyclic (pentadienyl)iron(1+) cations with weak carbon nucleophiles, **630**, 5
Diethanolamine
New half-sandwich metallocene catalysts for polyethylene and polystyrene, **634**, 19
Diethyl selenium
UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, **629**, 93
Diethyl tellurium
UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, **629**, 93
Diethylzinc
Ligands with cycloalkane backbones VIII. Steric effects in the ligand accelerated enantioselective alkylation of benzaldehyde, **621**, 153
Diethylzinc catalysis
Synthesis of ferrocene substituted pyrrolidine derivatives via Et_2Zn catalyzed 1,3-dipolar cycloaddition reactions of azomethine ylides, **631**, 135
Diffraction studies
Synthesis and crystal structure of oxo-bridged binuclear titanium complex $[\{Ti(acac)_2Cl\}\{TiCp_2(Cl)\}(\mu\text{-}O)]$ and its catalytic reactions toward silation of aldehyde, **631**, 16

Diffusion coefficient
Electrochemical determination of diffusion coefficient of π-conjugated polymers containing ferrocene unit, **637-639**, 809
Digermacyclobutane
The photochemical reaction of 1,2-digermacyclobutane with C60: possible example of a closed [6,5]-bridged fullerene derivative of germacyclopropane, **636**, 82
Digermadioxetane
The addition of oxygen to tetramesityldigermene, **636**, 130
Digermene
The addition of oxygen to tetramesityldigermene, **636**, 130
Dihydrodicyclopentanaphthalene
Synthesis and characterization of [Cp*Fe-dicyclopenta(a,f)naphthalene-FeCp*] and [Cp*Fe-dicyclopenta(a,f)naphthalene-FeCp*] BF_4^-, **620**, 32
2,3-Dihydro-1*H*-imidazol-2-ylidene complexes
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, **617-618**, 170
2,5-Dihydro-1*H*-pyrazol-5-ylidene complexes
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, **617-618**, 170
2,5-Dihydro-isothiazol-5-ylidene complexes
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, **617-618**, 170
Dihydronicotines
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, **617-618**, 571
Dihydrophospholium
Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, **617-618**, 723
Dihydropyrazol
Stereoselectivity of formation of polycyclic ferrocenyl-4,5-dihydropyrazoles based on *E*- and *Z*-*s*-*cis*-α,β-enones, **628**, 107
Dihydropyridines
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, **617-618**, 571
1,2-Dihydro-pyridin-2-ylidene complexes
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, **617-618**, 170
4,5-Dihydrothiazole complexes
Zwitterionic adducts from addition of imines to the α-carbon atom of pentacarbonyl(vinylidene)chromium and -tungsten complexes, **620**, 165
2,3-Dihydro-thiazol-2-ylidene complexes
Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation, **617-618**, 170
Dihydroxyalkylferrocene
A convenient synthesis of *E*-alkenylferrocenes, **629**, 208
2,2′-Dihydroxy-1,1′-binaphthyl
Functional chiral hybrid silica gels prepared from (*R*)- or (*S*)-binaphthol derivatives, **627**, 239
Diindenylboranes
Synthesis and structure of aminobis(η¹-cyclopentadienyl)boranes and related compounds, **619**, 305
Diiodo
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)\{NC(Me)\}\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)\{dppe\}(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(OPr^i)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), **622**, 228
Diiron
Migratory insertion and CO substitution reactions of the β,γ-unsaturated esters and amides $[Fe_2(CO)_6(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2)]$ (Nu = OMe, OEt, OPr^i, NHPh, NHBu^t): synthesis and characterisation of acyl-bridged $[Fe_2(CO)_4L_2(\mu\text{-}PPh_2)(\mu\text{-}C{=}O\{C{=}CH_2\}CH_2C(O)Nu)]$ (L_2 = dppm, dppe) and alkenyl-bridged $[Fe_2(CO)_4\{P(OMe)_3\}_2(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2)]$, **620**, 150
Reactions of di-μ-carbonyl-*cis*-μ-(1-5-η:1′-5′-η-dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_5\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$ and $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_4OCH_3\text{-}p\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$, **617-618**, 292
Di-isopropyldithiophosphate
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphoryl)disulfanes. Syntheses and X-ray crystal structures of $CpCr(CO)_2(S_2P(OR)_2)$, $CpCr(S_2P(OR)_2)_2$ and $Cr(S_2P(OR)_2)_3$ (R = ^{i}Pr), **631**, 67
Diketiminato-ligands
Three coordinate divalent Group 14 element compounds with a β-diketiminate as supporting ligand L^2MX [L^2 = PhNC(Me)CHC(Me)NPh, X = Cl, I; M = Ge, Sn], **622**, 190
Diketone
Highly diastereoselective desymmetrizing intramolecular cyclization of allylstannane with a diketone promoted by Lewis acid or transition metal complex, **624**, 136
Dimanganese complexes
A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, **629**, 165
Dimeric tin sulfides
Hypercoordinated organotin compounds containing sulfur and chlorine. Molecular structures of $[(Ph_3P)_2N]^+[S(SnR_2Cl)_2Cl]^-$ (R = Me, *t*-Bu), **636**, 138
Dimeric titanium ketone complex
$[(t\text{-Bu-DAD})Ti(\mu,\eta^2\text{-}OCPh_2)]_2Mg(\mu\text{-}Cl)_2(THF)$: synthesis and molecular structure of a dimeric titanium ketone complex, **626**, 168
Dimerisation reaction
Synthesis and characterisation of four- and eight-membered ring auralactam complexes, **620**, 182
Dimerization
Regio- and stereoselective ring-opening dimerization–cross-coupling metathesis of 7-oxanorbornene derivatives, **627**, 105
Dimers
The reactions of $CpRu(PPh_3)_2SR$ with the electrophiles HBF_4, $[MeSSMe_2]BF_4$ and MeSphth where R = CMe_3, $CHMe_2$, 4-C_6H_4Me and phth = phthalimide, **622**, 1
Dimetal
Bis(iodozincio)methane — preparation, structure, and reaction, **617-618**, 39
2,3-Dimethylbutadiene
Synthesis of *supine–prone* bis(diene)tungsten complexes bearing catecholate and diphenylacetylene ligands, **627**, 221
2,3-Dimethylbutenes
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, **622**, 286
Dimethyl iron complexes
Preparation of methyl hydride and dimethyl complexes of osmium and iron: reaction of $M(CO)_3(PMe_3)_2CH_2I$ and $[M(CO)_3(PMe_3)_2CH_3]^+BPh_4^-$ (M = Os, Fe) with borohydrides and lithium methyl, **628**, 255
Dimethyl osmium complexes
Preparation of methyl hydride and dimethyl complexes of osmium and iron: reaction of $M(CO)_3(PMe_3)_2CH_2I$ and $[M(CO)_3(PMe_3)_2CH_3]^+BPh_4^-$ (M = Os, Fe) with borohydrides and lithium methyl, **628**, 255
Dinitrogen
Back bonding without σ-bonding: a unique π-complex of dinitrogen with uranium, **635**, 69

Dinitrogen complexes
A density functional study of the structures, vibrations and bond energies of dinitrogen phosphine complexes of the first transition series, **635**, 165
Dinuclear
Synthesis of highly ethynylated mono and dinuclear Pt(II) tethers bearing the 4,4′-bis(ethynyl)biphenyl (debp) unit as central core, **619**, 49
Dinuclear anionic lanthanocene compounds
The first example of a dinuclear anionic lanthanoidocene complex: $[K(18\text{-crown-6})\{(C_{13}H_8)CPh_2(C_5H_4)Nd(BH_4)_2\}]_2 \cdot C_4H_8O_2$, **626**, 171
Dinuclear complex
Synthesis and crystal structure of twisted dinuclear η^3-allylpalladium complexes containing tetradentate nitrogen ligands, **627**, 121
Dinuclear complexes
Dithioethers as ligands in pentamethylcyclopentadienylrhodium(III) and iridium(III) complexes. Crystal structures of $[\{(\eta^5\text{-}C_5Me_5)Rh\}_2(\mu\text{-}Cl)_2\{\mu\text{-}(MeS)_2CH_2\}](BF_4)_2 \cdot H_2O$ and $[(\eta^5\text{-}C_5Me_5)IrCl_2\{\eta^1\text{-}(PhS)_2CH_2\}]$, **620**, 256
ω-Monofluoroalkylrhodoximes: synthesis and structures of $[Rh\{(CH_2)_nF\}(dmgH)_2(PPh_3)]$ ($n = 1$, 3) and C–F activation reactions, **622**, 172
Synthesis, structure and reactivities of the dinuclear $\mu\text{-}\eta^1\text{:}\eta^6$-arylethynyl ruthenium complexes $[Cp(PR_3)_2Ru(\mu\text{-}\eta^1\text{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot Cl$ (R = Ph, Me; Cp = η^5-C_5H_5, Cp* = η^5-C_5Me_5). The molecular structure of $[Cp(PPh_3)_2Ru(\mu\text{-}\eta^1\text{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot PF_6$, **625**, 133
Unexpected formation of the novel mixed μ-oxo, μ-sulfido, bis(μ-thiolato) compound $[Mo(IV)_2Cp_2(\mu\text{-}O)(\mu\text{-}S)(\mu\text{-}SMe)_2]$, **627**, 67
Dinuclear compounds
Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, **625**, 217
Dinuclear fulvalene compounds
Reactivity of the dinuclear fulvalene cyclopentadienyl zirconium cationic species $[\{Zr(\eta^5\text{-}C_5H_5)\}_2(\mu\text{-}CH_2)(\mu\text{-}Cl)(\mu\text{-}\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)]^+$ with isocyanides and carbon monoxide: insertion reactions, spectroscopic characterization and synthetic aspects, **634**, 177
Dinuclear, trinuclear and tetranuclear complexes
Cyanide bridged oligonuclear complexes containing CuCl and $CuCl_2$, **627**, 153
Diorganotin
Synthesis, crystal structures and spectroscopic studies of diorganotin derivatives with mefenamic acid. Crystal and molecular structures of 1,2:3,4-di-μ_3-2-[(2,3-dimethylphenyl)-amino]-benzoato-*O*,*O*-1,3-bis-2-[(-[(2,3-dimethylphenyl)-amino]benzoato-*O*-1,2,4:2,3,4-di-μ_3-oxo-tetrakis[di-methyltin(IV)] and 1,2:3,4-di-μ_3-2-[(-[(-[(2,3-dimethylphenyl)-amino] - benzoato-*O*,*O*-1,3-bis-2-[(-[(-[(2,3-dimethylphenyl)-amino]benzoato-*O*-1,2,4:2,3,4-di-μ_3-oxo-tetrakis[di-*n*butyltin(IV)], **630**, 205
Diorganotin compounds
Structural studies of diorganotin(IV) sulphonates The crystal structures of $[(n\text{-}C_4H_9)_2Sn\{\mu\text{-}OSO_2C_6H_2(CH_3)_3\}_2]_n$ and its partially hydrolyzed product $[(n\text{-}C_4H_9)_2Sn\{(\mu\text{-}OH)(\mu\text{-}OSO_2C_6H_2(CH_3)_3)\}]_n$, **619**, 157
Dioxadiazadecalins
Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, **630**, 67
Dioxanes
Chemical shift effects in the ^{13}C-NMR spectra of $[(C_5H_5)(CO)_2Fe^{II}]$-substituted cyclohexanes, dioxanes and tetrahydropyrans, **630**, 33
Dioxime
Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of $N_3Co^{III}(dmgH)(dpgH)Py$ and $N_3Co^{III}(chgH)(dpgH)Py$, **629**, 83
Organocobaloximes with mixed dioxime equatorial ligands: a convenient one-pot synthesis. X-ray crystal structures of $BnCo^{III}(dmgH)(dpgH)Py$ and $BnCO^{III}(chgH)(dpgH)py$, **627**, 80
Dioxygen reactions
The addition of oxygen to tetramesityldigermene, **636**, 130
Dipeptide
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), **637-639**, 75
Diphenylacetylene
Synthesis of *supine–prone* bis(diene)tungsten complexes bearing catecholate and diphenylacetylene ligands, **627**, 221
Diphenyl carbonate
A new efficient Pd-catalyzed synthesis of diphenyl carbonate with heteropolyacid as a cocatalyst, **630**, 11
(Diphenylmethyl)silanes
Friedel–Crafts alkylation of benzene with (polychloromethyl)-silanes, **631**, 36
Diphenylphosphinocyclopentadienyl
Synthesis and structure of $[Sm(\eta^5\text{-}CpPPh_2)(\kappa^3\text{-}Tp^{Me2})(I)(THF)]$; a samarium complex with four different ligands, **626**, 76
Diphenylphosphinoferrocene
Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, **637-639**, 772
Diphenylphosphino groups
Chelating phosphines with low coordinated phosphorus atoms: Part I. Phosphaalkenes associated with phosphine moieties — X-ray structure of *cis*-$(CO)_4Mo[ortho\text{-}Ph_2P\text{–}C_6H_4\text{–}CH{=}P(t\text{-}Bu)(C_6H_2)]\cdot C_7H_{16}$, **626**, 106
Diphenyl-2-phosphinopyridyl
Synthesis and X-ray structures of RuCpClL [L = $(\eta^1\text{-}PPh_2py)_2$ and η^2-triphos] and $[RuCp\{\eta^3\text{-}(PPh_2)_3CH\}][PF_6]$. The first η^1-$(PPh_2)_3CH$ complex of Ru(II), **628**, 1
1,1′-Diphosphaferrocene
Diastereomeric amides from *rac*-3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, **627**, 135
Diphosphaferrocene
Bis(diphosphaferrocene) palladium(II) dimer complexes as efficient catalysts in the synthesis of arylboronic esters, **640**, 197
Diphosphastibolyl
The synthesis and structural characterisation of a diphosphastibolyl potassium complex, $[\{[K(DME)][1,4,2\text{-}P_2SbC_2Bu^t_2]\}_\infty]$, and a novel hetero-cage compound, **622**, 61
Diphosphine
Chiral aminophosphonite-phosphite ligands: synthesis and use in platinum- and rhodium-based enantioselective hydroformylation of styrene. Crystal structure of [(*S*)-*N*-(2,2′biphenoxyphosphino) - 2 - (2,2′biphenoxyphosphinoxymethyl)pyrrolidine]dichloroplatinum(II), **628**, 114
Migratory insertion and CO substitution reactions of the β,γ-unsaturated esters and amides $[Fe_2(CO)_6(\mu\text{-}PPh_2)(\mu\text{-}\eta^1\text{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2\}]$ (Nu = OMe, OEt, OPr^i, NHPh, NHBu^t): synthesis and characterisation of acyl-bridged $[Fe_2(CO)_4L_2(\mu\text{-}PPh_2)(\mu\text{-}C{=}O\{C{=}CH_2\}CH_2C(O)Nu)]$ (L_2 = dppm, dppe) and alkenyl-bridged $[Fe_2(CO)_4\{P(OMe)_3\}_2(\mu\text{-}PPh_2)(\mu\text{-}\eta^1\text{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2)]$, **620**, 150

Palladium(II) phosphine thiocarboxylates. Structures of *cis*-Pd(κ*S*-SOCMe)$_2$(dppf) [dppf = 1,1'-bis(diphenylphosphino)ferrocene] and *trans*-Pd(κ*S*-SOCMe)$_2$(PPh$_3$)$_2$, **637-639**, 757
Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, **629**, 187
Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, **629**, 77
Diphosphine ligands
Synthetic, electrochemical, and structural studies on heterobimetallic crown thioether complexes with Group 10 metals: the crystal structures of [Pt(9S3)(dppf)](PF$_6$)$_2$·CH$_3$NO$_2$ and [Pd(9S3)(dppf)](PF$_6$)$_2$·CH$_3$NO$_2$, **637-639**, 683
Diphosphines
Selectivity for the methoxycarbonylation of ethylene versus CO–ethylene copolymerization with catalysts based on C$_4$-bridged bidentate phosphines and phospholes, **640**, 182
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, **625**, 58
1,3-Dipolar cycloadditions
Synthesis of ferrocene substituted pyrrolidine derivatives via Et$_2$Zn catalyzed 1,3-dipolar cycloaddition reactions of azomethine ylides, **631**, 135
Direct synthesis
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, **619**, 235
Dirhodium(II) carboxamidates
Catalyst selection for metal carbene transformations, **617-618**, 98
Diruthenium bridging alkylidene complexes
Photochemical C–H bond activation of diruthenium bridging alkylidene complexes: Interligand H-exchange on Cp$_2$Ru$_2$(μ-CH$_2$)(μ-CHR)(CO)$_2$ (R = H, Me), **617-618**, 254
Disaccharide synthesis
Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, **617-618**, 444
Disilaallene
Are disilacyclopropylidenes and their carbenoids good precursors for the unknown 1,3-disilaallenes?, **636**, 148
9,10-Disilaanthracene
Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, **629**, 44
9,10-Disilaanthracenes
Radical isomerization of 9,10-dihydro-9,10-disilaanthracene derivatives: stabilization factor of silyl radicals, **626**, 32
1,3-Disilacyclobutane
UV laser-induced photolysis of 1,3-disilacyclobutane in oxygen for chemical vapour deposition of nano-sized polyoxocarbosilane films, **640**, 170
Disilanes
Novel cyclopentadienyl silanes and disilanes: synthesis, structure and gas-phase pyrolysis, **620**, 20
Disilenes
Silylene R*XSi (R* = Si^{t}Bu$_3$; X = H, Me, Ph, Hal, R*): Bildung und Reaktionen, **628**, 57
Disproportionation reactions
Disproportionation reactions of organohydrosilanes in the presence of base catalysts, **629**, 1
Distannoxane
1,3 Dichloro- and 1,3 dibromotetra-*n*-butyldistannoxane mixtures: ligand redistribution and fluxional dynamics in distannoxanes, **620**, 211
^{119}Sn-NMR spectroscopic study of the 1,3-dichloro- and 1,3-diacetoxytetra-*n*-butyldistannoxane binary system, **620**, 296
Diterpenoid
Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, **627**, 206
Insertion reactions of alkenes with diterpenoid chromium aminocarbenes, **628**, 155
β-Lactams (including polycyclic) derived from chromium carbenes, **629**, 114
Synthesis of chromium aminocarbene complexes of diterpenoids, **626**, 199
Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, **629**, 131
Ditertiobutyl ketone
Formation of carbenoid intermediates in the reaction of ditertiobutyl ketone with low-valent titanium reagents, **617-618**, 744
Dithioarsinates
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, **623**, 29
Dithiocarbamates
Synthesis and spectroscopic characterization of new mixed ligand organotellurium(IV) compounds employing dithiocarbamates and imidotetraphenyldithiodiphosphinates. Crystal structure of [C$_4$H$_8$Te(S$_2$CNEt$_2$){(SPPh$_2$)$_2$N}], [C$_4$H$_8$Te(S$_2$CNC$_5$H$_{10}$){(SPPh$_2$)$_2$N}] and [C$_4$H$_8$Te(S$_2$CNC$_4$H$_8$S){(SPPh$_2$)$_2$N}], **631**, 99
Synthesis, spectroscopic characterization and structural studies of dialkyl dithiophosphinate and *N,N*-dialkyl dithio- and monothio-carbamate derivatives of 1-iodo-1,1,2,3,4,5-hexahydrotellurophene, **623**, 74
Dithioethers
Dithioethers as ligands in pentamethylcyclopentadienylrhodium(III) and iridium(III) complexes. Crystal structures of [{(η^5-C$_5$Me$_5$)Rh}$_2$(μ-Cl)$_2${μ-(MeS)$_2$CH$_2$}](BF$_4$)$_2$·H$_2$O and [(η^5-C$_5$Me$_5$)IrCl$_2${η^1-(PhS)$_2$CH$_2$}], **620**, 256
Dithiolate
Reactivity of the unsaturated triosmium cluster [(μ-H)Os$_3$(CO)$_9${Ph$_2$PCH$_2$P(Ph)C$_6$H$_4$}] with dithiols; X-ray structures of [Os$_3$(CO)$_8$(μ-SCH$_2$CH$_2$CH$_2$S)(Ph$_2$PCH$_2$PPh$_2$)]·1/2CH$_2$Cl$_2$ and [(μ-H)Os$_3$(CO)$_7$(μ$_3$-η^3-SCH$_2$CH$_2$CHS)(Ph$_2$PCH$_2$PPh$_2$)]·1/2H$_2$O, **625**, 112
Dithiolate complexes
η^5-C$_5$H$_5$- and η^5-C$_5$Me$_5$-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate C$_8$H$_4$S$_8$ ligand and high electrical conductivities of their oxidized species, **625**, 7
1,2-Dithiolato ligands
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, **617-618**, 656
1,3-Dithiole-2-thione-4,5-dithiolate
Further studies on dialkyltin 1,3-dithiole-2-thione-4,5-dithiolates, R$_2$Sn(dmit). Crystal structures of orthorhombic- and monoclinic-Et$_2$Sn(dmit), and Me$_2$Sn(dmit), **627**, 189
Dithiophosphates
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, **623**, 29
Dithiophosphinates
Synthesis, spectroscopic characterization and structural studies of dialkyl dithiophosphinate and *N,N*-dialkyl dithio- and monothio-carbamate derivatives of 1-iodo-1,1,2,3,4,5-hexahydrotellurophene, **623**, 74
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, **623**, 29
Ditopic ligands
Chelating behaviour of a phosphinoalcohol leading to a stable alcohol palladium complex, **621**, 218

Diyne
Reaction of alkynylsilanes with CuCl in polar solvents leading to alkynyl group transfer from Si to Cu, **620**, 282
Reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with symmetric diynes and their reactivity towards $[Co_2(CO)_8]$, **635**, 119
Diyne cycloaddition
Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, **620**, 39
Diynes
Silylene reactions with 1,7-octadiene-3,5-diynes: evidence for the intermediate formation of a bis(silaethene), **636**, 7
Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, **637-639**, 230
DNA·RNA hetero duplex
Ferrocenyl naphthalene diimide can bind to DNA·RNA hetero duplex: potential use in an electrochemical detection of mRNA expression, **637-639**, 476
2D-NMR
Stable Pt(IV) vinylic complexes with unusual regioselectivity formed in the reaction of methylpropiolate triple bond activation, **636**, 175
Donor-acceptor complex
Schrock type transition metal complex formation of push–pull substituted phosphanyl-carbenes, a quantum chemical investigation by density-functional methods, **617-618**, 435
Donors
Alkalimetalldisupersilylsilanide $MSiXR^*_2$ ($R^* = SiMe_3$; X = H, Me, Ph, Hal): Synthesen, Charakterisierung, Strukturen, Reaktionen, **628**, 46
Double bond
Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, **617-618**, 453
Double helicates
Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, **617-618**, 364
Doubly bridged complexes
Synthesis and structures of doubly bridged bis(cyclopentadienyl) tetracarbonyl diiron complexes, **626**, 186
dppf
Copper(I) complexes containing 1,1′-bis(diphenylphosphino) ferrocene (dppf) as a chelate ligand. X-ray crystal structures of $[Cu_2(\mu\text{-}Cl)_2(\kappa^2\text{-}P,P\text{-dppf})_2]$ and $[Cu(CN^tBu)_2(\kappa^2\text{-}P,P\text{-dppf})][BF_4]$, **o37-639**, 677
DSC
UV and Raman study of thermochromic phase transition in poly(di-*n*-hexylgermane), **636**, 164
Dynamic NMR
Stereochemically non-rigid transition metal complexes of 2,6-bis(phenyliminomethyl)pyridine and derivatives. Crystal structure of *fac*-$[ReBr(CO)_3(PMTFA)]$ (PMTFA = 2,6-pyridylene-bis-(methylene-2-trifluoromethylaniline), **631**, 125
Synthesis, bonding and dynamic behavior of *fac*-$[Mo(II)(CO)_2(\eta^3\text{-allyl})]$ derivatives, **632**, 197

(*E*)- and (*Z*)-isomers
Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, **637-639**, 230
Early transition metal
A new ligating mode for the anions of the type $[R_2P(S)NP(S)R_2^-]$: study of the interaction of $[K\{Me_2P(S)NP(S)Me_2\}]$ with the early transition halometalcarbonyl, $[BrMn(CO)_5]$, **626**, 113
Early transition metals
Chemical applications of topology and group theory: Part 35. Non-octahedral six-coordinate tris(dithiolene) and related complexes of the early transition metals, **623**, 95
5-[(*E*)-2-(Aryl)-1-diazenyl]-2-hydroxybenzoic acids
Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), **633**, 7
EHMO calculations
Cyclopalladation versus hydroxylation. A case of pH dependence, **629**, 28
Ferrocenes derived from cyclopenta[*l*]phenanthrene: dibenzindene–metal complexes that resist haptotropic shifts, **637-639**, 372
Elastomeric polypropylene
Group 4 metallocenes containing hetaryl substituents at their π-ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, **622**, 143
Electrical conductivity
$\eta^5\text{-}C_5H_5$- and $\eta^5\text{-}C_5Me_5$-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $C_3H_4S_5$ ligand and high electrical conductivities of their oxidized species, **625**, 7
Electrochemical behaviour
A re-examination of the reaction between 1,1′-bis(diphenylphosphino)ferrocene (dppf) diselenide and $[Ru_3(CO)_{12}]$. Electrochemical behaviour of the isomeric *nido*-clusters $[Ru_3(\mu_3\text{-}Se)_2(dppf)(CO)_7]$ and $[Ru_3(\mu_3\text{-}Se)_2(\mu\text{-}dppf)(CO)_7]$ and crystal structure of $[Ru_3Se\{\mu\text{-}P(Ph)C_5H_4FeC_5H_4\text{-}PPh_2\}(\mu\text{-}OCPh)(CO)_6]$, **637-639**, 586
Electrochemical detection
Ferrocenyl naphthalene diimide can bind to DNA·RNA hetero duplex: potential use in an electrochemical detection of mRNA expression, **637-639**, 476
Electrochemical oxidation
47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, **633**, 51
Electrochemical parameters
Redox potential, ligand and structural effects in rhodium(I) complexes, **620**, 174
Electrochemical reaction
Preparation and characterization of ruthenium(II), rhodium(III) and iridium(III) complexes of isocyanide bearing the azo group, **640**, 10
Electrochemical recognition
Complexation and electrochemical sensing of anions by amide-substituted ferrocenyl ligands, **637-639**, 356
Electrochemical sensor
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, **637-639**, 343
Electrochemical studies
Re(V)–oxo–dppf and Re(V)–imido–dppf complexes: synthesis, structure, and properties of $Re(X)Cl_3(dppf)$ (X = O, NPh, $N\text{-}C_6H_3\text{-}2,6\text{-}i\text{-}Pr_2$; dppf = $Fe(\eta^5\text{-}C_5H_4PPh_2)_2$), **627**, 226
Electrochemistry
An electrochemical study in acetonitrile of macrocyclic or open-chain ferrocene-containing oxa-aza or polyaza receptors in the presence of protons, metal cations and anions, **637-639**, 151
Characterization and electrochemical study of bis(ferrocenes) with a furan spacer and ferrocenophanes prepared from α-bromoacetyl substituted ferrocenes, **637-639**, 258
Coordination chemistry of CNH_2, the simplest aminocarbyne, **617-618**, 65

Cyanide bridged oligonuclear complexes containing CuCl and $CuCl_2$, **627**, 153
Diferrocenyltriphosphines 2. Reversible phosphine deligation in the chemistry of diferrocenyltriphosphine Ru(II) dichloride complexes with nitriles and pyridines: towards a pH-switchable catalyst?, **637-639**, 538
Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, **629**, 54
Electrochemical behaviour of cyclometallated gold(III) complexes. Evidence of transcyclometallation in the fate of electroreduced species, **622**, 47
Facile synthesis of bidimensional ferrocenyl-based branched oligomers by palladium-catalyzed coupling reactions, **637-639**, 191
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, **637-639**, 642
Highly reactive σ-organonickel complexes in electrocatalytic processes, **630**, 185
Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using $[NBu_4][B(C_6F_5)_4]$ as supporting electrolyte, **637-639**, 823
Internal ferrocenylalkynes—a comparative electrochemical and mass spectrometric study, **637-639**, 291
Iron(II) versus osmium(II) oxidation in 1,1′-bis(diorganophosphino)ferrocene–osmium(II) complexes, **637-639**, 167
Mechanism of the electrochemical reduction of $[Fe(\eta^5\text{-}C_6H_7)(CO)_3][PF_6]$ — a theoretical approach to the intermediates, **632**, 49
Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, **619**, 74
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, **633**, 114
Oxidative reactions of "half-sandwich" ruthenium compounds: formation of cationic nitrosyl ruthenium(II) derivatives, **626**, 145
Preparation and electrochemical behaviour of dinuclear platinum complexes containing NCN ligands (NCN = $[C_6H_3(Me_2NCH_2)_2\text{-}2,6]^-$). The crystal structure of $[C_6H_3(Me_2NCH_2)_2\text{-}1,3\text{-}(C{\equiv}C\text{-}5]_2$, **620**, 227
Redox behavior of boronato-functionalized 1,1′-bis(diphenylphosphino)ferrocenes, **637-639**, 800
Redox potential, ligand and structural effects in rhodium(I) complexes, **620**, 174
Solution phase peptide synthesis with ferrocenyl amino acid derivatives, **637-639**, 349
Star-shaped polyferrocenes based on thiophene and triphenylamine: synthesis, spectroscopy and electrochemistry, **637-639**, 139
Synthesis and electrochemical study of cobalt carbonyl complexes of trimethylsilyl-substituted 1,3,5-triethynylbenzene, **631**, 19
Synthesis, characterisation, crystal structures and electrochemistry of triosmium nitrite carbonyl clusters containing ferrocenyl phosphines, **637-639**, 276
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster $[Fe_2(CO)_6(\mu_3\text{-}S)_2W\{(\eta^5\text{-}C_5H_4)W(CO)_3(CCPh)\}_2]$, **629**, 160
Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, **629**, 7
Synthetic, electrochemical, and structural studies on heterobimetallic crown thioether complexes with Group 10 metals: the crystal structures of $[Pt(9S3)(dppf)](PF_6)_2 \cdot CH_3NO_2$ and $[Pd(9S3)(dppf)](PF_6)_2 \cdot CH_3NO_2$, **637-639**, 683
Voltammetric metal cation sensors based on ferrocene derivatives with oxazoline and imine substituents, **637-639**, 134
Water soluble ferrocenyl and polyferrocenyl compounds: synthesis and electrochemistry, **637-639**, 595

Electron acceptors
Electron acceptors of the fluorene series: Part 12. 9-(Metalloceneylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, **637-639**, 445

15-Electron chromium(III)
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphoryl)disulfanes. Syntheses and X-ray crystal structures of $CpCr(CO)_2(S_2P(OR)_2)$, $CpCr(S_2P(OR)_2)_2$ and $Cr(S_2P(OR)_2)_3$ (R = ^{i}Pr), **631**, 67

Electron counting
Electron counting and bonding analysis in triruthenium clusters containing sulfoximido ligands: true or false electron-deficient systems?, **620**, 119

Electron-deficient olefins
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, **624**, 327
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, **634**, 216

Electronic communication
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, **637-639**, 642
Insertion of bis-ferrocenylbutadiyne into an osmium hydride bond. The synthesis, structure and electrochemical response of $Os_4(CO)_{11}(\mu\text{-}\eta\text{-}Z\text{-}FcCC(H)C_2Fc)(\mu\text{-}H)_3$, **619**, 271

Electronic interaction
Synthesis of a new bis(ferrocenyl)ruthenacyclopentatriene compound with a significant inter-metal electronic communication, **637-639**, 80

Electronic spectra
Charge transfer spectra and photoreactivity of (*E*)-1-ferrocenyl-2-(1-methyl-4-pyridiniumyl)ethylene cation, **637-639**, 777

Electronic structure
Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, **622**, 280

Electronic structures
A density functional study of the structures, vibrations and bond energies of dinitrogen phosphine complexes of the first transition series, **635**, 165
The electronic structure and bonding in $W_2(\mu\text{-}H)_2(O^iPr)_4(DMPE)_2$ and a comparison with $Mo_2(O^iPr)_4(DMPE)_2$, **621**, 66
UV photoelectron and ab initio study of intramolecular interactions in α-diethoxyphosphoryl carbonyl derivatives, **625**, 121

Electron population analysis
Electronic structure and spectra of ruthenium diimine complexes by density functional theory and INDO/S. Comparison of the two methods, **635**, 187

Electron transfer
Density functional studies of the reactivity in the C–F bond activation of fluoromethane by bare lanthanum monocation, **640**, 121
47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, **633**, 51

Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, **637-639**, 469

Electron-transfer chain catalysis
(η^5-C_5H_5)-Ring alkylation reaction with the $C_5H_5^-$ anion: towards the construction of tri-Fe complex Fe{[μ,η^5:η^4-5-*exo*-(1′-C_5H_4)C_5H_5]Fe(CO)$_2$(PPh$_3$)}$_2$, **637-639**, 549

Electrophile addition
Triphosphane formation from the terminal zirconium phosphinidene complex [Cp_2Zr=PDmp(PMe$_3$)] (Dmp = 2,6-$Mes_2C_6H_3$) and crystal structure of DmpP(PPh$_2$)$_2$, **630**, 193

Electrophiles
Electrophilic C(2)-functionalization of nitronyl nitroxides: a reference to *N*-heterocyclic carbenes, **617-618**, 473
Synthesis of single and double butterfly iron carbonyl complexes by reactions of [(μ-RSe)(μ-CO)Fe$_2$(CO)$_6$] anions. Crystal structures of (μ-*p*-MeC_6H_4Se)[μ-$PhCH_2N(H)C$=S]Fe$_2$(CO)$_6$ and [(μ-PhSe)(μ-MeAs)Fe$_2$(CO)$_6$]$_2$, **627**, 255
The reactions of CpRu(PPh$_3$)$_2$SR with the electrophiles HBF_4, [$MeSSMe_2$]BF_4 and MeSphth where R = CMe_3, $CHMe_2$, 4-C_6H_4Me and phth = phthalimide, **622**, 1

Electrophilic
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, **617-618**, 520

Electrophilic addition
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215

Electrophilic halogenation
Controlled monohalogenation of phosphonates: Part IV. Selective synthesis of monohalogenomethylenediphosphonates, **624**, 203

Electrospray mass spectra
Organometallic rhodium (I) complexes with 1-alkylaminopyrazole ligands, **619**, 14

Electrospray mass spectrometry
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, **625**, 40
Synthesis and characterisation of ferrocenyl-phosphonic and -arsonic acids, **637-639**, 216

ELHB
Biscyclopentadienyl Group 6 metal complexes as metalloligands in the synthesis of heterobimetallic species. Crystal structures of new thiolato-bridged molybdenum(IV)–copper(I) complexes, **632**, 75

Elimination
C–O bond activation in carbene-*C,O* chelate tungsten(II) complexes — MeX elimination in the reaction of [$X_2(CO)_3W$=$C(C_6H_4OMe$-*o*$)OMe$] with L_2 (L_2 = dppe, 2 PMe_3), **634**, 209
Reaction mechanism of the reductive elimination in the catalytic carbonylation of methanol. A density functional study, **628**, 222

Enamines
Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, **617-618**, 322

Enantiomer
Synthesis and characterization of planar-chiral cyclopentadienyl-ruthenium–vinylidene complexes, **617-618**, 601

Enantiomeric separation
Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, **628**, 123

Enantioselective catalysis
Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, **630**, 67
Ligands with cycloalkane backbones VIII. Steric effects in the ligand accelerated enantioselective alkylation of benzaldehyde, **621**, 153

Enantioselective epoxidations
Chiral dioxomolybdenum(VI) complexes for enantioselective alkene epoxidation, **626**, 1

Enantioselective hydroformylation
Highly efficient enantioselective catalysis in supercritical carbon dioxide using the perfluoroalkyl-substituted ligand (*R,S*)-3-H^2F^6-BINAPHOS, **621**, 130

Enantioselective hydrogenation
Highly efficient enantioselective catalysis in supercritical carbon dioxide using the perfluoroalkyl-substituted ligand (*R,S*)-3-H^2F^6-BINAPHOS, **621**, 130
Tunable ferrocenyl diphosphine ligands for the Ir-catalyzed enantioselective hydrogenation of *N*-aryl imines, **621**, 34

Enantioselective synthesis
1,4-Bis(arylsulfonyl)dihydropyridines in synthesis. Enantioselective synthesis of 2,3,6-trisubstituted piperidines, **624**, 380

Enantioselectivity
ortho-Silylation of 2,2′-bis(oxazolinyl)-1,1′-bis(diphenylphosphino)ferrocenes and remarkable effect of the silyl groups on the enantioselectivity in Pd-catalyzed asymmetric allylic alkylation, **637-639**, 99

Endo-selectivity
Contra-intuitive stereocontrol: *endo*-selective nucleophilic additions on an arene–tricarbonylchromium template, **624**, 18

Enolate
Reactions of lithium silenolates with benzophenone, **633**, 131

Enols
Stabilization of unstable unsaturated molecules in five-coordinate TBP complexes of Pt(II): enol, diol and dialdehyde derivatives, **622**, 242

Entropy changes
Organometallic thermochemistry at CQE-IST. An overview, **632**, 188

Enynes
Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, **617-618**, 301

1,3-Enynes
Stereoselective synthesis of chiral terminal (*E*)-1,3-enynes derived from the aldehydes (1*R*)-(−)-myrtenal and (*S*)-(−)-perillaldehyde using the alkynyl–phosphonio complex [Ru{C=CCH_2(PPh$_3$)}(η^5-C_9H_7)(PPh$_3$)$_2$][PF_6] as synthon, **621**, 39

Epoxidation
Asymmetric allylboration for the synthesis of β-hydroxy-δ-lactone unit of statin drug analogs, **624**, 239
Chiral bis(oxazoline) and pyridyl alcoholate dioxo-molybdenum(VI) complexes: synthesis, characterization and catalytic examinations, **621**, 207
Synthesis and X-ray crystal structure of a chiral molybdenum porphyrin and its catalytic behaviour toward asymmetric epoxidation of aromatic alkenes, **634**, 34

Epoxy resins
Synthesis of new ferrocene containing diamines and their use in epoxy resins, **637-639**, 837

EPR
Characterization of the photolysis products of *sec*-butylcobaloximes with imidazole and benzimidazole bases, **632**, 85
EPR and theoretical studies of the reduction product of the fulvenephosphaallene system, **634**, 136

EPR properties
Interaction of half-sandwich alkylmolybdenum(III) complexes with $B(C_6F_5)_3$. The X-ray structure of $[CpMo(\eta^4\text{-}C_4H_6)(\mu\text{-}Cl)(\mu\text{-}CH_2)(O)MoCp][CH_3B(C_6F_5)_3]$, **640**, 113
EPR spectra
Novel complexes *cis,cis*-$[Rh(R)_2(I)(CO)(dmb)]$ (R = Me, ^{i}Pr; dmb = 4,4′-dimethyl-2,2′-bipyridine): synthesis, structure and photoreactivity, **626**, 118
Synthesis, properties and structures of the tris(cyclopentadienyl)thorium(III) complexes $[Th\{\eta^5\text{-}C_5H_4(SiMe_2R)\}_2\text{-}1,3\}_3]$ (R = Me or ^{t}Bu), **636**, 124
EPR spectroscopy
Iron(II) versus osmium(II) oxidation in 1,1′-bis(diorganophosphino)ferrocene–osmium(II) complexes, **637-639**, 167
Oxidative reactions of "half-sandwich" ruthenium compounds: formation of cationic nitrosyl ruthenium(II) derivatives, **626**, 145
Erbium
Syntheses of $\{(MeC_5H_4)_2Ln[O\cdots\overline{C\cdots Ni(CH_2)_4CH_2}]\}_2$ (Ln = Yb, Y, Er) and the X-ray crystal structure of the ytterbium complex, **626**, 176
erythro-Dibromide
Bromination of ferrocene chalcone derivatives mediated by β-cyclodextrin, **627**, 93
ESR
Ferrocene as a ferromagnetic coupler. Synthesis and characterization of a ferrocene bridged polychlorotriphenylmethyl diradical, **637-639**, 251
ESR spectroscopy
Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, **629**, 54
Ester
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, **622**, 38
Esterification
Synthesis of azacrown ethers modified with side-chains containing germanium, **636**, 108
Ethene polymerization
Synthesis, characterization, and catalytic properties of bis[alkylindenyl]-, bis[alkenylindenyl]- and [alkenylindenyl(cyclopentadienyl)]zirconium dichloride complexes, **636**, 31
Ethyl diazoacetate
An explanation for the apparent *cis*-aziridine selectivity in the iron Lewis acid-catalyzed reaction of *N*-benzylidene aniline and ethyl diazoacetate, **630**, 78
Ethylene
Selectivity for the methoxycarbonylation of ethylene versus CO–ethylene copolymerization with catalysts based on C_4-bridged bidentate phosphines and phospholes, **640**, 182
Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, **625**, 95
Synthesis, structure and ethylene polymerization behavior of zirconium complexes with chelating ketoiminate ligands, **620**, 1
Ethylene and propylene polymerisation
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of $[Zr(Ind)_2(NC_3H_6)_2]$, **632**, 58
Ethylenediamine derivatives
Transition metal chemistry of phosphorus based ligands: synthesis and transition metal chemistry of *N,N′*-dimethyl,-bis-(diphenylphosphino)ethylenediamine. The crystal and molecular structure of $[ReBr(CO)_3\{Ph_2PN(Me)\text{-}CH_2CH_2(Me)NPPh_2\}]$, **628**, 76
Ethylene equivalent
Behaviour of monocomplexed 1,4-diynes in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, **630**, 118
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, **630**, 104
Ethylene polymerization
Amido functionalized *ansa* half-sandwich dichloride complexes of titanium, zirconium and hafnium with alkyl and ω-alkenyl substituents as homogeneous and self-immobilizing catalyst precursors for ethylene polymerization, **628**, 169
ω-Phenylalkyl substituted amido functionalized *ansa* half-sandwich complexes of titanium and zirconium and metallacycles thereof as catalyst precursors for homogeneous ethylene polymerization, **628**, 211
Ethynylferrocenes
Semimasked 1,1′-diethynylferrocenes: synthetic concepts, preparations, and reactions, **637-639**, 558
Ethynyl-metallocenes
X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, **625**, 200
E vinyl bromides
Iron catalyzed hydrodebromination of 2-aryl-1,1-dibromo-1-alkenes, **624**, 131
EXAFS
Bis(iodozincio)methane — preparation, structure, and reaction, **617-618**, 39
Exchange
A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, **633**, 33
Exocyclic alkenes
α-Lithioalkoxysilanes: applications to alkene synthesis, **625**, 13

Face-sharing defect dicubic Ln_4O_6 core
Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, **628**, 99
Fe
Chelated η^2-alkene- and η^3-allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, **617-618**, 346
Fe–Fe bond
Synthesis and structures of doubly bridged bis(cyclopentadienyl) tetracarbonyl diiron complexes, **626**, 186
^{57}Fe Mössbauer spectroscopy
Control of the symmetry of binuclear ferrocene derivative by using chiral substituent and its mixed-valence state, **637-639**, 820
^{57}Fe-NMR
^{57}Fe-NMR spectroscopy revisited: ferrocene derivatives containing heterosubstituents, **630**, 263
Ferricenium
The reaction of ferrocene with mercuric chloride revisited: '$Cp_2Fe^*2HgCl_2$' = $[(C_5H_5)Fe(C_5H_4HgCl)]_2[Hg_2Cl_6]$, comparison of its molecular structure with that of chloromercuriferrocene, **637-639**, 796
Ferricenium ions
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, **637-639**, 469
Ferrocene
Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, **637-639**, 240
An electrochemical study in acetonitrile of macrocyclic or open-chain ferrocene-containing oxa-aza or polyaza receptors in the presence of protons, metal cations and anions, **637-639**, 151

A new phthalocyanine–ferrocene conjugated dyad, **637-639**, 751
Anion effect on the electrochemical characteristics of a gold electrode modified with a self-assembled monolayer of ferrocenylhexanethiol in aqueous and dichloromethane solutions, **637-639**, 841
Bimetallic π-conjugated complexes modulated by a carbonyl spacer: synthesis of arenetricarbonylchromium–ferrocene derivatives, **624**, 124
Carbenes with ferrocenyl substituents, **617-618**, 28
Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$, **627**, 127
Chiral ferrocenylthiazolidines, new ligands for palladium complexes, **637-639**, 116
Complexation and electrochemical sensing of anions by amide-substituted ferrocenyl ligands, **637-639**, 356
Complexation behavior of 1,1″:1′,1″-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyldimethyl)bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, **625**, 173
Conformational control of intramolecular arene stacking in ferrocene complexes bearing *tert*-butyl and pentafluorophenyl substituents, **637-639**, 107
Diferrocenyltriphosphines 2. Reversible phosphine deligation in the chemistry of diferrocenyltriphosphine Ru(II) dichloride complexes with nitriles and pyridines: towards a pH-switchable catalyst?, **637-639**, 538
Electrochemical and NMR spectroscopic studies of selenium- and tellurium-substituted ferrocenes I: ferrocenyl alkyl chalcogenides $[Fe(\eta\text{-}C_5H_5)(\eta\text{-}C_5H_4ER)]$, **623**, 101
Electron acceptors of the fluorene series: Part 12. 9-(Metalloceneylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, **637-639**, 445
Electrostatic field effects manifested in ferrocenyl metal complexes and the crystal structure of $[Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4CH{=}NNHC_5H_4N)]\cdot HCl$, **637-639**, 311
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, **637-639**, 469
4-Ethinyl-benzonitrile-ferrocenes bridged by a $Pd(PPh_3)_2$ unit; the solid-state structure of $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4C{\equiv}CC_6H_4C{\equiv}N\text{-}1,4)$, **637-639**, 198
Ferrocene as a ferromagnetic coupler. Synthesis and characterization of a ferrocene bridged polychlorotriphenylmethyl diradical, **637-639**, 251
Ferrocene derivatives (I). Synthesis and X-ray structure determination of *N*-*o*-methylphenylferrocenesulfonamide, **637-639**, 738
Ferrocene polymers: current architectures, syntheses and utility, **637-639**, 47
Ferrocene substituted nitronyl nitroxide and imino nitroxide radicals. Synthesis, X-ray structure and magnetic properties, **637-639**, 507
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, **637-639**, 335
Formation and structural characterization of amino-substituted [3]ferrocenophanes derived from intramolecular Mannich-type coupling reactions at the metallocene framework, **637-639**, 621
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, **637-639**, 642
Highly efficient reduction of ferrocenyl derivatives by borane, **637-639**, 364
Hindering the formation of ferrocenes: mono(cyclopentadienyl)halo iron complexes $[Fe(C_5R_4)X]$ containing a sterically bulky cyclopentadienyl ligand, **637-639**, 786
In situ synthesis of the first C_7 cumulene $(Fc)_2C{=}C{=}C{=}C{=}C{=}C(Fc)_2$ via deprotonation of its conjugate acid $[(Fc)_2C_7H(Fc)_2]^+BF_4^-$ (Fc = ferrocenyl), **622**, 135
Internal ferrocenylalkynes—a comparative electrochemical and mass spectrometric study, **637-639**, 291
Multistep redox properties of 2,2′-bipyridylboronium substituted ferrocenes, **637-639**, 390
New chiral ferrocenyl-pyridinium salts for non-linear optics, **637-639**, 531
New ferrocenyl amine derivatives: *N*-silyl, *N*-stannyl and *N*-boryl ferrocenyl amines, **637-639**, 727
ortho-Silylation of 2,2′-bis(oxazolinyl)-1,1′-bis(diphenylphosphino)ferrocenes and remarkable effect of the silyl groups on the enantioselectivity in Pd-catalyzed asymmetric allylic alkylation, **637-639**, 99
Palladium-catalyzed asymmetric allylic alkylations of cycloalkenyl acetates with planar chiral phosphino-ferrocene carboxylic acids, **637-639**, 845
Preparation of 1,5-diketone derivatives containing ferrocenyl by Michael reaction under solvent-free condition, **637-639**, 719
Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, **637-639**, 327
Reactions of ferrocene-derived bis(hydroxymethyl) phosphine sulfides $FcCH(R)P(S)(CH_2OH)_2$ (R = H, CH_3) with cyclic thionylphosphazenes: crystal structures of $FcCH_2P(S)(CH_2O)_2PN(NPCl_2)[NS(O)Ph]$ and $FcCH_2P(S)(CH_2O)_2PN_2P[N(Me)CH_2]_2[NS(O)Ph]$ (Fc = ferrocenyl), **637-639**, 382
Ruthenium(II) complexes containing 4-ferrocenylphenylisocyanide ligands. Crystal structure of *trans*, *trans*, *trans*-$[RuCl_2(POMe\text{–}P)_2(FcC_6H_4NC)_2]$ (POMe = $PPh_2C_6H_4OCH_3$; Fc = ferrocenyl), **637-639**, 145
Second harmonic generation in ferrocene based hydrogen bonded assemblies, **637-639**, 827
Solution phase peptide synthesis with ferrocenyl amino acid derivatives, **637-639**, 349
Star-shaped polyferrocenes based on thiophene and triphenylamine: synthesis, spectroscopy and electrochemistry, **637-639**, 139
Stereoselectivity of formation of polycyclic ferrocenyl-4,5-dihydropyrazoles based on *E*- and *Z*-*s*-*cis*-α,β-enones, **628**, 107
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), **637-639**, 75
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, **637-639**, 500
Study on the synthesis of nonracemic C_2-symmetric 1,1′-binaphthyl-2,2′-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, **637-639**, 318
Synthesis and characterisation of ferrocenyl-phosphonic and -arsonic acids, **637-639**, 216
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, **637-639**, 398
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, **637-639**, 343
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, **637-639**, 407
Synthesis and structure of an alkylgallium bridged [1.1]ferrocenophane, **637-639**, 300
Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), **633**, 85

Synthesis, characterisation, crystal structures and electrochemistry of triosmium nitrite carbonyl clusters containing ferrocenyl phosphines, **637-639**, 276

Synthesis of a new bis(ferrocenyl)ruthenacyclopentatriene compound with a significant inter-metal electronic communication, **637-639**, 80

Synthesis of 1′,1‴-bis(heterocyclyl)biferrocene compounds, **637-639**, 723

Synthesis of ferrocene substituted pyrrolidine derivatives via Et_2Zn catalyzed 1,3-dipolar cycloaddition reactions of azomethine ylides, **631**, 135

Synthesis of highly ethynylated mono and dinuclear Pt(II) tethers bearing the 4,4′-bis(ethynyl)biphenyl (debp) unit as central core, **619**, 49

Synthesis of new ferrocene containing diamines and their use in epoxy resins, **637-639**, 837

Synthesis, spectroscopy and biological activity of novel acylhydrazines containing ferrocenyl moiety, **637-639**, 94

Synthesis, structural characterization and ^{57}Fe-Mössbauer spectra of ferrocenylhexasilanes, **627**, 167

Synthesis, structures and electrochemistry of bis(alkynylferrocene) complexes with fluorene spacers, **637-639**, 159

The effect of d-block metal complexation on the spectroscopic and redox properties of ferrocene derivatives containing pyridine ligands, **637-639**, 304

The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C\text{–}CH_3)]^+[BF_4]^-$: Crystal structure of $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}(E)\text{-}C\text{–}CH\text{=}CH\text{-}7\text{-}(thieno[3,2\text{-}e][1]benzothiophene))]^+[BF_4]^-$, **619**, 141

The linear and nonlinear optical properties of organometallic chromophores derived from ferrocene, $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C\text{–}CH_3)]^+[BF_4]^-$ and terthienyl spacers. Crystal structure of 2-[(*E*)-2-ferrocenylethenyl]-5-(2-thienyl)thiophene, **637-639**, 435

The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, $Cp^*Rh[E_2C_2(B_{10}H_{10})]$, E = S, Se, **623**, 149

The reaction of ferrocene with mercuric chloride revisited: '$Cp_2Fe^*2HgCl_2$' = $[(C_5H_5)Fe(C_5H_4HgCl)]_2[Hg_2Cl_6]$, comparison of its molecular structure with that of chloromercuriferrocene, **637-639**, 796

The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β-enones, **633**, 137

Trans-influences in mononuclear cyclopalladated compounds containing a σ(Pd–C_{sp^2}, ferrocene) bond. X-ray crystal structures of $[Pd\{(\eta^5\text{-}C_5H_3)\text{–}CH\text{=}N\text{–}CH_2\text{–}C_6H_4\}Fe(\eta^5\text{-}C_5H_5)\}(X)(PPh_3)]$ with $X^- = Br^-$ and I^-, **625**, 67

Triformylferrocenes, novel modules for organometallic scaffolds, **630**, 132

Voltammetric metal cation sensors based on ferrocene derivatives with oxazoline and imine substituents, **637-639**, 134

Ferrocenecarboxaldehyde

The first synthesis of ferrocenyl aminophosphonic esters, **631**, 105

Ferrocenecarboxaldehydes

Knoevenagel condensation of ferrocenyl substituted carboxaldehydes with methylene active compounds on inorganic supports and the NLO properties of the resulting push–pull alkenes, **637-639**, 426

Ferrocenecarboxylic anhydride

Synthesis, spectroscopy and biological activity of novel acylhydrazines containing ferrocenyl moiety, **637-639**, 94

Ferrocene compounds

Charge transfer spectra and photoreactivity of (*E*)-1-ferrocenyl-2-(1-methyl-4-pyridiniumyl)ethylene cation, **637-639**, 777

Iron(II) versus osmium(II) oxidation in 1,1′-bis(diorganophosphino)ferrocene–osmium(II) complexes, **637-639**, 167

Ferrocene-containing polymers

Electrochemical determination of diffusion coefficient of π-conjugated polymers containing ferrocene unit, **637-639**, 809

Ferrocene derivatives

Synthesis and molecular structure of a novel ferrocene-containing macrocyclic acyl thiourea derivative, **637-639**, 204

Ferrocenediyl-bridged tri-Fe complex

$(\eta^5\text{-}C_5H_5)$-Ring alkylation reaction with the $C_5H_5^-$ anion: towards the construction of tri-Fe complex $Fe\{[\mu,\eta^5\text{:}\eta^4\text{-}5\text{-}exo\text{-}(1'\text{-}C_5H_4)C_5H_5]Fe(CO)_2(PPh_3)\}_2$, **637-639**, 549

1,1′-Ferrocenediyldialkoxysilanes

Synthesis of poly(ferrocenyldialkoxysilane) polymers and their introduction into oxide matrices, **621**, 46

Ferrocene half-sandwich

Bonding in 'closed,' open, and half-open ferrocenes: new insight from structural and Mössbauer spectroscopic studies, **637-639**, 172

Ferrocene ligands

Synthesis, reactivity, and crystal structures of ferrocene-substituted amidinate derivatives, **637-639**, 521

Ferrocene metal cluster

Syntheses and some reactions of complexes containing carbon chains capped by ferrocenyl and $W(CO)_3Cp$ groups, **637-639**, 484

Ferrocene moiety

The first synthesis of ferrocenyl aminophosphonic esters, **631**, 105

Ferrocenes

An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, **634**, 122

A rapid approach to ferrocenophanes via ring-closing metathesis, **637-639**, 669

Bis(ferrocenyl)mercury as a source of ferrocenyl moiety in Pd-catalyzed reactions of carbon–carbon bond formation, **637-639**, 653

Facile synthesis of bidimensional ferrocenyl-based branched oligomers by palladium-catalyzed coupling reactions, **637-639**, 191

^{57}Fe-NMR spectroscopy revisited: ferrocene derivatives containing heterosubstituents, **630**, 263

Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, **637-639**, 230

Synthesis of ferrocenylketyl radicals by chromium(II) complexes, **637-639**, 813

Ferrocenesulfonamide

Ferrocene derivatives (I). Synthesis and X-ray structure determination of *N*-*o*-methylphenylferrocenesulfonamide, **637-639**, 738

Ferrocenesulfonyl chloride

Ferrocene derivatives (I). Synthesis and X-ray structure determination of *N*-*o*-methylphenylferrocenesulfonamide, **637-639**, 738

Ferrocenium ion rearrangement

Redox behavior of boronato-functionalized 1,1′-bis(diphenylphosphino)ferrocenes, **637-639**, 800

Ferrocenophane

Synthesis and structure of an alkylgallium bridged [1.1]ferrocenophane, **637-639**, 300

[1]Ferrocenophane

Bis[bis(trimethylsilyl)cyclopentadienyl]selane as a ligand: selena-2,2′,4,4′-tetrakis(trimethylsilyl)-[1]ferrocenophane and 1,2,3-triselena-2,2′,4,4′-tetrakis(trimethylsilyl)-[3]ferrocenophane, **637-639**, 745

[3]Ferrocenophane
Bis[bis(trimethylsilyl)cyclopentadienyl]selane as a ligand: selena-2,2',4,4'-tetrakis(trimethylsilyl)-[1]ferrocenophane and 1,2,3-triselena-2,2',4,4'-tetrakis(trimethylsilyl)-[3]ferrocenophane, **637-639**, 745
Ferrocenophanes
Characterization and electrochemical study of bis(ferrocenes) with a furan spacer and ferrocenophanes prepared from α-bromoacetyl substituted ferrocenes, **637-639**, 258
[1]Ferrocenophanes
Synthesis and characterization of new germylferrocenyl, germylferrocenophane and polymeric germyleneferrocenylene systems, **637-639**, 664
Ferrocenophanes
A rapid approach to ferrocenophanes via ring-closing metathesis, **637-639**, 669
Formation and structural characterization of amino-substituted [3]ferrocenophanes derived from intramolecular Mannich-type coupling reactions at the metallocene framework, **637-639**, 621
Ferrocenoyl equivalent
An investigation of the chemistry of ferrocenoyl derivatives. The synthesis and reactions of ferrocenoyl imidazolide and its derivatives, **637-639**, 266
Ferrocenoyl imidazolide
An investigation of the chemistry of ferrocenoyl derivatives. The synthesis and reactions of ferrocenoyl imidazolide and its derivatives, **637-639**, 266
Ferrocenyl
(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, **637-639**, 182
Ferrocenylalcohols
Synthesis and characterization of ferrocenylalcohol derivatives of hexachlorocyclotriphosphazene. X-ray crystal structure of $N_3P_3Cl_5OCH_2CH_2C_5H_4FeCp$, **637-639**, 284
1-Ferrocenyl(2-(4-alkyl)pyridiniumyl)ethylene iodides
Synthesis and nonlinear optical properties of a range of 1-ferrocenyl(2-(4-alkyl)pyridiniumyl)ethylene iodides, **631**, 59
Ferrocenyl amines
Metal-directed assembly of polyferrocenyl transition metal dithiocarbamate macrocyclic molecular boxes, **637-639**, 89
Ferrocenyl–carbenium
A comparison of ferrocenyl carbenium/non-carbenium structures in isomeric osmium cluster complexes obtained from the reaction of bis-ferrocenylbutadiyne with $Os_3(CO)_{10}(\mu\text{-py})(\mu\text{-H})$, **637-639**, 514
Ferrocenyl chalcone
Bromination of ferrocene chalcone derivatives mediated by β-cyclodextrin, **627**, 93
Ferrocenyl complexes
[2 + 2 + 2] Cyclotrimerisation of bisaryl acetylene bearing ferrocenyl units with planar chirality: synthesis of enantiopure conjugated polyferrocene complexes, **637-639**, 84
Ferrocenyl compounds
Water soluble ferrocenyl and polyferrocenyl compounds: synthesis and electrochemistry, **637-639**, 595
Ferrocenyl-derived ligands
Novel ferrocene modified *P,N*-ligands for enantioselective palladium-catalyzed allylic substitution reactions, **637-639**, 762
1,1'-Ferrocenyl diketones
Asymmetric synthesis of planar chiral 2-mono- and 2,2'-disubstituted 1,1'-bisbenzoylferrocenes, **637-639**, 698
Ferrocenyl diphosphines
Tunable ferrocenyl diphosphine ligands for the Ir-catalyzed enantioselective hydrogenation of *N*-aryl imines, **621**, 34
Ferrocenylene phosphine
Palladium(II) phosphine thiocarboxylates. Structures of *cis*-Pd(κ*S*-SOCMe)$_2$(dppf) [dppf = 1,1'-bis(diphenylphosphino)ferrocene] and *trans*-Pd(κ*S*-SOCMe)$_2$(PPh$_3$)$_2$, **637-639**, 757
Ferrocenylethene derivative
Solvent-free synthesis of ferrocenylethene derivatives, **625**, 128
Ferrocenylimidazole derivatives
An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, **634**, 122
Ferrocenylimine
Cyclopalladated ferrocenylimines: highly active catalysts for Heck reactions, **637-639**, 793
Studies on the cyclometallation of ferrocenylimines, **637-639**, 27
Ferrocenyl naphthalene diimide
Ferrocenyl naphthalene diimide can bind to DNA·RNA hetero duplex: potential use in an electrochemical detection of mRNA expression, **637-639**, 476
Ferrocenyloxazoline
Octahedral ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(S_p)-2-(diphenylphosphino)ferrocenyl]-4-(isopropyl) oxazoline (FcPN). X-Ray crystal structures of *fac*-[RuCl$_2$(PMe$_3$)$_2$(FcPN)] and *fac*-[RuCl$_2$(dppm)(FcPN)] (dppm = bis(diphenylphosphino)methane), **637-639**, 463
Ferrocenylphosphine
Octahedral ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(S_p)-2-(diphenylphosphino)ferrocenyl]-4-(isopropyl) oxazoline (FcPN). X-Ray crystal structures of *fac*-[RuCl$_2$(PMe$_3$)$_2$(FcPN)] and *fac*-[RuCl$_2$(dppm)(FcPN)] (dppm = bis(diphenylphosphino)methane), **637-639**, 463
Ferrocenyl phosphine
Synthesis and characterisation of rhodium(0) and rhodium(−1) complexes stabilised by 1,1'-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [Rh(dppf)$_2$] and [Na(THF)$_5$][Rh(dppf)$_2$]·THF, **637-639**, 710
Ferrocenylpyrazole
Synthesis, structures and electrochemical properties of Group 6 metal carbonyl complexes containing ferrocenylpyrazole ligands, **637-639**, 209
Ferrocenyl substituted olefins
Ferrocenyl substituted chlorostilbenes and butadienes, **637-639**, 616
4-Ferrocenyl-2-thiazolamine
Ferrocene derivatives (II). Synthesis and reactions of 4-ferrocenyl-2-thiazolamine, **637-639**, 742
Ferromagnetism
Ferrocene as a ferromagnetic coupler. Synthesis and characterization of a ferrocene bridged polychlorotriphenylmethyl diradical, **637-639**, 251
First hyperpolarizability
Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of [FeCp(DPPE)(*p*-NCC$_6$H$_4$NO$_2$)][PF$_6$]·CH$_2$Cl$_2$, **619**, 252
Fischer carbene
β-Lactams (including polycyclic) derived from chromium carbenes, **629**, 114
Fischer carbene complexes
Carbon nucleophile addition to sp^2-unsaturated Fischer carbene complexes, **624**, 5
Solution and solid state conformation of Fischer carbene complexes vis-à-vis conformation of aryl carboxamides: complexation of the aromatic ring by tricarbonylchromium makes a difference, **617-618**, 709

Fischer-type carbene complexes
(Diazomethyl)silyl-functionalized Fischer-type carbene complexes, **617-618**, 339
Fischer-type carbenes
Transition metal ('Fischer-type') carbene complexes as protein labelling reagents, **617-618**, 376
Flash photolysis
A matrix isolation and flash photolysis study of the cyclization reactions of chromium amino carbenes, **617-618**, 269
Fluorene
Synthesis, structures and electrochemistry of bis(alkynylferrocene) complexes with fluorene spacers, **637-639**, 159
Fluorenyl
Fluorenyl derivatives of early transition elements: a synthetic and structural study, **631**, 110
Synthesis, characterization and polymerization properties of isopropylidene(η^5 - 3 - neomenthylcyclopentadienyl)(η^5 - fluorenyl)zirconium dichloride, **625**, 154
Fluoride
Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with $[Fe(\eta\text{-}C_5H_5)(CO)_2(L)]^+$ salts and $[Fe(\eta\text{-}C_5H_5)(CO)_2X]$ complexes, **629**, 182
Fluoride ion mediated
Fluoride ion mediated reactions of disubstituted acetylenes $Me_3SiC{\equiv}CMe_3$ (M = C, Si, Ge, Sn) with terminal acetylenes, **634**, 69
Fluorinated arsines
New routes to diarsenes and arsaphosphenes involving fluorinated arsines, **619**, 275
Fluorinated ligands
Highly efficient enantioselective catalysis in supercritical carbon dioxide using the perfluoroalkyl-substituted ligand (*R,S*)-3-H^2F^6-BINAPHOS, **621**, 130
Fluorinating reagents
Preparation of bistrimethylsilylmethylniobiumtetrafluoride and the application of KHF_2 and n-Bu_4NHF_2 as fluorinating reagents, **621**, 310
Fluoroalkyl complexes
ω-Monofluoroalkylrhodoximes: synthesis and structures of $[Rh\{(CH_2)_nF\}(dmgH)_2(PPh_3)]$ (n = 1, 3) and C–F activation reactions, **622**, 172
Fluoroarsinylphosphine
New routes to diarsenes and arsaphosphenes involving fluorinated arsines, **619**, 275
Fluoro–lithium exchange
Generation of allylic and benzylic organolithium compounds by fluorine–lithium exchange: reaction with electrophiles, **624**, 53
Fluoromethane
Density functional studies of the reactivity in the C–F bond activation of fluoromethane by bare lanthanum monocation, **640**, 121
Fluorophosphine
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Fluxional
Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[M(\eta^1\text{-}P_3C_2Bu_2)_2(NC_5H_5)_n]$ (M = Zn, n = 2; M = Cd, n = 3), **633**, 143
Fluxionality
Stereochemically non-rigid transition metal complexes of 2,6-bis(phenyliminomethyl)pyridine and derivatives. Crystal structure of *fac*-[ReBr(CO)$_3$(PMTFA)] (PMTFA = 2,6-pyridylene-bis-(methylene-2-trifluoromethylaniline), **631**, 125
Force constants
Force constant calculations for octahedral complexes of the type $M(CO)_5L$, based on the CO-factored force field, **640**, 37
Formamidines
Reactions of $InMe_3$ with isocyanides in the presence of amines: chemical and mass spectrometric evidence of unprecedented insertion into In–N bonds, **626**, 11
Formyl complex
Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, **619**, 299
Four-membered rings
Reaction chemistry, NMR spectroscopy, and X-ray crystallography of $[Fe_2(\mu\text{-}SiMe_2)_2(CO)_4]$ and $[Fe_2(\mu\text{-}SiMeCl)_2(CO)_4]$. Electronic structure and bonding in Fe_2E_2 rings of $[Fe_2(\mu\text{-}ER'_2)_2(CO)_4]$ binuclear complexes (E = C, Si, Ge, Sn, Pb), **628**, 241
Fragmentation
Fragmentation of a As_4Ph_4-chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $Fe_2(CO)_9$, **625**, 245
New preparation of benzylic zinc reagents via a fragmentation reaction, **624**, 88
Free aryldiazene
Preparation of aryldiazene complexes of rhodium, **627**, 99
Free radicals
Spin chemistry of organometallic compounds: Part 1. Interaction of *N*-bromohexamethyldisilazane with allyltriethylstannane, **636**, 12
FT-ICR/MS
Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes $Fe(CO)_5$ and $Fe(C_5H_5)_2$, **632**, 126
FTIR
Vibrational spectra and structure of the cyclopentadienyl-anion (Cp^-), the pentamethylcyclopentadienyl-anion (Cp^{*-}) and of alkali metal cyclopentadienyls CpM and Cp*M (M = Li, Na, K), **627**, 55
FT-Raman spectroscopy
The metal–carbon stretching frequencies in methyl complexes of Rh, Ir, Ga and In with porphyrins and a tetradentate pyridine–amide ligand, **634**, 61
Vibrational spectra and structure of the cyclopentadienyl-anion (Cp^-), the pentamethylcyclopentadienyl-anion (Cp^{*-}) and of alkali metal cyclopentadienyls CpM and Cp*M (M = Li, Na, K), **627**, 55
[60]Fullerene
Copper(I) complexes with the hexaazafulleroid $C_{60}(NR)_6$, derived from (2*S*,4*S*)-4-azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine as multitopic ligand. Catalytic properties in oxidation of sulfides, **627**, 159
Fullerene
The photochemical reaction of 1,2-digermacyclobutane with C60: possible example of a closed [6,5]-bridged fullerene derivative of germacyclopropane, **636**, 82
Fulvene
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)(η^5-fluorenyl)zirconium dichloride, **625**, 154
Functionalised metallocene compounds
Synthesis of metallocenes of zirconium, hafnium, manganese, iron, tin, lead and half-sandwich complexes of rhodium and iridium containing the ligands $(\eta\text{-}C_5R_4CR'_2PMe_2)$, where R and R′ may be H or Me, **640**, 93
Functionalised vinylstannanes
Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, **625**, 86

Functional phosphines
Chelating behaviour of a phosphinoalcohol leading to a stable alcohol palladium complex, **621**, 218

Gallium
Monomeric Group 13 compounds with bidentate (N,O) ligands, **628**, 71
On the chemistry of gallium: Part 19. Synthesis and crystal structure analysis of novel complexes containing Ga–$FeCp(CO)_2$-fragments, **626**, 82
Synthesis and structure of an alkylgallium bridged [1.1]ferrocenophane, **637-639**, 300
The hydrogallation of C=N double bonds — reactions of $GaH_3{\cdot}NMe_2Et$ with tetramethyl-2,3-diazabutadiene, **634**, 193

Gallium cyclopentadienide derivatives
Chemistry of (tetramethylcyclopentadienyl)gallium(III) compounds, **626**, 59

Gallium–iron bond
On the chemistry of gallium: Part 19. Synthesis and crystal structure analysis of novel complexes containing Ga–$FeCp(CO)_2$-fragments, **626**, 82

Gas phase
Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes $Fe(CO)_5$ and $Fe(C_5H_5)_2$, **632**, 126

Gas-phase chemistry
Entropy effects in gas phase ion-molecule association reactions, **626**, 24

Germanium
Five- and six-membered ring Group 14 chalcogenides of the types $(Me_2ME)_3$ (M = Si, Ge, Sn), $E(Si_2Me_4)_2E$, $Me_4Si_2(E)_2MR_x$ ($MR_x = C(CH_2)_2$, $SiMe_2$, $GeMe_2$, $SnMe_2$, $SnPh_2$, BPh) and $[Me_4Si_2(E)_2SiMe-]_2$ (E = S, Se, Te), **627**, 23
Syntheses and pharmacological characterization of achiral and chiral enantiopure C/Si/Ge-analogous derivatives of the muscarinic antagonist cycrimine: a study on C/Si/Ge bioisosterism, **640**, 140
Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type $H_2NCH(CH_2ElR_3)COOH$ (El = Si, Ge; R = organyl) and incorporation of D-$H_2NCH(CH_2SiMe_3)COOH$ and D-$H_2NCH(CH_2GeMe_3)COOH$ into biologically active decapeptides: a study on C/Si/Ge bioisosterism, **628**, 183
Synthesis, characterization and antitumor activity of some arylantimony triphenylgermanylpropionates and crystal structures of $Ph_3GeCH(Ph)CH_2CO_2SbPh_4$ and $[Ph_3GeCH_2CH(CH_2)CO_2]_2Sb(4\text{-}ClC_6H_4)_3$, **620**, 235
The addition of oxygen to tetramesityldigermene, **636**, 130
The photochemical reaction of 1,2-digermacyclobutane with C60: possible example of a closed [6,5]-bridged fullerene derivative of germacyclopropane, **636**, 82

Germasilene
Reaction of disilagermirenes with phenylacetylene: from a germasilene –Ge–Si– to a metalladiene of the type –Si–Ge–C=C–, **636**, 41

Germastannation
Synthesis of (*Z*)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via $Pd(dba)_2$–$P(OCH_2)_3CEt$-catalyzed germastannation of acetylenes in THF, **622**, 302

Germatrane
New approach to 1-(phenylethynyl)germatranes and 1-(phenylethynyl)-3,7,10-trimethylgermatrane. Reactions of 1-(phenylethynyl)germatrane with *N*-bromosuccinimide and bromine, **627**, 1
Structure of an oxo-bridged germatrane dimer, **620**, 133

μ-Germene
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, **635**, 173

Germiranes
Time-resolved gas-phase kinetic study of the reaction of germylene with propene over the temperature range 293–415 K: the thermal stabilities of germiranes, **636**, 49

Germylene
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, **635**, 173
New synthesis of a stable dialkylstannylene and its reversible complexation with tetrahydrofuran, **636**, 144
Time-resolved gas-phase kinetic study of the reaction of germylene with propene over the temperature range 293–415 K: the thermal stabilities of germiranes, **636**, 49

Germyleneferrocenylene systems
Synthesis and characterization of new germylferrocenyl, germylferrocenophane and polymeric germyleneferrocenylene systems, **637-639**, 664

Germylenes
Stereoselective insertion of $GeCl_2$ into tungsten–chlorine bonds of aminomethylene and aminocarbyne complexes, **628**, 11

Germylferrocenophane
Synthesis and characterization of new germylferrocenyl, germylferrocenophane and polymeric germyleneferrocenylene systems, **637-639**, 664

Germylstannane
Synthesis of (*Z*)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via $Pd(dba)_2$–$P(OCH_2)_3CEt$-catalyzed germastannation of acetylenes in THF, **622**, 302

Germylstannanes
Palladium complex-catalyzed germylation of allylic halides using (germyl)stannanes, **619**, 313

GIAO calculations
Aminopropylsilanes versus silatranes: an experimental and theoretical study, **625**, 148

Glucose oxidase
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, **637-639**, 469

Glycals
Organotransition metal modified sugars: Part 22. Direct metalation of glycals: short and efficient routes to diversely protected stannylated glycals, **624**, 172

Glycosylidenes
Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, **617-618**, 119

GnRH antagonists
Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type $H_2NCH(CH_2ElR_3)COOH$ (El = Si, Ge; R = organyl) and incorporation of D-$H_2NCH(CH_2SiMe_3)COOH$ and D-$H_2NCH(CH_2GeMe_3)COOH$ into biologically active decapeptides: a study on C/Si/Ge bioisosterism, **628**, 183

Gold
Gold(III) thiosalicylate complexes containing cycloaurated 2-arylpyridine, 2-anilinopyridine and 2-benzylpyridine ligands, **631**, 41
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, **633**, 114

Synthesis and characterisation of four- and eight-membered ring auralactam complexes, **620**, 182
Synthesis and characterisation of some azo-containing phosphine complexes of Au(I): crystal and molecular structure of [Au(C≡CPh){6-P(Ph)$_2$-1-(4-Me$_2$N–C$_6$H$_4$N$_2$)–C$_{10}$H$_5$-2-OH}]·CHCl$_3$, **629**, 153
Transition metal clusters containing carbosilane dendrimers, **619**, 245
Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, **622**, 33
Gold compounds
Electrochemical behaviour of cyclometallated gold(III) complexes. Evidence of transcyclometallation in the fate of electroreduced species, **622**, 47
Grignard reagents
Alkylation of nitroarenes with Grignard reagents via oxidative nucleophilic substitution of hydrogen, **624**, 167
Iron catalyzed hydrodebromination of 2-aryl-1,1-dibromo-1-alkenes, **624**, 131
Group 15
The synthesis and structural characterisation of a diphosphastibolyl potassium complex, [{[K(DME)][1,4,2-P$_2$SbC$_2$-Bu$^t_2$]}$_\infty$], and a novel hetero-cage compound, **622**, 61
Group 2
Formation and crystal structures of a monomer–dimer pair of mono(cyclopentadienyl)calcium complexes, [C$_5$(*t*-Bu)$_3$H$_2$]$_2$CaI(THF)$_2$ and {[C$_5$(*t*-Bu)$_3$H$_2$]$_2$CaI(THF)}$_2$, **626**, 43
Group 13
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, **629**, 109
Group 15
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, **629**, 109
Group 4 and 5 metals
Preparation of bistrimethylsilylmethylniobiumtetrafluoride and the application of KHF_2 and *n*-Bu$_4$NHF$_2$ as fluorinating reagents, **621**, 310
Group 14 chalcogenides
Group 14 chalcogenides featuring a bicyclo[3.3.0]octane skeleton, **630**, 139
Group 13-diyl
Understanding the nature of the bonding in transition metal complexes: from Dewar's molecular orbital model to an energy partitioning analysis of the metal–ligand bond, **635**, 9
Group IV transition metals
Synthesis and characterisation of [M(η^5-NC$_4$Me$_4$)(CH$_2$Ph)$_3$] (M = Ti, Zr, Hf) and [Ti(η^5-NC$_4$Me$_4$)(Me)Cl$_2$]. Structural determination and bonding of [Ti(η^5-NC$_4$Me$_4$)(Me)Cl$_2$] depicting an agostic interaction, **632**, 157
Group IX and X complexes
1,1′,2,2′-Tetrakis(diphenylphosphino)-4,4′-di-*tert*-butylferrocene, a new *cisoid* arrangement of phosphino groups, **637-639**, 126
Group 4 metals
Amido functionalized *ansa* half-sandwich dichloride complexes of titanium, zirconium and hafnium with alkyl and ω-alkenyl substituents as homogeneous and self-immobilizing catalyst precursors for ethylene polymerization, **628**, 169
ω-Phenylalkyl substituted amido functionalized *ansa* half-sandwich complexes of titanium and zirconium and metallacycles thereof as catalyst precursors for homogeneous ethylene polymerization, **628**, 211
Groups VI and VII transition metals
Complexes of P(III)-phosphocavitands with Groups VI and VII transition metal carbonyls, **631**, 1
Group VI complexes
Synthesis and crystal structures of chromium and molybdenum complexes containing the 2,4,6-tris(trifluoromethyl)phenyl ligand, **631**, 181
Grubbs' ruthenium catalyst
Synthesis of (−)-coniine and (−)-pipecoline using ruthenium catalyzed ring closing metathesis, **624**, 359
Hafnium
Preparation and crystal structures of the complexes (η^5-C$_5$H$_3$TMS–CMe$_2$–η^5-C$_{13}$H$_8$)MCl$_2$ and [3,6-di^{t}ButC$_{13}$H$_6$–SiMe$_2$–N^{t}Bu]MCl$_2$ (M = Hf, Zr or Ti): mechanistic aspects of the catalytic formation of a isotactic–syndiotactic stereoblock-type polypropylene, **621**, 267
Synthesis and X-ray crystal structures of *ansa*-complexes of titanium, zirconium, and hafnium involving methylene-bis(indenyl) ligand, **619**, 280
Hafnium complexes
η^5-C$_5$H$_5$- and η^5-C$_5$Me$_5$-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate C$_6$H$_4$S$_8$ ligand and high electrical conductivities of their oxidized species, **625**, 7
Half-metallocene fragments
'*Supine*' or '*prone*' ligands: geometric preference of conjugated diene, 1-azadiene, and 1,4-diazadiene ligands on half-metallocene complexes of early transition metals, **621**, 224
Half-sandwich
Interaction of half-sandwich alkylmolybdenum(III) complexes with B(C$_6$F$_5$)$_3$. The X-ray structure of [CpMo(η^4-C$_4$H$_6$)(μ-Cl)(μ-CH$_2$)(O)MoCp][CH$_3$B(C$_6$F$_5$)$_3$], **640**, 113
Half-sandwich complexes
1,4-Diaza-1,3-diene (DAD) complexes of early transition elements. Syntheses, structures and molecular dynamics of mono- and bis(η^5-cyclopentadienyl)titanium-, zirconium- and hafnium(DAD) complexes. Crystal- and molecular structures of CpTi(DAD)CH$_2$Ph, [CpTi(DAD)]$_2$O, CpZr[-(DAD)(N^O)] and Cp$_2$Hf(DAD), **626**, 243
Hindering the formation of ferrocenes: mono(cyclopentadienyl)halo iron complexes [Fe(C$_5$R$_4$)X] containing a sterically bulky cyclopentadienyl ligand, **637-639**, 786
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of [Zr(Ind)$_2$(NC$_3$H$_6$)$_2$], **632**, 58
Half-sandwich lanthanoid complexes
Synthesis and characterization of polynuclear half-sandwich lanthanoid complexes [Na(THF)$_6$]$_2$[Cp$^*_6$Sm$_6$Se$_{13}$] and [Li(THF)$_4$]$_2$[Cp$^*_6$Nd$_6$Se$_{13}$], **631**, 94
Half-sandwich metallocene
New half-sandwich metallocene catalysts for polyethylene and polystyrene, **634**, 19
Haloalkyl ligand
Preparation and properties of the halogenoalkyl compounds [(η^5-C$_5$H$_5$)(CO)$_2$(PPh$_i$Me$_{3-i}$)Mo{(CH$_2$)$_n$X}] (n = 3, 4; i = 0–3; X = Br, I) and [{η^5-C$_5$(CH$_3$)$_5$}(CO)$_3$Mo{(CH$_2$)$_n$X}] (n = 3, 4; X = Br, I) and the crystal structures of [(η^5-C$_5$H$_5$)(CO)$_3$W{(CH$_2$)$_3$I}], [(η^5-C$_5$H$_5$)(CO)$_3$W{(CH$_2$)$_3$Br}] and [(η^5-C$_5$H$_5$)(CO)$_2$(PPh$_3$)Mo{(CH$_2$)$_3$I}], **633**, 39
Halogenations
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, **623**, 3
Halogenomethylenediphosphonate
Controlled monohalogenation of phosphonates: Part IV. Selective synthesis of monohalogenomethylenediphosphonates, **624**, 203
Hapticity change
Mechanism of the electrochemical reduction of [Fe(η^5-C$_6$H$_7$)(CO)$_3$][PF$_6$] — a theoretical approach to the intermediates, **632**, 49

Haptotropic shifts
Ferrocenes derived from cyclopenta[*l*]phenanthrene: dibenzindene–metal complexes that resist haptotropic shifts, **637-639**, 372
2*H*-Azaphosphirene complexes
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, **617-618**, 423
Heck-couplings
N-Acyl-*N*,*N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, **622**, 6
Heck reaction
Cyclopalladated ferrocenylimines: highly active catalysts for Heck reactions, **637-639**, 793
NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, **622**, 89
Rigid rod molecules containing two $Si(OMe)_3$ or $SiMe(OMe)_2$ groups for hybrid materials synthesis, **626**, 92
Heck reactions
Heck arylation of allylic alcohols in molten salts, **634**, 153
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, **617-618**, 616
Hemilabile amphiphilic phosphines
Palladium(II) complexes with hemilabile amphiphilic phosphines, **626**, 139
Hemilabile ligand
Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N*,*P*,*N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, **634**, 90
Synthesis of new rhodium complexes with a hemilabile nitrogen-containing bis(phosphinite) or bis(phosphine) ligand. Application to hydroformylation of styrene, **626**, 221
Hemilabile ligands
Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, **622**, 66
Hemilability
Thioether- and selenoether-carboxylates in palladium chemistry: conclusive proof of hemilabile properties of O–Se ligands, **619**, 164
Heptahexaene
In situ synthesis of the first C_7 cumulene $(Fc)_2C{=}C{=}C{=}C{=}C{=}C(Fc)_2$ via deprotonation of its conjugate acid $[(Fc)_2C_7H(Fc)_2]^+ BF_4^-$ (Fc = ferrocenyl), **622**, 135
Heteroatom nucleophiles
Rhodium-catalysed asymmetric ring opening of oxabicyclic alkenes with heteroatom nucleophiles, **624**, 259
Heterocumulene
2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand, **617-618**, 640
Heterocumulenes
Investigation into the reactivity of oxoniobocene complexes $[Cp^*_2Nb(=O)R]$ ($Cp^* = \eta^5$-C_5Me_5; R = H, OH, OMe) towards heterocumulenes: formation of carbamato and thiocarbamato complexes and catalytic cyclization of PhNCO, **634**, 47
Heterocycle
The synthesis and structural characterisation of a diphosphastibolyl potassium complex, $[\{[K(DME)][1,4,2\text{-}P_2SbC_2\text{-}Bu^t_2]\}_\infty]$, and a novel hetero-cage compound, **622**, 61
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, **629**, 109
Heterocycles
A new class of triazepine–ruthenium(II) complexes: synthesis, crystal structure and NMR spectroscopic properties, **619**, 265
Bridge cleavage of $[\{PhP(Se)(\mu\text{-}Se)\}_2]$ by $1,2\text{-}C_6H_4(EH)(E'H)$ (E, E' = O or NH). X-ray crystal structure of $Ph\text{-}P(Se)(NHC_6H_4NH\text{-}1,2)$, **623**, 116
The hydrogallation of C=N double bonds — reactions of $GaH_3{\cdot}NMe_2Et$ with tetramethyl-2,3-diazabutadiene, **634**, 193
Heterocyclic carbene complexes
Palladium(II) complexes containing mono-, bi- and tridentate carbene ligands. Synthesis, characterisation and application as catalysts in C–C coupling reactions, **617-618**, 546
Heterocyclic carbenes
Electrophilic C(2)-functionalization of nitronyl nitroxides: a reference to *N*-heterocyclic carbenes, **617-618**, 473
Heterocyclic compounds
Cyclopropenation of organometallic vinylidene complexes, **617-618**, 141
Heterocyclylbiferrocene
Synthesis of 1′,1‴-bis(heterocyclyl)biferrocene compounds, **637-639**, 723
Heterodinuclear metal complexes
Synthesis of homo- and heterodinuclear metal complexes with dimethylsilylene bridged unsymmetrical bis(cyclopentadienyl) ligand, **634**, 109
Heterogeneous catalysis
Bis(pyrimidine)-based palladium catalysts: synthesis, X-ray structure and applications in Heck–, Suzuki–, Sonogashira–Hagihara couplings and amination reactions, **634**, 39
Chiral dioxomolybdenum(VI) complexes for enantioselective alkene epoxidation, **626**, 1
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, **617-618**, 110
Heterogenised catalyst
Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, **627**, 37
heterometallic alkoxides
New heterometallic copper zinc alkoxides: synthesis, structure properties and pyrolysis to Cu/ZnO composites, **630**, 253
Heterometallic cluster
Selective CO oxidation of heterometallic carbonyl clusters with the oxygen transfer reagent $(p\text{-}CH_3OC_6H_4)_2TeO$. Crystal structures of $(\mu_3\text{-}S)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$ and $(\mu_3\text{-}Se)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$, **619**, 194
Heteronuclear derivatives
Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of $[AgSn(\mu\text{-}SC_6H_4PPh_2)_2Me_2(PPh_2Me)]CF_3SO_3{\cdot}CH_2Cl_2$, **622**, 274
Heteropolyacid
A new efficient Pd-catalyzed synthesis of diphenyl carbonate with heteropolyacid as a cocatalyst, **630**, 11
Heterotridentate
The synthesis of new complexes of rhenium(I) with heterotridentate [P,N,O] ligands, **626**, 181
Hexaazafulleroid
Copper(I) complexes with the hexaazafulleroid $C_{60}(NR)_6$, derived from (2*S*,4*S*)-4-azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine as multitopic ligand. Catalytic properties in oxidation of sulfides, **627**, 159
Hexachloroiridate
Cation–anion interactions in triphenyl telluronium salts. The crystal structures of $(Ph_3Te)_2[MCl_6]$ (M = Pt, Ir), $(Ph_3Te)[AuCl_4]$, and $(Ph_3Te)(NO_3){\cdot}HNO_3$, **640**, 50

Hexachloroplatinate
Cation–anion interactions in triphenyl telluronium salts. The crystal structures of $(Ph_3Te)_2[MCl_6]$ (M = Pt, Ir), $(Ph_3Te)[AuCl_4]$, and $(Ph_3Te)(NO_3)\cdot HNO_3$, **640**, 50
1-Hexene
Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, **622**, 112
Hex-1-ene
Oxidative esterification of alkenes via π- and σ-organopalladium complexes: new pathways for the reaction, **636**, 69
3-Hexyne
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), **622**, 228
High dilution
Preparation, properties, and reactions of metal-containing heterocycles: Part CV. Synthesis and structure of polyoxadiphosphaplatinaferrocenophanes, **630**, 266
High performance liquid chromatography
High performance liquid chromatography for facile analytical separation of the enantiomers of chiral organometallic complexes, **621**, 242
High-valent
The effect of solubility on the stability of titanium(IV) arene complexes derived from hexasubstituted arenes and $TiCl_4$, **620**, 113
^{1}H-NMR
Reactivity of lithium diphenylphosphonium diylides towards phosphorus electrophiles: Synthesis of α,β-unsaturated phosphorus compounds, **624**, 307
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81
Homocoupling
Synthesis of 1′,1‴-bis(heterocyclyl)biferrocene compounds, **637-639**, 723
Homodinuclear metal complexes
Synthesis of homo- and heterodinuclear metal complexes with dimethylsilylene bridged unsymmetrical bis(cyclopentadienyl) ligand, **634**, 109
Homogeneous catalysis
Chiral platinum and palladium complexes containing functionalized C_2-symmetric bisaminoaryl 'Pincer' ligands, **624**, 271
Highly efficient enantioselective catalysis in supercritical carbon dioxide using the perfluoroalkyl-substituted ligand (*R,S*)-3-H^2F^6-BINAPHOS, **621**, 130
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, **622**, 286
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, **617-618**, 110
Homogeneous polymerization
ω-Phenylalkyl substituted amido functionalized *ansa* half-sandwich complexes of titanium and zirconium and metallacycles thereof as catalyst precursors for homogeneous ethylene polymerization, **628**, 211
Homogeneous redox catalysis
Highly reactive σ-organonickel complexes in electrocatalytic processes, **630**, 185
Homogeneous Ziegler-Natta catalysis
Group 4 metallocenes containing hetaryl substituents at their π-ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, **622**, 143
Homogeneous Ziegler–Natta catalysts
Alkylaminophosphanyl substituted half-sandwich complexes of vanadium(III) and chromium(III): preparation and reactivity in ethylene polymerisation, **640**, 21
Preparation and structural features of 1-(2-pyridyl)- and 1-(2-furyl)indenyl-zirconium complexes, **621**, 197
Homogenous catalysis
Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, **617-618**, 288
Homoleptic carbene complexes
Homoleptic carbene complexes: Part VIII. Hexacarbene complexes, **617-618**, 530
Homolytic substitution
Spin chemistry of organometallic compounds: Part 1. Interaction of *N*-bromohexamethyldisilazane with allyltriethylstannane, **636**, 12
Horner–Wadsworth–Emmons reaction
Ferrocenyl substituted chlorostilbenes and butadienes, **637-639**, 616
Host–guest chemistry
Experimental and theoretical study of the interaction of molybdenocene dichloride (Cp_2MoCl_2) with β-cyclodextrin, **632**, 11
H-tube test
Synthesis of azacrown ethers modified with side-chains containing germanium, **636**, 108
Hybrid silica gels
Functional chiral hybrid silica gels prepared from (*R*)- or (*S*)-binaphthol derivatives, **627**, 239
Hydrazides
Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, **617-618**, 399
Hydrazine
Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, **625**, 217
Hydrazino carbenes
Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, **617-618**, 399
Hydrazone complexes
Methylidene and hydrazone complexes of the cluster family: $Cp^*_3M_3(CO)_2(CH_2)$ (M = Co, Rh, Ir), **617-618**, 561
Hydrazones
Asymmetric synthesis of planar chiral 2-mono- and 2,2′-disubstituted 1,1′-bisbenzoylferrocenes, **637-639**, 698
Hydride
Stabilisation of alkynyl dithiocarboxylates at a ruthenium centre: X-ray crystal structures of $[Ru(H)(CO)(S_2CC{\equiv}CPh)(PPh_3)_2]$, $[Ru(CO)(CPh{=}CHPh)(S_2CC{\equiv}CPh)(PPh_3)_2]$ and $[Ru(CO)(C{=}CMes)(S_2CC{\equiv}CPh)(PPh_3)_2]$, **619**, 209
Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane: $[Mo(\eta^5\text{-}C_5H_5)_2(H)CO]\text{-}[Mn_3(CO)_9(\mu\text{-}SC_6H_5)_4]$, **620**, 276
Hydride abstraction
$(\eta^5\text{-}C_5H_5)$-Ring alkylation reaction with the $C_5H_5^-$ anion: towards the construction of tri-Fe complex $Fe\{[\mu,\eta^5{:}\eta^4\text{-}5\text{-}exo\text{-}(1'\text{-}C_5H_4)C_5H_5]Fe(CO)_2(PPh_3)\}_2$, **637-639**, 549
Hydride complex
Reaction between the thiocarbonyl complex, $Os(CS)(CO)(PPh_3)_3$, and propyne: crystal structure of a new sulfur-substituted osmabenzene, **623**, 109
Hydrides
Aluminium zirconium (+3 and +4) heterometallic hydrido complexes of compositions $[(\eta^5\text{-}C_5H_5)_2Zr(\mu\text{-}H)]_2(\mu\text{-}H)AlCl_2$ and $[(\eta^5\text{-}C_5H_5)_2ZrH(\mu\text{-}H)_2]_3Al$, **619**, 36
Hydridoaluminates
A study of Noyori's reagent, **621**, 231

Hydridoborates
Cyclic organohydroborate complexes of metallocenes: Part VI. Syntheses and structures of $Cp_2M\{(\mu\text{-}H)_2BR_2\}$ (M = Ti, Nb; $R_2 = C_4H_8$, C_5H_{10}, C_6H_{14}), **627**, 109
Hydrido complexes
New types of non-classical interligand interactions involving silicon based ligands, **635**, 24
Hydrido ligands
Reactions of the cationic complex $[(\eta^5\text{-}C_5Me_5)_2Ir_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, **634**, 12
Hydridotris(3,5-dimethylpyrazolyl)borate
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, **617-618**, 520
Hydrido-trispyrazolylborate
Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, **617-618**, 301
Hydroamination
Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, **622**, 149
Hydrodebromination
Iron catalyzed hydrodebromination of 2-aryl-1,1-dibromo-1-alkenes, **624**, 131
Hydrodesulfurization
Formation of rhodium carbonyl thiolate dimers via elimination of dihydrogen; crystal and molecular structure of $[Rh_2(CO)_4(\mu\text{-}SC_6H_4CH_3)_2]$, **623**, 65
Reactions of Cp*Ir(2,5-dimethylthiophene) with electrophiles, acids, and maleic anhydride, **621**, 55
Synthesis and characterization of new thioether derivatives of $[Os_3(CO)_{12}]$ and $[H_2Os_3(CO)_{10}]$; crystal and molecular structures of $[Os_3(CO)_{11}(L)]$ [Et_2S, Pr_2S, $S(CH_2)_4$] and $[Os_3(CO)_9(\mu\text{-}H)(\mu\text{-}X)\{SMe(Bu^t)\}]$ (X = H, OH), **623**, 191
Hydroformylation
A shortcut hydroformylation route to 7-formyl-5,6-dihydroindolizine from 1-allyl-2-formylpyrrole, **619**, 241
Catalytic conversions in water: Part 19. Smooth hydroformylation of *N*-allylacetamide in mono- and biphasic aqueous media, **621**, 337
Chiral aminophosphonite-phosphite ligands: synthesis and use in platinum- and rhodium-based enantioselective hydroformylation of styrene. Crystal structure of [(*S*)-*N*-(2,2'biphenoxyphosphino)
-2-(2,2'biphenoxyphosphinoxymethyl)pyrrolidine]
dichloroplatinum(II), **628**, 114
Chiral chelate phosphanes: XI. Application of cyclopentane-based C_2 chiral bis(phosphane) ligands $C_5H_8(PR_2)_2$ to Pt–Sn-catalyzed styrene hydroformylation, **630**, 221
Hybrid QM/MM study of propene insertion into the Rh–H bond of $HRh(PPh_3)_2(CO)(\eta^2\text{-}CH_2{=}CHCH_3)$: the role of the olefin adduct in determining product selectivity, **635**, 132
New trisubstituted cyclopentadienyl ligands: synthesis, characterisation and catalytic properties of mono and dinuclear cobalt, rhodium, iron and ruthenium complexes, **619**, 179
Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, **630**, 177
Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N,P,N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, **634**, 90
Synthesis of new rhodium complexes with a hemilabile nitrogen-containing bis(phosphinite) or bis(phosphine) ligand. Application to hydroformylation of styrene, **626**, 221
Hydrogallation
The hydrogallation of C=N double bonds — reactions of $GaH_3{\cdot}NMe_2Et$ with tetramethyl-2,3-diazabutadiene, **634**, 193
Hydrogenase
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, **617-618**, 242
Hydrogenation
Direct use of chiral or achiral organophosphorus boranes as pro-ligands for transition metal catalyzed reactions, **624**, 333
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, **617-618**, 242
Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N,P,N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, **634**, 90
Hydrogen bond
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), **637-639**, 75
Hydrogen bonding
Crystal and molecular structure of $H_2C(SnPh_2OMe)_2{\cdot}MeOH$, **626**, 49
Second harmonic generation in ferrocene based hydrogen bonded assemblies, **637-639**, 827
Self-organization of a rigid α,ω-bis-silanediol determined by X-ray crystal structure, **624**, 354
Synthesis and molecular structure of a novel ferrocene-containing macrocyclic acyl thiourea derivative, **637-639**, 204
Hydrogen bonds
Organometallic building blocks for crystal engineering. Synthesis, structure and hydrogen bonding interactions in $[Fe(\eta^5\text{-}C_5H_4\text{–}CH_2(CH_3)OH)_2]$, $[Fe(\eta^5\text{-}C_5H_3(CH_3)COOH)_2]$, $[Fe(\eta^5\text{-}C_5H_4CH(CH_3)NH(\eta^5\text{-}C_5H_4CH(CH_3))]$ and in the diaminecyclohexane salt $[Fe(\eta^5\text{-}C_5H_4COO)_2]^{2-}[(1S,2S)\text{-}(NH_3)_2C_6H_{10}]^{2+}{\cdot}2[H_2O]$, **637-639**, 609
Hydrogen–deuterium exchange
Aqueous micellar and non-micellar effects during the asymmetric hydrogenation of dehydroamino acid derivatives: influence of amphiphiles on enantioselectivity and α-CH/CD exchange, **621**, 158
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **617-618**, 737
Hydrogermylation
Synthesis of azacrown ethers modified with side-chains containing germanium, **636**, 108
Hydrolysis
Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, **625**, 208
Self-organization of a rigid α,ω-bis-silanediol determined by X-ray crystal structure, **624**, 354
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, **617-618**, 242
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, **622**, 38
Hydrosilylation
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, **637-639**, 642
Hydrosilylation of aldehydes and ketones catalyzed by $[Ph_3P(CuH)]_6$, **624**, 367

Reactions of $[LiC(SiMe_2H)_3]\cdot 2THF$: Sterically hindered tris(dimethylsilyl)methane derivatives and their hydrosilylation, **620**, 127

Synthesis and reactivity of novel oligosilanes bearing functional carbosilane side chains, **628**, 262

Hydrostannylation

Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, **625**, 86

Hydrotris(3,5-dimethylpyrazolyl)borate

Synthesis and structure of $[Sm(\eta^5\text{-}CpPPh_2)(\kappa^3\text{-}Tp^{Me2})(I)(THF)]$; a samarium complex with four different ligands, **626**, 76

Hydrotris(pyrazolyl)borate ligands

Samarium(III) compounds supported by the hydrotris(3,5-dimethyl-pyrazolyl)borate ligand: synthetic utility of the putative, reduction prone Sm(III)-hydrocarbyls, '$(Tp^{Me2})_2SmR$', **632**, 119

Hydroxide

Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with $[Fe(\eta\text{-}C_5H_5)(CO)_2(L)]^+$ salts and $[Fe(\eta\text{-}C_5H_5)(CO)_2X]$ complexes, **629**, 182

Hydroxyalkylferrocene

A convenient synthesis of *E*-alkenylferrocenes, **629**, 208

Hydroxycarbene

Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, **617-618**, 233

Hydroxylation

Cyclopalladation versus hydroxylation. A case of pH dependence, **629**, 28

Hydroxymethyl phosphine sulfide

Reactions of ferrocene-derived bis(hydroxymethyl) phosphine sulfides $FcCH(R)P(S)(CH_2OH)_2$ (R = H, CH_3) with cyclic thionylphosphazenes: crystal structures of $FcCH_2P(S)(CH_2O)_2PN(NPCl_2)[NS(O)Ph]$ and $FcCH_2P(S)(CH_2O)_2PN_2P[N(Me)CH_2]_2[NS(O)Ph]$ (Fc = ferrocenyl), **637-639**, 382

β-Hydroxy sulphides

Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, **637-639**, 407

Hydroxyvinylidene

Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, **617-618**, 233

Hypercoordination

Hypercoordinated organotin compounds containing sulfur and chlorine. Molecular structures of $[(Ph_3P)_2N]^+[S(SnR_2Cl)_2\text{-}Cl]^-$ (R = Me, *t*-Bu), **636**, 138

Synthesis and characterization of 2,4,6-tris((dimethylamino)-methyl)phenoxysilicon compounds, **636**, 96

Hyperpolarisablity

The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+[BF_4]^-$: Crystal structure of $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}(E)\text{-}C{-}CH{=}CH\text{-}7\text{-}(thieno[3,2\text{-}e][1]benzothiophene))]^+[BF_4]^-$, **619**, 141

Hyperpolarizability

Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, **633**, 114

Hyper-Raleigh scattering

The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+[BF_4]^-$: Crystal structure of $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}(E)\text{-}C{-}CH{=}CH\text{-}7\text{-}(thieno[3,2\text{-}e][1]benzothiophene))]^+[BF_4]^-$, **619**, 141

Hyper-Rayleigh scattering

Knoevenagel condensation of ferrocenyl substituted carboxaldehydes with methylene active compounds on inorganic supports and the NLO properties of the resulting push–pull alkenes, **637-639**, 426

Hypervalency

Tuning selenium–iodine contacts: from secondary soft–soft interactions to covalent bonds, **623**, 14

Hypervalent

Synthese des Cyclotetrasiloxans $[(Me)(C_6H_4CH_2NMe_2\text{-}2)SiO]_4$ und dessen strukturanalytische Untersuchung, **633**, 157

Hypervalent compounds

New types of non-classical interligand interactions involving silicon based ligands, **635**, 24

Hypervalent organotin(IV) derivatives

Hypervalent organotin(IV) derivatives containing $[2\text{-}(Me_2NCH_2)C_6H_4]Sn$ moieties. Competition between nitrogen and chalcogen atoms for coordination to the metal centre, **623**, 161

Imidazolidinone

The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, **617-618**, 182

Imidazoles

A simple access to palladium complexes of functionalized heterocyclic carbenes, **626**, 100

Imidazolinium salts

Synthesis of chiral silver(I) diaminocarbene complexes from (*R,R*)-4,5-di-*tert*-butylimidazoline, **631**, 157

2-Imidazolium phosphine

Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, **630**, 177

Imidazol-2-ylidene

1,1′-(Pyridine-2,6-diyl)bis(3-benzyl-2,3-dihydro-1*H*-imidazol-2-ylidene), a new multidentate *N*-heterocyclic biscarbene and its silver(I) complex derivative, **617-618**, 395

Imidazol-2-ylidenes

Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **617-618**, 737

Imido

Amido- and imido-ethylpyridine titanium complexes. Crystal structure of $\{Ti[NCH_2CH_2py]Cl_2(THF)\}_2$, **632**, 17

The synthesis of alkyl niobocene imido complexes and the X-ray crystal structure of $[Nb(=O)Cp_2Me]$ ($Cp = \eta^5\text{-}C_5H_5$), **631**, 151

Imidodithiodiphosphinates

Synthesis and spectroscopic characterization of new mixed ligand organotellurium(IV) compounds employing dithiocarbamates and imidotetraphenyldithiodiphosphinates. Crystal structure of $[C_4H_8Te(S_2CNEt_2)\{(SPPh_2)_2N\}]$, $[C_4H_8Te(S_2CNC_5H_{10})\{(SPPh_2)_2N\}]$ and $[C_4H_8Te(S_2CNC_4H_8S)\{(SPPh_2)_2N\}]$, **631**, 99

Imido ligands

Synthesis and crystal structures of chromium and molybdenum complexes containing the 2,4,6-tris(trifluoromethyl)phenyl ligand, **631**, 181

Imine

Novel cyclopalladated ferrocenyl Schiff base compounds with bridging and chelating diphosphines. Crystal and molecu-

lar structure of [{Pd[(η^5-C_5H_5)Fe(η^5-C_5H_3)C(H)=N-2,4,6-$Me_3C_6H_2$]}{$Ph_2P(CH_2)_nPPh_2$-*P*,*P*}][PF_6] ($n = 1$, 2), **637-639**, 577

Imine complexes
Synthesis of chiral (7*R*)-[η^6-5-(*N*,*N*-dimethylamino)-7-formyl-1,3-benzodioxole]chromium complex and its application in the synthesis of optically active *cis*-β-lactams, **632**, 27

Imines
An explanation for the apparent *cis*-aziridine selectivity in the iron Lewis acid-catalyzed reaction of *N*-benzylidene aniline and ethyl diazoacetate, **630**, 78
New boron macrocycles based on self-assembly of Schiff bases, **622**, 259
Zwitterionic adducts from addition of imines to the α-carbon atom of pentacarbonyl(vinylidene)chromium and -tungsten complexes, **620**, 165

Iminophosphorane
An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, **634**, 122

Immobilized catalysts
Immobilized rhodium hydrogenation catalysts, **627**, 44

Immobilized triazolium salts
Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, **617-618**, 70

Inclusion complex
Bromination of ferrocene chalcone derivatives mediated by β-cyclodextrin, **627**, 93

Indenyl
Intramolecular carbon–carbon coupling reactions of a κ^2(*P*,*P*)-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, **617-618**, 261
Stereoselective synthesis of chiral terminal (*E*)-1,3-enynes derived from the aldehydes (1*R*)-(−)-myrtenal and (*S*)-(−)-perillaldehyde using the alkynyl–phosphonio complex [Ru{C≡$CCH_2(PPh_3)$}(η^5-C_9H_7)$(PPh_3)_2$][PF_6] as synthon, **621**, 39
Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, **632**, 164
Synthesis of new donor/acceptor η^5-cyclopentadienyl and η^5-indenyliron(II) complexes with *p*-benzonitrile derivatives. Crystal structures of [Fe(η^5-C_5H_5)(CO)$(P(OC_6H_5)_3)$(*p*-$NCC_6H_4NO_2$)][BF_4]·CH_2Cl_2 and [Fe(η^5-C_9H_7)(CO)-$(P(OC_6H_5)_3)$(*p*-$NCC_6H_4NO_2$)][BF_4], **632**, 145
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of [$Zr(Ind)_2(NC_3H_6)_2$], **632**, 58

Indenyl effect
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, **635**, 197

Indenyl lithium compounds
Preparation and structural features of 1-(2-pyridyl)- and 1-(2-furyl)indenyl-zirconium complexes, **621**, 197

Indenyl lithium salts
Synthesis, characterization, and catalytic properties of bis[alkylindenyl]-, bis[alkenylindenyl]- and [alkenylindenyl(cyclopentadienyl)]zirconium dichloride complexes, **636**, 31

Indenyl zirconium complexes
Synthesis, characterization, and catalytic properties of bis[alkylindenyl]-, bis[alkenylindenyl]- and [alkenylindenyl(cyclopentadienyl)]zirconium dichloride complexes, **636**, 31

Indium
Preparation, crystal structure determination, and properties of adducts of halogenomethyl compounds of indium with Group 16 donors, **626**, 68

Indole
Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, **629**, 131

Indolines
Regio- and diastereoselective formation of some (η^6-2-methylindoline)tricarbonylchromium(0) complex derivatives, **626**, 233

Indolizine
A shortcut hydroformylation route to 7-formyl-5,6-dihydroindolizine from 1-allyl-2-formylpyrrole, **619**, 241

Infrared spectra
Force constant calculations for octahedral complexes of the type $M(CO)_5L$, based on the CO-factored force field, **640**, 37

Insect growth regulators
Synthesis, spectroscopy and biological activity of novel acylhydrazines containing ferrocenyl moiety, **637-639**, 94

Insertion
Catalyst selection for metal carbene transformations, **617-618**, 98
Insertion of bis-ferrocenylbutadiyne into an osmium hydride bond. The synthesis, structure and electrochemical response of $Os_4(CO)_{11}$(μ-η-*Z*-FcCC(H)C_2Fc)(μ-H)$_3$, **619**, 271
Reactions of silyl-substituted Fischer-type carbene complexes with silanes, **617-618**, 741
Stereoselective insertion of $GeCl_2$ into tungsten–chlorine bonds of aminomethylene and aminocarbyne complexes, **628**, 11

Insertion reactions
Insertion of carbon dioxide and isocyanide into tantalum–amide and tantalum–methyl bonds, **621**, 299

In situ reactions
Synthesis of single and double butterfly iron carbonyl complexes by reactions of [(μ-RSe)(μ-CO)$Fe_2(CO)_6$]$^-$ anions. Crystal structures of (μ-*p*-MeC_6H_4Se)(μ-$PhCH_2N(H)C$–S]$Fe_2(CO)_6$ and [(μ-PhSe)(μ-MeAs)$Fe_2(CO)_6]_2$, **627**, 255

Interfacial reaction
Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, **629**, 47

Interligand H-exchange
Photochemical C–H bond activation of diruthenium bridging alkylidene complexes: Interligand H-exchange on Cp_2Ru_2(μ-CH_2)(μ-CHR)$(CO)_2$ (R = H, Me), **617-618**, 254

Intermolecular coupling
Preparation and reactions of monocyclic bis(cyclopentadienyl)titanacyclopentenes and -pentadienes, **633**, 18

Intermolecular group transfer
Intermolecular propargyl/allenyl group transfer from Pd(II) to Pt(0) and Pt(II) to Pd(0). Key reaction in metal-catalyzed isomerization between propargyl and allenyl metal complexes, **620**, 190

Intermolecular interactions C–H···π
Synthesis and solid state structure of α,α′-bis(2-phenyl-1,2-carboran-1-yl)lutidine, **634**, 99

Internal alkynes
Regioselective alkylzirconation of internal alkynes, **624**, 143

Interstitial selenium
Synthesis and characterization of polynuclear half-sandwich lanthanoid complexes $[Na(THF)_6]_2[Cp'_6Sm_6Se_{13}]$ and $[Li(THF)_4]_2[Cp_6Nd_6Se_{13}]$, **631**, 94

Intramolecular charge transfer
Electron acceptors of the fluorene series: Part 12. 9-(Metalloceneylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, **637-639**, 445

Intramolecular coordination
Studies on the cyclometallation of ferrocenylimines, **637-639**, 27

Intramolecularly donor-stabilized
Intramolecularly donor-stabilized silenes: Part 3. Synthesis and structure of 1-[2,6-bis(dimethylaminomethyl)phenyl]-1,2,2-tris(trimethylsilyl)silene, **621**, 261
Iodide
Formation and crystal structures of a monomer–dimer pair of mono(cyclopentadienyl)calcium complexes, $[C_5(t\text{-}Bu)_3H_2]_2CaI(THF)_2$ and $\{[C_5(t\text{-}Bu)_3H_2]_2CaI(THF)\}_2$, **626**, 43
Synthesis, characterisation, crystal structures and reactivity of a series of ruthenium–cobalt mixed-metal nitrido carbonyl clusters with iodide ligands, **626**, 125
Iodination
Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, **634**, 157
Iodine
Tuning selenium–iodine contacts: from secondary soft–soft interactions to covalent bonds, **623**, 14
2-Iodobenzoate
Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)dicopper(II) at 210 K, **622**, 166
Iodovinylidene
Synthesis, structure and reactivities of the dinuclear μ-η^1:η^6-arylethynyl ruthenium complexes $[Cp(PR_3)_2Ru(\mu\text{-}\eta^1\text{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]Cl$ (R = Ph, Me; Cp = η^5-C_5H_5, Cp* = η^5-C_5Me_5). The molecular structure of $[Cp(PPh_3)_2Ru(\mu\text{-}\eta^1\text{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]PF_6$, **625**, 133
Ion exchange
Preparation of CdTe coatings using the chemical deposition method, **623**, 81
Ionic liquids
Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, **630**, 177
Ion-molecule reactions
Entropy effects in gas phase ion-molecule association reactions, **626**, 24
Ion pairing
TRISPHAT salts. Efficient NMR chiral shift and resolving agents for substituted cyclometallated ruthenium bis(diimine) complexes, **624**, 388
IR
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, **619**, 43
IR and Raman spectroscopy
Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, **619**, 299
Ir-diphosphine catalysts
Tunable ferrocenyl diphosphine ligands for the Ir-catalyzed enantioselective hydrogenation of *N*-aryl imines, **621**, 34
Iridium
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, **625**, 40
Dithioethers as ligands in pentamethylcyclopentadienylrhodium(III) and iridium(III) complexes. Crystal structures of $[\{(\eta^5\text{-}C_5Me_5)Rh\}_2(\mu\text{-}Cl)_2\{\mu\text{-}(MeS)_2CH_2\}](BF_4)_2\cdot H_2O$ and $[(\eta^5\text{-}C_5Me_5)IrCl_2\{\eta^1\text{-}(PhS)_2CH_2\}]$, **620**, 256
High performance liquid chromatography for facile analytical separation of the enantiomers of chiral organometallic complexes, **621**, 242
Mixed-metal cluster chemistry. Part 17. Syntheses of $WIr_3(CO)_{11}(\eta\text{-}C_5H_4Me)$ and its reactivity towards diphenylacetylene, **631**, 143
Mixed-metal cluster chemistry. Part 18. Synthesis and crystal structure of $W_3Ir_3(\mu_4\text{-}\eta^2\text{-}CO)(\mu\text{-}CO)(CO)_{10}(\eta\text{-}C_5H_4Me)_3$, **631**, 139
Preparation and characterization of ruthenium(II), rhodium(III) and iridium(III) complexes of isocyanide bearing the azo group, **640**, 10
Reaction mechanism of the reductive elimination in the catalytic carbonylation of methanol. A density functional study, **628**, 222
Reactions of the cationic complex $[(\eta^5\text{-}C_5Me_5)_2Ir_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, **634**, 12
Synthesis and structures of heterobimetallic Ir_2M (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, **620**, 69
Synthesis of Rh(I) and Ir(I) complexes with chiral C_2-multitopic ligands: Structural and catalytic properties, **634**, 25
Synthesis of transition-metal complexes with heterodifunctional ligands derived of $NH(PPh_2)_2$. Crystal structure of $[(\eta^5\text{-}C_5Me_5)RhCl\{\eta^2\text{-}P,Se\text{-}Ph_2PNP(Se)Ph_2\}]\cdot CH_2Cl_2$, **633**, 182
Iridium complexes
Reactions of Cp*Ir(2,5-dimethylthiophene) with electrophiles, acids, and maleic anhydride, **621**, 55
Iron
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, **635**, 197
Carbenes with ferrocenyl substituents, **617-618**, 28
Electronic properties of the trimethylenemethaneiron tricarbonyl group, **620**, 308
Highly efficient reduction of ferrocenyl derivatives by borane, **637-639**, 364
In situ synthesis of the first C_7 cumulene $(Fc)_2C{=}C{=}C{=}C{=}C(Fc)_2$ via deprotonation of its conjugate acid $[(Fc)_2C_7H(Fc)_2]^+BF_4^-$ (Fc = ferrocenyl), **622**, 135
Mechanism of formation of the metallacyclic iron carbenes $(CO)_3Fe[{=}C(NR2)OC(O)NR_2]$ formed by thermal evolution of bis carbamoyl complexes, characterization of η^2-carbamoyl intermediates, **617-618**, 483
Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, **619**, 74
New chiral ferrocenyl-pyridinium salts for non-linear optics, **637-639**, 531
On the chemistry of gallium: Part 19. Synthesis and crystal structure analysis of novel complexes containing Ga–$FeCp(CO)_2$-fragments, **626**, 82
Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of $[FeCp(DPPE)(p\text{-}NCC_6H_4NO_2)][PF_6]\cdot CH_2Cl_2$, **619**, 252
Protonation of metal–metal bonds: X-ray crystal structures of the complex salts $[Ru_2(CO)_6(\mu\text{-}H)(\mu\text{-}Cl)(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ and $[M_2(CO)_4(\mu\text{-}H)_2(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ (M = Fe, Ru), **628**, 144
Reaction of iron aminocarbene complexes with electronically deficient alkenes, **617-618**, 329
Synthesis and crystal structure of 1,1′-bis[4-(2,2′:6′,2″-terpyridin-4′-yl)phenyl]octamethylferrocene, **637-639**, 733
Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral $Mo_2Fe(\mu_3\text{-}S)$ cluster cores. Crystal structures of $[Mo_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_n\ CH_2C_5H_4\text{-}\eta^5]$ (n = 1–3), **622**, 210

Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se, Te). Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)(\mu\text{-}MeS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ and $\{(\mu\text{-}t\text{-}BuS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)\}_2(\mu\text{-}p\text{-}SCH_2)_2C_6H_4$, **623**, 56

Synthesis, reactivity, and crystal structures of ferrocene-substituted amidinate derivatives, **637-639**, 521

Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with $[Fe(\eta\text{-}C_5H_5)(CO)_2(L)]^+$ salts and $[Fe(\eta\text{-}C_5H_5)(CO)_2X]$ complexes, **629**, 182

The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C\text{–}CH_3)]^+ [BF_4]^-$: Crystal structure of $[Fe_2(\eta^5\text{-}C_5H_4)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}(E)\text{-}C\text{–}CH\text{–}CH\text{-}7\text{-}(thieno[3,2\text{-}e][1]benzothiophene))]^+ [BF_4]^-$, **619**, 141

The synthesis and structure of the thiosulfonato iron complexes $CpFe(CO)_2SS(O)_2R$, **622**, 293

Versatile behaviour of iron–arylcarbene complexes towards alkoxides: C–Cl and C–C bond activation reactions, **629**, 19

Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, **622**, 33

Iron carbene

The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex $[(\eta^5\text{-}C_5H_5)(CO)_2Fe\text{=}CH[(\eta^6\text{-}o\text{-}CH_3OC_6H_4)Cr(CO)_3]]^+$, **617-618**, 751

Iron carbonyl complexes

Iron carbonyl complexes from 2-[2,3-diaza-4-(2-thienyl)buta-1,3-dienyl]thiophene: N–N bond cleavage and cyclometalation, **640**, 85

Photochemistry of bridged disilyldiiron complexes $(SiMe_2)[(\eta^5\text{-}C_5H_4)Fe(CO)_2SiMe_2SiMe_2R]_2$, R = Me, Ph, **634**, 102

Iron carbonyls

A comparison of the reactions of pentacarbonyliron with cyclic thioethers and related dialkyl sulfides, **627**, 201

Iron complexes

Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes $Fe(CO)_5$ and $Fe(C_5H_5)_2$, **632**, 126

Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, **634**, 198

Synthesis and characterization of [Cp*Fe-dicyclopenta(a,f)-naphthalene-FeCp*] and [Cp*Fe-dicyclopenta(a,f)-naphthalene-FeCp*] BF_4, **620**, 32

Synthesis and structure analysis of tricarbonyl[tetrakis(1′-methylcyclopropyl)cyclobutadiene]iron(0), **624**, 110

Synthesis of new donor/acceptor η^5-cyclopentadienyl and η^5-indenyliron(II) complexes with *p*-benzonitrile derivatives. Crystal structures of $[Fe(\eta^5\text{-}C_5H_5)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]\cdot CH_2Cl_2$ and $[Fe(\eta^5\text{-}C_9H_7)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]$, **632**, 145

Iron(II) half-sandwich

From dihydropentafulvalenes to asymmetric biferrocene and terferrocene, **627**, 71

Iron Lewis acid

An explanation for the apparent *cis*-aziridine selectivity in the iron Lewis acid-catalyzed reaction of *N*-benzylidene aniline and ethyl diazoacetate, **630**, 78

Iron-silicon

Reaction chemistry, NMR spectroscopy, and X-ray crystallography of $[Fe_2(\mu\text{-}SiMe_2)_2(CO)_8]$ and $[Fe_2(\mu\text{-}SiMeCl)_2(CO)_8]$. Electronic structure and bonding in Fe_2E_2 rings of $[Fe_2(\mu\text{-}ER_2)_2(CO)_8]$ binuclear complexes (E = C, Si, Ge, Sn, Pb), **628**, 241

Isocyanide

Coordination chemistry of CNH_3, the simplest aminocarbyne, **617-618**, 65

Ruthenium(II) complexes containing 4-ferrocenylphenylisocyanide ligands. Crystal structure of *trans*, *trans*, *trans*-$[RuCl_2(POMe\text{–}P)_2(FcC_6H_4NC)_2]$ (POMe = $PPh_2C_6H_4OCH_3$; Fc = ferrocenyl), **637-639**, 145

Isocyanide complexes

Copper(I) complexes containing 1,1′-bis(diphenylphosphino) ferrocene (dppf) as a chelate ligand. X-ray crystal structures of $[Cu_2(\mu\text{-}Cl)_2(\kappa^2\text{-}P,P\text{-}dppf)_2]$ and $[Cu(CN^tBu)_2(\kappa^2\text{-}P,P\text{-}dppf)][BF_4]$, **637-639**, 677

Isocyanides

Reactions of $InMe_3$ with isocyanides in the presence of amines: chemical and mass spectrometric evidence of unprecedented insertion into In–N bonds, **626**, 11

Isocyanides complexes

^{1}H-NMR and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual $(d_{xz},d_{yz})^4\ (d_{xy})^1$ configuration, **629**, 145

Isocyanides insertion

Reactivity of the dinuclear fulvalene cyclopentadienyl zirconium cationic species $[\{Zr(\eta^5\text{-}C_5H_5)\}_2(\mu\text{-}CH_2)(\mu\text{-}Cl)(\mu\text{-}\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)]^+$ with isocyanides and carbon monoxide: insertion reactions, spectroscopic characterization and synthetic aspects, **634**, 177

Isocyanoazobenzene

Preparation and characterization of ruthenium(II), rhodium(III) and iridium(III) complexes of isocyanide bearing the azo group, **640**, 10

Isomeric *nido*-clusters

A re-examination of the reaction between 1,1′-bis(diphenylphosphino)ferrocene (dppf) diselenide and $[Ru_3(CO)_{12}]$. Electrochemical behaviour of the isomeric *nido*-clusters $[Ru_3(\mu_3\text{-}Se)_2(dppf)(CO)_7]$ and $[Ru_3(\mu_3\text{-}Se)_2(\mu\text{-}dppf)(CO)_7]$ and crystal structure of $[Ru_3Se\{\mu\text{-}P(Ph)C_5H_4FeC_5H_4PPh_2\}(\mu\text{-}OCPh)(CO)_6]$, **637-639**, 586

Isomerisation

cis- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0), $[Mo(CO)_4(tmpPh)_2]$. Syntheses and structures, **622**, 297

1,3-Isomerization

The BF_3 and $B(C_6F_5)_3$-catalyzed 1,3-isomerization of allylic stannanes, **624**, 294

Isomerization

Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, **625**, 255

The deviating behavior of thiols in nucleophilic trapping reactions of chromiumcarbonyl phenyl complex substituted propargyl cation, **640**, 41

Isotactic polypropylene

Novel octahydro- and tetrahydro-fluorenyl containing C_1 symmetric zirconocenes for the stereoregular polymerization of propylene, **631**, 29

Ketoiminate

Synthesis, structure and ethylene polymerization behavior of zirconium complexes with chelating ketoiminate ligands, **620**, 1

β-Ketoiminato complexes

^{31}P-NMR and X-ray studies of new rhodium(I) β-ketoiminato complexes $Rh(R_1C(O)CHC(NH)R_2)(CO)(PZ_3)$ where $PZ_3 = PPh_3$, PCy_3, $P(OPh)_3$ or $P(NC_4H_4)_3$, **628**, 195

Ketone
A highly efficient and practical preparation of 2,4-pentadienyltitaniums and their γ-selective addition reaction with aldehydes and ketones, **624**, 151
Isolation of a diketone species that is allylically bound to tungsten, and its relationship to a tungsten η^2-ketone complex, **630**, 215
P-chiral β-aminophosphine oxides vs. β-aminophosphines as auxiliaries for ruthenium catalysed enantioselective transfer hydrogenation of arylketones, **626**, 157
Preparation of 1,5-diketone derivatives containing ferrocenyl by Michael reaction under solvent-free condition, **637-639**, 719
Ketones
Synthesis of ferrocenylketyl radicals by chromium(II) complexes, **637-639**, 813
α-Keto ylide
Synthesis and spectroscopic characterization of α-keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp*ZrCl$_3$(2-TCMP)], Cp* = η^5-C$_5$Me$_5$, 2-TCMP
= [{2-thiazolylcarbonyl}methylene]triphenylphosphorane, **629**, 68
Khand reaction
Behaviour of monocomplexed 1,4-diynes in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, **630**, 118
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, **630**, 104
Kinetic resolution
Synthesis of enantioenriched indene-derived bicyclic alcohols and tricyclic cyclopropanes via (−)-sparteine-mediated lithiation of a racemic precursor and kinetic resolution during the cyclocarbolithiation, **624**, 96
Kinetics
Entropy effects in gas phase ion-molecule association reactions, **626**, 24
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, **637-639**, 469
Rate and mechanism of the reversible formation of a cationic (η^3-allyl)palladium(II) complex in the oxidative addition of allylic acetate to a palladium(0) complex ligated by diop: an unusual behavior, **624**, 217
Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, **625**, 86
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, **622**, 38
Knoevenagel condensation
Knoevenagel condensation of ferrocenyl substituted carboxaldehydes with methylene active compounds on inorganic supports and the NLO properties of the resulting push–pull alkenes, **637-639**, 426
Kurtz powder SHG
Second harmonic generation of η^5-monocyclopentadienyl ruthenium *p*-benzonitrile derivatives by Kurtz powder technique. Crystal and molecular structure determinations of [Ru(η^5-C$_5$H$_5$)((+)-DIOP)(*p*-NCC$_6$H$_4$NO$_2$)][X], X = PF_6^-, $CF_3SO_3^-$ and [Ru(η^5-C$_5$H$_5$)((+)-DIOP)(NCCH$_3$)][PF_6], **632**, 133
Kurtz powder technique
Synthesis and nonlinear optical properties of a range of 1-ferrocenyl(2-(4-alkyl)pyridiniumyl)ethylene iodides, **631**, 59
Lactam
Synthesis and characterisation of four- and eight-membered ring auralactam complexes, **620**, 182
β-Lactam
β-Lactams (including polycyclic) derived from chromium carbenes, **629**, 114
β-Lactams
Synthesis of chiral (7*R*)-[η^6-5-(*N*,*N*-dimethylamino)-7-formyl-1,3-benzodioxole]chromium complex and its application in the synthesis of optically active *cis*-β-lactams, **632**, 27
Lactones
Transition-metal catalyzed synthesis of δ-hydroxy-γ-lactones from bis(trimethylsilyl) ketene acetals and allylic acetates via γ-unsaturated carboxylic acids. Comments on the formation of α-cyclopropyl carboxylic acids, **624**, 186
Lanthanide bis(iminophosphorano)methandiide
Early transition metal and lanthanide bis(iminophosphorano)methandiide complexes; 'pincer' and bridging bis(-phosphorus) metal carbenes, **617-618**, 158
Lanthanide ions
Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes Fe(CO)$_5$ and Fe(C$_5$H$_5$)$_2$, **632**, 126
Lanthanides
Cyclooctatetraene complexes of yttrium and the lanthanides with chiral and achiral aminotroponiminates, **621**, 277
Iodo bis bistrimethylsilylamido lanthanides, **628**, 271
Lanthanum monocation
Density functional studies of the reactivity in the C–F bond activation of fluoromethane by bare lanthanum monocation, **640**, 121
Laser photolysis
UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, **629**, 93
UV laser-induced photolysis of 1,3-disilacyclobutane in oxygen for chemical vapour deposition of nano-sized polyoxocarbosilane films, **640**, 170
Lead dioxide
Synthesis of substituted cyclopropanone acetals by carbometallation and its oxidative cleavage with manganese(IV) oxide and lead(IV) oxide, **624**, 300
Lethal larval molt
Synthesis, spectroscopy and biological activity of novel acylhydrazines containing ferrocenyl moiety, **637-639**, 94
Lewis acid
Highly diastereoselective desymmetrizing intramolecular cyclization of allylstannane with a diketone promoted by Lewis acid or transition metal complex, **624**, 136
Lewis acid catalysis
Highly enantioselective Diels–Alder catalysis with a chiral ruthenium bisoxazoline complex, **630**, 17
Lewis acids and bases
Carbon–carbon bond formation via oxidative-addition processes of titanium(II) reagents with π-bonded organic substrates. Reactivity modifications by Lewis acids and Lewis bases: Part 22. Organic chemistry of subvalent transition metal complexes, **624**, 229
Ligand effects
Redox potential, ligand and structural effects in rhodium(I) complexes, **620**, 174
Ligand exchange
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, **622**, 38
Ligand properties
Chelating phosphines with low coordinated phosphorus atoms: Part 1. Phosphaalkenes associated with phosphine moi-

eties — X-ray structure of *cis*-$(CO)_4$Mo{*ortho*-Ph_2P–C_6H_4–CH=P(*t*-$Bu_3C_6H_2$)}-C_7H_{16}, **626**, 106
Ligand replacement
Facile displacement of cyclohexadienide ligand from K[Cr(η^5-C_6H_7)$(CO)_3$] to give crystallographically characterized *trans*-[$Cr(CO)_4(PPh_3)_2$], **631**, 188
Ligand tuning
Chiral platinum and palladium complexes containing functionalized C_2-symmetric bisaminoaryl 'Pincer' ligands, **624**, 271
Liquid crystals
Thiocyanato-bridged platinum heterocycles: structure and properties of disc-like metallomesogens, **620**, 249
Lithiated alkyl carbamates
Synthesis of enantioenriched indene-derived bicyclic alcohols and tricyclic cyclopropanes via (−)-sparteine-mediated lithiation of a racemic precursor and kinetic resolution during the cyclocarbolithiation, **624**, 96
Lithiation
Generation of allylic and benzylic organolithium compounds by fluorine–lithium exchange: reaction with electrophiles, **624**, 53
Lithiation studies of [$PhP(CH_2Ph)_3$]Cl; X-ray crystal structure of the phosphoniodiylide [(TMEDA)Li($PhCH)_2PPh(CH_2Ph$)] and its rhodium and chromium complexes, **625**, 236
Triformylferrocenes, novel modules for organometallic scaffolds, **630**, 132
α-Lithiosilanes
α-Lithioalkoxysilanes: applications to alkene synthesis, **625**, 13
Lithium
Crystal structures of organometallic compounds of lithium and magnesium containing the bulky ligands $C(SiMe_3)_2$-$(SiMe_2X)$ X = Me, Ph, NMe_2, or C_5H_4N-2, **631**, 76
Lithium diisopropylamide
Synthesis and X-ray crystal structure analysis of a phosphorus analogue of (1,2,3-η)-*trans*-butadienyl complexes, **617-618**, 748
Lithium diisopropylamide (LDA)
A new approach to β-functional phospholes. Application to the synthesis of a β-CH_2–CH_2-bridged diphosphole disulphide, **624**, 105
Lithium hex-1-ynyl tellurolate
Alkyl hex-1-ynyl tellurides: Syntheses and multinuclear NMR (^{125}Te-, $^{13}C\{^1H\}$-, ^{1}H-) studies, **625**, 23
Lithium organyls
ortho-Lithiated benzyl diorganophosphines [*o*-$(R_2PCH_2)C_6H_4$Li-(Et_2O)], R = Ph, Me. Synthesis, structural characterization, and reactions, **622**, 121
Long chain-substituted pyrazoles
Polymorphism and metal–metal interactions on [$Rh(Cl)(CO)_2(Hpz^R)$] complexes, **633**, 91
Long wavelength hyper-Rayleigh scattering (HRS)
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, **625**, 32
Low coordination
The synthesis and structural characterisation of a diphosphastibolyl potassium complex, $[\{[K(DME)][1,4,2\text{-}P_2SbC_2\text{-}Bu^t_2]\}_\infty]$, and a novel hetero-cage compound, **622**, 61
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, **629**, 109
Low-valent titanium
[(*t*-Bu-DAD)Ti(μ,η^2-$OCPh_2$)]$_2$Mg(μ-Cl)$_2$(THF): synthesis and molecular structure of a dimeric titanium ketone complex, **626**, 168
Low-valent titanium reagents
Formation of carbenoid intermediates in the reaction of dithiobutyl ketone with low-valent titanium reagents, **617-618**, 744
Luminescence
Syntheses and structures of new blue luminescent B(III) and Al(III) complexes: BPh_2(acac-azain) and Al(CH_3)(acac-azain)$_2$, acac-azain = 1-*N*-7-azaindolyl-1,3-butanedionato, **631**, 175

Macrocycle
Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, **623**, 87
Macrocyclic boronates
New boron macrocycles based on self-assembly of Schiff bases, **622**, 259
Macrocyclic molecular boxes
Metal-directed assembly of polyferrocenyl transition metal dithiocarbamate macrocyclic molecular boxes, **637-639**, 89
Macrocyclic polyamine
Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, **637-639**, 327
Macrocyclization
Preparation, properties, and reactions of metal-containing heterocycles: Part CV. Synthesis and structure of polyoxadiphosphaplatinaferrocenophanes, **630**, 266
Macromolecules
Tethering strategies in alkynylamino carbene complexes, **617-618**, 334
Magnesium
Crystal structures of organometallic compounds of lithium and magnesium containing the bulky ligands $C(SiMe_3)_2$-$(SiMe_2X)$ X = Me, Ph, NMe_2, or C_5H_4N-2, **631**, 76
Magnetic molecular materials
Synthesis, structural and magnetic characterization of the metamagnet [$Fe(C_5Me_5)_2$]DMe–DCNQI, **632**, 67
Magnetochemistry
Ferrocene substituted nitronyl nitroxide and imino nitroxide radicals. Synthesis, X-ray structure and magnetic properties, **637-639**, 507
Maleic anhydride
Reactions of Cp*Ir(2,5-dimethylthiophene) with electrophiles, acids, and maleic anhydride, **621**, 55
Manganese
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, **635**, 153
Bis(pyrazol-1-yl)acetates as tripodal "scorpionate" ligands in transition metal carbonyl chemistry: syntheses, structures and reactivity of manganese and rhenium carbonyl complexes of the type [$LM(CO)_3$] (L = bpza, bdmpza), **626**, 16
β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl- and η^5-oxocycloheptadienyl-$Mn(CO)_3$ complexes, **633**, 162
Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, **625**, 217
Recovering phospholes from phosphacymantrenes, **634**, 131
Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, **634**, 157
Single and double nucleophilic addition to methylated podocarpic acid coordinated to manganese tricarbonyl, **630**, 84
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}C(OEt)CH_2\text{-}CH_2(EtO)C\}$, (*E*)-$\{Cp'(CO)_2Mn\}_2\{\mu\text{-}C(OEt)CH\text{=}CH\text{-}$

(EtO)C=} and {Cp'(CO)$_2$Mn}$_2${μ-CN(Ph)CH(Ph)CHCHCH(Ph)N(Ph)C=}, **617-618**, 681
Synthesis, spectroscopic and structural characterisation of complexes of the new ditelluroether 1,2-bis(methyltelluromethyl)benzene, *o*-C$_6$H$_4$(CH$_2$TeMe)$_2$. X-ray structures of [Mn(CO)$_3$Cl{*o*-C$_6$H$_4$(CH$_2$TeMe)$_2$}] and [W(CO)$_4${*o*-C$_6$H$_4$(CH$_2$TeMe)$_2$}], **619**, 218
Transition metal clusters containing carbosilane dendrimers, **619**, 245
Manganese dioxide
Synthesis of substituted cyclopropanone acetals by carbometallation and its oxidative cleavage with manganese(IV) oxide and lead(IV) oxide, **624**, 300
Manganese incomplete cubane
Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane: [Mo(η^5-C$_5$H$_5$)$_2$(H)CO]-[Mn$_3$(CO)$_9$(μ-SC$_6$H$_5$)$_4$], **620**, 276
Manganese phenylvinylidene complexes
Oxidative dehydrodimerization of manganese phenylvinylidene complex (η^5-C$_5$H$_5$)(CO)$_2$Mn=C=C(H)Ph. X-ray structure of phenyl(trityl)vinylidene complex (η^5-C$_5$H$_5$)(CO)$_2$-Mn=C=C(CPh$_3$)Ph, **631**, 47
'Manxane'
Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of 1,3,5-(R$_3$Sn)$_3$C$_3$N$_3$S$_3$ (R = Me, Ph), **627**, 6
MAO
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, **625**, 180
MAS-NMR
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81
Mass spectrometry
Entropy effects in gas phase ion-molecule association reactions, **626**, 24
Mass-spectrometry
Gas-phase formation of mono- and dications from iron-subgroup decamethylmetallocenes and their calculation by the density functional method, **631**, 9
Mass spectrometry
Internal ferrocenylalkynes—a comparative electrochemical and mass spectrometric study, **637-639**, 291
Redox behavior of boronato-functionalized 1,1′-bis(diphenylphosphino)ferrocenes, **637-639**, 800
Matrix isolation
A matrix isolation and flash photolysis study of the cyclization reactions of chromium amino carbenes, **617-618**, 269
Photolysis of (Me$_2$Si)$_6$ in argon matrices doped with high concentrations (ca. 20%) of N$_2$O or C$_2$H$_4$O: formation of (Me$_2$SiO)$_6$, **640**, 177
MCF7
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, **637-639**, 500
McMurry reaction
Formation of carbenoid intermediates in the reaction of ditertiobutyl ketone with low-valent titanium reagents, **617-618**, 744
M$_{14}$ Divalent species
Three coordinate divalent Group 14 element compounds with a β-diketiminate as supporting ligand L^{2}MX [L^2 = Ph-NC(Me)CHC(Me)NPh, X = Cl, I; M = Ge, Sn], **622**, 190
Mechanism
Anchimeric assistance by γ-substituents Z, Z = MeO, PhO, MeS or PhS, in reactions of the bromides (Me$_3$Si)$_2$(ZMe$_2$Si)-CSiMe$_2$Br with AgBF$_4$, **640**, 29
Comparative regiochemistry of protonation of (η^6-C$_6$H$_5$R)-(1,1′,1″-tris(2-diphenylphosphinomethyl)ethane)Mo(0) (R = H, Me and SiMe$_3$), **628**, 275
Formation of rhodium carbonyl thiolate dimers via elimination of dihydrogen; crystal and molecular structure of [Rh$_2$(CO)$_4$(μ-SC$_6$H$_4$CH$_3$)$_2$], **623**, 65
Mechanism of the electrochemical reduction of [Fe(η^5-C$_5$H$_5$)(CO)$_3$][PF$_6$] — a theoretical approach to the intermediates, **632**, 49
Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, **622**, 112
Study on the synthesis of nonracemic C_2-symmetric 1,1′-binaphthyl-2,2′-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, **637-639**, 318
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **617-618**, 737
Mechanistic investigations
Aqueous micellar and non-micellar effects during the asymmetric hydrogenation of dehydroamino acid derivatives: influence of amphiphiles on enantioselectivity and α-CH/CD exchange, **621**, 158
Mefenamic acid
Synthesis, crystal structures and spectroscopic studies of diorganotin derivatives with mefenamic acid. Crystal and molecular structures of 1,2:3,4-di-μ$_2$-2-[(2,3-dimethylphenyl)-amino]-benzoato-*O*,*O*-1,3-bis-2-[(-[(2,3-dimethylphenyl)-amino]benzoato-*O*-1,2,4:2,3,4-di-μ$_3$-oxo-tetrakis[di-methyltin(IV)] and 1,2:3,4-di-μ$_2$-2-[(-[(-[(2,3-dimethylphenyl)-amino]-benzoato-*O*,*O*-1,3-bis-2-[(-[(-[(2,3-dimethylphenyl)-amino]benzoato-*O*-1,2,4:2,3,4-di-μ$_3$-oxo-tetrakis[di-*n*-butyltin(IV)], **630**, 205
Mercury
Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, **617-618**, 364
[2-(*N*,*N*-Dimethylaminomethyl)ferrocenyl] as a ligand towards mercury, **630**, 149
Phenyl derivatives of mercury functionalised in the 2-position with either a formyl or a vinyl group. Crystal structures of Hg[C$_6$H$_4$(CHO)-2]Cl and Hg[C$_6$H$_4$(CH=CH$_2$)-2]$_2$, **619**, 293
The reaction of ferrocene with mercuric chloride revisited: 'Cp$_2$Fe*2HgCl$_2$' = [(C$_5$H$_5$)Fe(C$_5$H$_4$HgCl)]$_2$[Hg$_2$Cl$_6$], comparison of its molecular structure with that of chloromercuriferrocene, **637-639**, 796
Mercury complexes
Schiff bases derived from mercury(II)–aminothiolate complexes as metalloligands for transition metals, **623**, 137
Merocyanine
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, **625**, 32
The linear and nonlinear optical properties of organometallic chromophores derived from ferrocene, [Fe$_2$(η^5-C$_5$H$_5$)$_2$(CO)$_2$(μ-CO)(μ-C–CH$_3$)]$^+$[BF$_4$]$^-$ and terthienyl spacers. Crystal structure of 2-[(*E*)-2-ferrocenylethenyl]-5-(2-thienyl)thiophene, **637-639**, 435
(Me$_2$Si)$_6$
Photolysis of (Me$_2$Si)$_6$ in argon matrices doped with high concentrations (ca. 20%) of N$_2$O or C$_2$H$_4$O: formation of (Me$_2$SiO)$_6$, **640**, 177
Mesoporous materials
Chiral dioxomolybdenum(VI) complexes for enantioselective alkene epoxidation, **626**, 1
Metal–alkene complexes
Structural preference in complexes containing both double-face and single-face π-acceptor ligands, **635**, 84

Metal–alkenyl complexes
Structural preference in complexes containing both double-face and single-face π-acceptor ligands, **635**, 84
Metal atom motion
X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, **625**, 200
Metal–borane complex
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, **635**, 37
Metal–boryl complexes
Structural preference in complexes containing both double-face and single-face π-acceptor ligands, **635**, 84
Metal carbene
Catalyst selection for metal carbene transformations, **617-618**, 98
Metal–carbon stretching frequency
The metal–carbon stretching frequencies in methyl complexes of Rh, Ir, Ga and In with porphyrins and a tetradentate pyridine–amide ligand, **634**, 61
Metal carbonyl
Synthesis and structures of doubly bridged bis(cyclopentadienyl) tetracarbonyl diiron complexes, **626**, 186
Metal carbonyl complexes
Synthesis, structures and electrochemical properties of Group 6 metal carbonyl complexes containing ferrocenylpyrazole ligands, **637-639**, 209
Metal-catalyzed isomerization
Intermolecular propargyl/allenyl group transfer from Pd(II) to Pt(0) and Pt(II) to Pd(0). Key reaction in metal-catalyzed isomerization between propargyl and allenyl metal complexes, **620**, 190
Metal center
Cationic chelate phosphane substituted carbyne tungsten complexes, **622**, 97
Metal centre
Hypervalent organotin(IV) derivatives containing [2-(Me_2NCH_2)C_6H_4]Sn moieties. Competition between nitrogen and chalcogen atoms for coordination to the metal centre, **623**, 161
Metal complexes
Synthesis, characterization and crystal structure of [Pt(Me)(dppe){η^1-CH(PPh$_3$)(COOEt)}]BF_4. An example of overcrowded molecule and correlated properties, **629**, 201
Metal-containing dendrimers
Facile synthesis of bidimensional ferrocenyl-based branched oligomers by palladium-catalyzed coupling reactions, **637-639**, 191
Metal–dihydrogen complex
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, **635**, 37
Metal-directed assembly
Metal-directed assembly of polyferrocenyl transition metal dithiocarbamate macrocyclic molecular boxes, **637-639**, 89
Metal-labelled proteins
Transition metal ('Fischer-type') carbene complexes as protein labelling reagents, **617-618**, 376
Metallaboranes
The relevance of the Dewar model to neighboring p-block element analogs of metal hydrocarbon π-complexes, **635**, 92
Metallacycle
β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl- and η^5-oxocycloheptadienyl–Mn(CO)$_3$ complexes, **633**, 162
Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, **634**, 157
Synthesis and characterisation of four- and eight-membered ring auralactam complexes, **620**, 182
Synthesis of a new bis(ferrocenyl)ruthenacyclopentatriene compound with a significant inter-metal electronic communication, **637-639**, 80
Metallacycles
Chelated η^2-alkene- and η^3-allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, **617-618**, 346
Cp*Ru-allylcarbene complexes by nucleophilic attack of cyclic Cp*Ru-dicarbenes, **627**, 249
NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, **622**, 89
Optically active cyclopalladated compounds containing P-chiral ligands. Restricted rotation around the Pd–P bond, **634**, 83
ω-Phenylalkyl substituted amido functionalized *ansa* half-sandwich complexes of titanium and zirconium and metallacycles thereof as catalyst precursors for homogeneous ethylene polymerization, **628**, 211
Synthesis and spectroscopic characterization of new mixed ligand organotellurium(IV) compounds employing dithiocarbamates and imidotetraphenyldithiodiphosphinates. Crystal structure of [$C_4H_8Te(S_2CNEt_2)$]{$(SPPh_2)_2N$}], [$C_4H_8Te(S_2CNC_5H_{10})$]{$(SPPh_2)_2N$}] and [$C_4H_8Te(S_2CNC_4H_8S)$]{$(SPPh_2)_2N$}], **631**, 99
Metallacyclocumulenes
Structure and bonding of metallacyclocumulenes, radialenes, butadiyne complexes and their possible interconversion: a theoretical study, **635**, 204
Metallacyclophanes
Preparation, properties, and reactions of metal-containing heterocycles: Part CVI. Three-dimensional water-soluble platinacyclophanes, **630**, 244
Metalladiene
Reaction of disilagermirenes with phenylacetylene: from a germasilene –Ge–Si– to a metalladiene of the type –Si–Ge–C–C–, **636**, 41
Metallahexatrienes
Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, **617-618**, 322
Metallanethio- or selenoacid chloride
Three coordinate divalent Group 14 element compounds with a β-diketiminate as supporting ligand L^2MX [L^2 = PhNC(Me)CHC(Me)NPh, X = Cl, I; M = Ge, Sn], **622**, 190
Metallaphosphanes
The relevance of the Dewar model to neighboring p-block element analogs of metal hydrocarbon π-complexes, **635**, 92
Metallasilanes
The relevance of the Dewar model to neighboring p-block element analogs of metal hydrocarbon π-complexes, **635**, 92
Metallated ylide
Reactivity of lithium diphenylphosphonium diylides towards phosphorus electrophiles: Synthesis of α,β-unsaturated phosphorus compounds, **624**, 307
Metallation
Metallation reactions XXVII. Metallation of (methylthio)anilines, **620**, 263
Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, **630**, 177
Synthesis and X-ray crystal structure analysis of a phosphorus analogue of (1,2,3-η)-*trans*-butadienyl complexes, **617-618**, 748

Metallic silicon
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, **619**, 235
Metal–ligand covalency
Electronic structure and spectra of ruthenium diimine complexes by density functional theory and INDO/S. Comparison of the two methods, **635**, 187
Metal–ligand multiple bonding
Complexes with phosphorus analogues of imidazoyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis, **617-618**, 383
Metalloboranes
Analogies between the chemical bonding topologies in metal–olefin complexes and in metallaboranes: the role of three-center two-electron bonding, **635**, 75
Metallocene
Complexation behavior of 1,1″:1′,1‴-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyldimethyl)bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, **625**, 173
Ferrocene polymers: current architectures, syntheses and utility, **637-639**, 47
Syntheses and properties of the novel co-catalysts *N,N*-dimethylanilinium- and trityl{tetrakis[4-(trifluoromethyl)-2,3,5,6-tetrafluorophenyl]borate}, **621**, 177
Synthesis, structures and catalytic properties of Group 4 metallocenes based upon $[Me_2E(C_5H_4)(C_5Me_4)]_2$ (E = Si, Ge) supporting coordination, **634**, 145
Metallocene catalyzed polymerization
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)(η^5-fluorenyl)zirconium dichloride, **625**, 154
Metallocene conformation
Group 4 metallocenes containing hetaryl substituents at their π-ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, **622**, 143
Metallocenes
Aluminium zirconium (+3 and +4) heterometallic hydrido complexes of compositions $[(\eta^5\text{-}C_5H_5)_2Zr(\mu\text{-}H)]_2(\mu\text{-}H)AlCl_2$ and $[(\eta^5\text{-}C_5H_5)_2ZrH(\mu\text{-}H)_2]_3Al$, **619**, 36
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, **635**, 197
Bonding in 'closed,' open, and half-open ferrocenes: new insight from structural and Mössbauer spectroscopic studies, **637-639**, 172
Entropy effects in gas phase ion-molecule association reactions, **626**, 24
Metallocenes of the alkaline earth metals and their carbene complexes, **617-618**, 588
Metal–metal interaction in polynuclear complexes with cyanide bridges: synthesis, characterisation, and theoretical studies, **632**, 94
Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, **617-618**, 105
Metalloligand
Synthesis and structure of $[Sm(\eta^5\text{-}CpPPh_2)(\kappa^3\text{-}Tp^{Me2})(I)(THF)]$; a samarium complex with four different ligands, **626**, 76
Metallomesogens
Thiocyanato-bridged platinum heterocycles: structure and properties of disc-like metallomesogens, **620**, 249
Metallo-metallation
Silyl-cupration of a propargylsilane as a test for the reversibility of a metallo-metallation, **624**, 69
Metal–metal bond
Reactions of $Cp(NAr)NbMe_2$ with H_2 and $HSiMe_2Cl$. Molecular structure of $[CpNb(\mu\text{-}NAr)Me]_2$ (Ar = 2,6-$C_6H_3{}^iPr_2$), **628**, 25
Metal–metal bonds
Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes $Fe(CO)_5$ and $Fe(C_5H_5)_2$, **632**, 126
Metal–metal interaction
4-Ethinyl-benzonitrile-ferrocenes bridged by a $Pd(PPh_3)_2$ unit; the solid-state structure of $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4C{\equiv}CC_6H_4C{\equiv}N\text{-}1,4)$, **637-639**, 198
Metal–metal triple bond
Reactions of metal–metal triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ (M = Mo, W) with diphenyl ditelluride. Crystal structures of $[(\eta^5\text{-}MeC_5H_4)Mo_2(CO)_4(\mu\text{-}TePh)_3]$ and $[(\eta^5\text{-}EtO_2CC_5H_4)_2W_2(CO)_4(\mu\text{-}TePh)_2]$, **626**, 192
Metal methyl compounds
The metal–carbon stretching frequencies in methyl complexes of Rh, Ir, Ga and In with porphyrins and a tetradentate pyridine–amide ligand, **634**, 61
Metal–olefin π bonding
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, **635**, 37
Metal–silane complex
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, **635**, 37
Metal–silane complexes
Structural preference in complexes containing both double-face and single-face π-acceptor ligands, **635**, 84
Metal vapour synthesis
Metal vapour synthesis of phospha-organometallic compounds via reaction of cobalt atoms with the phospha-alkyne ^{t}BuC≡P: synthesis and structural characterisation of the sandwich compounds $[Co(\eta^5\text{-}P_3C_2{}^tBu_2)(\eta^4\text{-}P_2C_2{}^tBu_2)]$, $[Co(\eta^5\text{-}P_2C_3{}^tBu_3)(\eta^4\text{-}P_2C_2{}^tBu_2)]$ and the protonated tetraphospha-barrelene complex $[Co(\eta^4\text{-}P_4C_4{}^tBu_4H)(\eta^4\text{-}P_2C_2{}^tBu_2)]$, the latter as its $[W(CO)_5]$ adduct, **635**, 212
Metamagnetism
Synthesis, structural and magnetic characterization of the metamagnet $[Fe(C_5Me_5)_2]DMe\text{–}DCNQI$, **632**, 67
Metathesis
Asymmetric allylboration for the synthesis of β-hydroxy-δ-lactone unit of statin drug analogs, **624**, 239
Development of olefin metathesis catalyst precursors bearing nucleophilic carbene ligands, **617-618**, 17
Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, **617-618**, 288
Palladium complex-catalyzed germylation of allylic halides using (germyl)stannanes, **619**, 313
Regio- and stereoselective ring-opening dimerization–cross-coupling metathesis of 7-oxanorbornene derivatives, **627**, 105
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, **625**, 58
The initiation of ring-opening metathesis polymerisation of norbornadiene by seven-coordinate molybdenum(II) compounds. X-ray crystal structure of $[Mo(\mu\text{-}Cl)(SnCl_3)(CO)_3(\eta^4\text{-}NBD)]$, **640**, 72
Methane activation
Methane inversion on transition metal ions: a possible mechanism for stereochemical scrambling in metal-catalyzed alkane hydroxylations, **635**, 100
Methoxycarbonylation
Selectivity for the methoxycarbonylation of ethylene versus CO–ethylene copolymerization with catalysts based on C_4-bridged bidentate phosphines and phospholes, **640**, 182

Methyl and fluorine substituents
A convenient synthesis of bromopentaarylcyclopentadienes containing methyl or fluorine substituents, **627**, 179
Methyl complex
Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, **619**, 299
Methylcyclohex-1-ene
Oxidative esterification of alkenes via π- and σ-organopalladium complexes: new pathways for the reaction, **636**, 69
Methyl dehydrojasmonate
Behaviour of monocomplexed 1,4-diynes in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, **630**, 118
Methyldimethoxysilanes
Rigid rod molecules containing two $Si(OMe)_3$ or $SiMe(OMe)_2$ groups for hybrid materials synthesis, **626**, 92
Methylene
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, **617-618**, 520
Methylenepyran carbene complexes
Synthesis of electron donor–acceptor polyunsaturated methylenepyran Fischer type carbene complexes: dynamic ^{1}H-NMR study and solvatochromic properties, **626**, 37
Methylhydride osmium complexes
Preparation of methyl hydride and dimethyl complexes of osmium and iron: reaction of $M(CO)_2(PMe_2)_2CH_2I$ and $[M(CO)_3(PMe_2)_2CH_2]^+ BPh_4^-$ (M = Os, Fe) with borohydrides and lithium methyl, **628**, 255
Methylidene
Carbenes with ferrocenyl substituents, **617-618**, 28
Methylidene complexes
Methylidene and hydrazone complexes of the cluster family: $Cp'_3M_3(CO)_2(CH_2)$ (M = Co, Rh, Ir), **617-618**, 561
Methyl jasmonate
Behaviour of monocomplexed 1,4-diynes in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, **630**, 118
Methyltrioxorhenium
Transition-metal catalyzed synthesis of δ-hydroxy-γ-lactones from bis(trimethylsilyl) ketene acetals and allylic acetates via γ-unsaturated carboxylic acids. Comments on the formation of α-cyclopropyl carboxylic acids, **624**, 186
Micelles
Aqueous micellar and non-micellar effects during the asymmetric hydrogenation of dehydroamino acid derivatives: influence of amphiphiles on enantioselectivity and α-CH/CD exchange, **621**, 158
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, **637-639**, 469
Synthesis of achiral, but unsymmetric, seven-membered rhodium(I)-chelates for hydrogenation in the chiral environment of alkyl polyglucoside micelles, **621**, 120
Michael reaction
Preparation of 1,5-diketone derivatives containing ferrocenyl by Michael reaction under solvent-free condition, **637-639**, 719
Microwave heating
Synthesis of α-phenylseleno-α,β-unsaturated esters by Wittig-type reactions. Studies on the Diels–Alder reaction, **623**, 131
Migration
Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, **617-618**, 453
Migratory insertion
Migratory insertion and CO substitution reactions of the β,γ-unsaturated esters and amides $[Fe_2(CO)_5(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2\}]$ (Nu = OMe, OEt, OPr^i, NHPh, NHBu^t): synthesis and characterisation of acyl-bridged $[Fe_2(CO)_4L_2(\mu\text{-}PPh_2)(\mu\text{-}C{=}O\{C{=}CH_2\}CH_2C(O)Nu)]$ (L_2 = dppm, dppe) and alkenyl-bridged $[Fe_2(CO)_4\{P(OMe)_3\}_2(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2)]$, **620**, 150
Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)-platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(CH_2,*P*)-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum-(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), **617-618**, 671
Mixed cuprates
Preparations and selectivities of magnesium-based mixed cuprates, **619**, 31
Mixed ligand complexes
Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, **637-639**, 772
Mixed ligands
Cyclopentadienylcobalt complexes containing sulfosalt units: synthesis and structure of $[(C_5Me_4Et)_3Co_3AsS_3]I$ and $[(C_5Me_4Et)_3Co_3AsSe_3][Cr(CO)_5I]$, **628**, 39
Dinuclear molybdenum complexes containing the novel $\mu,\eta^{1,3}$-AsS_2 ligand: synthesis and molecular structure of $[\{Cp^*Mo_2(CO)_2As_2S_4\}\cdot 2Cr(CO)_5]\cdot 0.5CH_2Cl_2$ ($Cp^* = C_5Me_5$), **627**, 139
Mixed-metal
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster $[Fe_2(CO)_6(\mu_3\text{-}S)_2W\{(\eta^5\text{-}C_5H_4)W(CO)_3(CCPh)\}_2]$, **629**, 160
Mixed-metal clusters
Mixed metal cluster complexes containing the bis-ferrocenylbutadiyne ligand: their structures and electrochemical responses, **620**, 303
Synthesis and structural characterization of $\{\mu_3\text{-}H(Ph)C{=}C\}FeCo_2(CO)_7$-dppm (dppm = $Ph_2PCH_2PPh_2$) and $\{\mu_3\text{-}H(Ph)C{=}C\}FeCo_2(CO)_{9-n}L_n$ [L = PPh_3 (n = 1, 2), $AsPh_3$ (n = 1)], **631**, 87
Mixed valence complexes
Synthesis and characterization of [Cp*Fe-dicyclopenta(a,f)-naphthalene-FeCp*] and [Cp*Fe-dicyclopenta(a,f)-naphthalene-FeCp*] BF_4^-, **620**, 32
Mixed-valence state
Control of the symmetry of binuclear ferrocene derivative by using chiral substituent and its mixed-valence state, **637-639**, 820
^{55}Mn-NMR
^{57}Fe-NMR spectroscopy revisited: ferrocene derivatives containing heterosubstituents, **630**, 263
MOCVD
Novel cyclopentadienyl silanes and disilanes: synthesis, structure and gas-phase pyrolysis, **620**, 20
Modified electrodes
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, **637-639**, 642
Mo(IV) complexes
Unexpected formation of the novel mixed μ-oxo, μ-sulfido, bis(μ-thiolato) compound $[Mo(IV)_2Cp_2(\mu\text{-}O)(\mu\text{-}S)(\mu\text{-}SMe)_2]$, **627**, 67
Molecular dynamics
Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, **619**, 74

Molecular mechanism
UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, **629**, 93
Molecular modeling
Molecular modeling of the olefin metathesis by tungsten(0) carbene complexes, **630**, 157
Molecular orbital
Olefin strain energies and platinum complexes of highly pyramidalised alkenes, **635**, 142
Molecular orbital calculation
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, **635**, 153
Molecular orbital calculations
Are disilacyclopropylidenes and their carbenoids good precursors for the unknown 1,3-disilaallenes?, **636**, 148
Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, **632**, 3
Understanding the nature of the bonding in transition metal complexes: from Dewar's molecular orbital model to an energy partitioning analysis of the metal–ligand bond, **635**, 9
Molecular orbital theory
Methane inversion on transition metal ions: a possible mechanism for stereochemical scrambling in metal-catalyzed alkane hydroxylations, **635**, 100
Molecular recognition
Voltammetric metal cation sensors based on ferrocene derivatives with oxazoline and imine substituents, **637-639**, 134
Molecule-based magnet
(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, **637-639**, 182
Molecules orbital calculations
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, **635**, 173
Molten ammonium salts
Heck arylation of allylic alcohols in molten salts, **634**, 153
Molybdenocene
Experimental and theoretical study of the interaction of molybdenocene dichloride (Cp_2MoCl_2) with β-cyclodextrin, **632**, 11
Molybdenocenes
New studies on the chemical oxidation of (bisη^5-cyclopentadienyl)dithiolatemolybdenum(IV) complexes. Crystal structures of $[Mo(\eta^5\text{-}C_5H_5)_2S(C_6H_4\text{-}o\text{-}SC_6H_5)][BF_4]$ and $[Mo(\eta^5\text{-}C_5H_5)_2(SC_6H_5)_2]$, **632**, 107
Molybdenum
Addition of diphenylphosphine to molybdenum alkynyl complexes, **633**, 125
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, **617-618**, 656
Chiral bis(oxazoline) and pyridyl alcoholate dioxo-molybdenum(VI) complexes: synthesis, characterization and catalytic examinations, **621**, 207
cis- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0), $[Mo(CO)_4(tmpPh)_2]$. Syntheses and structures, **622**, 297
Comparative regiochemistry of protonation of $(\eta^6\text{-}C_6H_5R)$-(1,1',1''-tris(2-diphenylphosphinomethyl)ethane)Mo(0) (R = H, Me and $SiMe_3$), **628**, 275
$[Cp_2MoH_2]$–silver complexes with pseudohalide ligands, **633**, 1
Dinuclear molybdenum complexes containing the novel $\mu,\eta^{1,3}$-AsS_2 ligand: synthesis and molecular structure of $[\{Cp^*Mo_2(CO)_2As_2S_4\}\cdot 2Cr(CO)_3]\cdot 0.5CH_2Cl_2$ ($Cp^* = C_5Me_5$), **627**, 139
Experimental and theoretical study of the interaction of molybdenocene dichloride (Cp_2MoCl_2) with β-cyclodextrin, **632**, 11
Heptacoordinate dithiophosphate Mo(II) and W(II) complexes: molecular structures of mono and binuclear phosphine complexes, **632**, 175
High performance liquid chromatography for facile analytical separation of the enantiomers of chiral organometallic complexes, **621**, 242
Interaction of half-sandwich alkylmolybdenum(III) complexes with $B(C_6F_5)_3$. The X-ray structure of $[CpMo(\eta^4\text{-}C_4H_6)(\mu\text{-}Cl)(\mu\text{-}CH_2)(O)MoCp][CH_3B(C_6F_5)_3]$, **640**, 113
Monomeric, dimeric and polymeric $[Cp_2MoH_2]$ complexes with Ag–S bonds, **630**, 169
Preparation and properties of the halogenoalkyl compounds $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_nMe_{3-n})Mo\{(CH_2)_iX\}]$ ($n = 3, 4$; $i = 0–3$; X = Br, I) and $[\{\eta^5\text{-}C_5(CH_3)_5\}(CO)_3Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; X = Br, I) and the crystal structures of $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3I\}]$, $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3Br\}]$ and $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_3)Mo\{(CH_2)_3I\}]$, **633**, 39
Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, **617-618**, 495
Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral $Mo_2Fe(\mu_3\text{-}S)$ cluster cores. Crystal structures of $[Mo_2Fe(\mu_3\text{-}S)(CO)_7\{\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_n\ CH_2C_5H_4\text{-}\eta^5\}]$ ($n = 1–3$), **622**, 210
Synthesis and X-ray crystal structure of a chiral molybdenum porphyrin and its catalytic behaviour toward asymmetric epoxidation of aromatic alkenes, **634**, 34
Synthesis, bonding and dynamic behavior of *fac*-$[Mo(II)(CO)_2(\eta^3\text{-allyl})]$ derivatives, **632**, 197
Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, **617-618**, 696
The initiation of ring-opening metathesis polymerisation of norbornadiene by seven-coordinate molybdenum(II) compounds. X-ray crystal structure of $[Mo(\mu\text{-}Cl)(SnCl_3)(CO)_3(\eta^4\text{-NBD})]$, **640**, 72
Transition metal clusters containing carbosilane dendrimers, **619**, 245
Molybdenum biscyclopentadienyl
Biscyclopentadienyl Group 6 metal complexes as metalloligands in the synthesis of heterobimetallic species. Crystal structures of new thiolato-bridged molybdenum(IV)–copper(I) complexes, **632**, 75
Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane: $[Mo(\eta^5\text{-}C_5H_5)_2(H)CO][Mn_3(CO)_9(\mu\text{-}SC_6H_5)_4]$, **620**, 276
Molybdenum complexes
Chiral dioxomolybdenum(VI) complexes for enantioselective alkene epoxidation, **626**, 1
Molybdenum(II)
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), **622**, 228
Mo–Mo bonding
Unexpected formation of the novel mixed μ-oxo, μ-sulfido, bis(μ-thiolato) compound $[Mo(IV)_2Cp_2(\mu\text{-}O)(\mu\text{-}S)(\mu\text{-}SMe)_2]$, **627**, 67
Monoalkyl complexes
Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic

complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+ BF_4^-$ (M = Pt, Pd, R = CH_3, C_6H_5, s = coordinated solvent), **622**, 199

Monoanionic ligands
The synthesis of new complexes of rhenium(I) with heterotridentate [P,N,O] ligands, **626**, 181

Monoazacrown ether
Synthesis of azacrown ethers modified with side-chains containing germanium, **636**, 108

Monocations $[C_5Me_5MC_5Me_4CH_2]^+$
Gas-phase formation of mono- and dications from iron-subgroup decamethylmetallocenes and their calculation by the density functional method, **631**, 9

Monochalcogenide complexes
Synthesis of transition-metal complexes with heterodifunctional ligands derived of $NH(PPh_2)_2$. Crystal structure of $[(\eta^5\text{-}C_5Me_5)RhCl\{\eta^2\text{-}P,Se\text{-}Ph_2PNP(Se)Ph_2\}]\cdot CH_2Cl_2$, **633**, 182

Mononuclear
Transition metal chemistry of phosphorus based ligands: synthesis and transition metal chemistry of *N,N'*-dimethyl,-bis(diphenylphosphino)ethylenediamine. The crystal and molecular structure of $[ReBr(CO)_3\{Ph_2PN(Me)CH_2\text{-}CH_2(Me)NPPh_2\}]$, **628**, 76

Monothiocarbamates
Synthesis, spectroscopic characterization and structural studies of dialkyl dithiophosphinate and *N,N*-dialkyl dithio- and monothio-carbamate derivatives of 1-iodo-1,1,2,3,4,5-hexahydrotellurophene, **623**, 74

$Mo_2(O^iPr)4(DMPE)_2$
The electronic structure and bonding in $W_2(\mu\text{-}H)_2(O^iPr)_4(DMPE)_2$ and a comparison with $Mo_2(O^iPr)_4(DMPE)_2$, **621**, 66

Mo(0), Pd(II), Pt(II) complexes
Chelating phosphines with low coordinated phosphorus atoms: Part I. Phosphaalkenes associated with phosphine moieties — X-ray structure of *cis*-$(CO)_4Mo[ortho\text{-}Ph_2P\text{-}C_6H_4\text{-}CH\text{=}P(t\text{-}Bu_3C_6H_2)]\cdot C_7H_{16}$, **626**, 106

Morpholines
Reactions of silamorpholinones and acylsilamorpholines with electrophilic reagents. X-ray structure of products including a pentacoordinated silicon compound, **620**, 139

Mössbauer
Complexation behavior of 1,1'':1',1'''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyldimethyl)bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, **625**, 173

Electrostatic field effects manifested in ferrocenyl metal complexes and the crystal structure of $[Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4CH\text{=}NNHC_4H_4N)]\cdot HCl$, **637-639**, 311

Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), **633**, 7

Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of $1,3,5\text{-}(R_3Sn)_3C_3N_3S_3$ (R = Me, Ph), **627**, 6

Synthesis and spectroscopic studies of diorganotin derivatives with tolfenamic acid. Crystal and molecular structure of the first complex of tolfenamic acid, 1,2:3,4-di-μ_2-2-[(3-chloro-2-methylphenyl)amino]-benzoato-*O,O*-1,3-bis-2-[(3-chloro-2-methylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di-μ_3-oxo-tetrakis[di-*n*-butyltin(IV)], **620**, 194

Mössbauer spectroscopy
Bonding in 'closed,' open, and half-open ferrocenes: new insight from structural and Mössbauer spectroscopic studies, **637-639**, 172

Synthesis, structural characterization and ^{57}Fe-Mössbauer spectra of ferrocenylhexasilanes, **627**, 167

X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, **625**, 200

Mo_2S_2-unit
New ligand substitution modes of $M_2(\mu\text{-}SR)_2(CO)_8$ (M = Mo, W; R = alkyl, aryl): synthesis, structure and properties of new di-nuclear metal(I) carbonyl thiolates, $[M_2(\mu\text{-}SPh)_2(CO)_xL_y]^{n-}$ (M = Mo, W; $x = 6$, 8; $y = 0$, 1; L = PhS, $(Ph)_2PCH_2P(Ph)_2$ and S_2CNEt_2; $n = 1$, 0) and a polymer $[W_2(\mu\text{-}SPh)_2(CO)_6(Ph)_2PCH_2P(Ph)_2]_n$, **640**, 127

Mo_2Te_2 complex
Reactions of metal–metal triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ (M = Mo, W) with diphenyl ditelluride. Crystal structures of $[(\eta^5\text{-}MeC_5H_4)Mo_2(CO)_4(\mu\text{-}TePh)_3]$ and $[(\eta^5\text{-}EtO_2CC_5H_4)_2W_2(CO)_4(\mu\text{-}TePh)_2]$, **626**, 192

Mo_2Te_3 complex
Reactions of metal–metal triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ (M = Mo, W) with diphenyl ditelluride. Crystal structures of $[(\eta^5\text{-}MeC_5H_4)Mo_2(CO)_4(\mu\text{-}TePh)_3]$ and $[(\eta^5\text{-}EtO_2CC_5H_4)_2W_2(CO)_4(\mu\text{-}TePh)_2]$, **626**, 192

Multi-component connection
Nickel-catalysed three-component connection reaction of a phenyl group, conjugated dienes, and aldehydes: stereoselective synthesis of (*E*)-5-phenyl-3-penten-1-ols and (*E*)-3-methyl-5-phenyl-3-penten-1-ols, **624**, 348

Multinuclear NMR
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, **619**, 43

Multitopic ligands
Synthesis of Rh(I) and Ir(I) complexes with chiral C_2-multitopic ligands: Structural and catalytic properties, **634**, 25

Muscarinic antagonists
Syntheses and pharmacological characterization of achiral and chiral enantiopure C/Si/Ge-analogous derivatives of the muscarinic antagonist cycrimine: a study on C/Si/Ge bioisosterism, **640**, 140

N-Allylacetamide
Catalytic conversions in water: Part 19. Smooth hydroformylation of *N*-allylacetamide in mono- and biphasic aqueous media, **621**, 337

Nanoparticulate metal sulfides
Transition metal complexes of 2,4,6-trimercapto-1,3,5-triazine (TMT): potential precursors to nanoparticulate metal sulfides, **623**, 185

Nanostructured polyoxocarbosilane
UV laser-induced photolysis of 1,3-disilacyclobutane in oxygen for chemical vapour deposition of nano-sized polyoxocarbosilane films, **640**, 170

Naphthoannelation
Studies on regioselective addition of benzylic organometallics to α-oxoketene dithioacetals in our aromatic annelation protocol, **624**, 34

α-Naphthylazoimidazoles
Cyclopalladation versus hydroxylation. A case of pH dependence, **629**, 28

N-Aryl imines
Tunable ferrocenyl diphosphine ligands for the Ir-catalyzed enantioselective hydrogenation of *N*-aryl imines, **621**, 34

$^nBu_4N^+$ template
Self-assembly of $[Cu(CN)_4]^{3-}$ ions with cationic $\{Me_3Sn\}^+$ or $\{Me_2Sn(CH_2)_3SnMe_2\}^{2+}$ fragments in the presence of a $^nBu_4N^+$ template, **621**, 254

Nd- and Pr-complexes
Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, **628**, 99

N-donor ligands
Ligands with cycloalkane backbones VIII. Steric effects in the ligand accelerated enantioselective alkylation of benzaldehyde, **621**, 153
Neodymium
Nature of the metal–ligand bond in trivalent neodymium complexes with neutral π-donor ligands. A theoretical study, **619**, 24
Synthesis and characterization of polynuclear half-sandwich lanthanoid complexes $[Na(THF)_6]_2[Cp'_6Sm_6Se_{13}]$ and $[Li(THF)_4]_2[Cp_6Nd_6Se_{13}]$, **631**, 94
Neomenthylcyclopentadienyl
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)
(η^5-fluorenyl)zirconium dichloride, **625**, 154
Neutral chromocene derivatives
Reactivity and electronic property of decaphenylmetallocenes of Mo and W atoms, **620**, 106
New dithio ligands
Tellurium complexes with new, large-bite dithio ligands. The crystal structures of *cis*- and *trans*- [Te{$Ph_2P(S)$–N–P(S)($OPh)_2$}$_2$] and [(4-$MeOC_6H_4TeCl_3)_2${μ-$^iPr_2P(S)$–Fc–P(S)$^iPr_2$}], **623**, 124
N-functionalized cyclopentadienyl ligands
Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, **622**, 66
N-heterocyclic carbene
Carbenes with ferrocenyl substituents, **617-618**, 28
N-heterocyclic carbenes
An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, **617-618**, 635
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, **617-618**, 616
Nickel
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, **635**, 197
Isolation of a diketone species that is allylically bound to tungsten, and its relationship to a tungsten η^2-ketone complex, **630**, 215
Nickel-catalysed three-component connection reaction of a phenyl group, conjugated dienes, and aldehydes: stereoselective synthesis of (*E*)-5-phenyl-3-penten-1-ols and (*E*)-3-methyl-5-phenyl-3-penten-1-ols, **624**, 348
Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, **632**, 164
Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), **633**, 85
Nickel catalyst
Reduction of α,β unsaturated carbonyl compounds by Ni^{2+}–BH_4^-, **620**, 90
Nickel metal
A short synthesis of (−)-dendrobine. Some observations on the nickel mediated radical cyclisation and on the Pauson–Khand reaction, **624**, 316
Ni complexes
Transition-metal-mediated activation of arylisocyanates in supercritical carbon dioxide, **626**, 227
Ni(0) complexes
Highly reactive σ-organonickel complexes in electrocatalytic processes, **630**, 185
Niobium
Fluorenyl derivatives of early transition elements: a synthetic and structural study, **631**, 110
Reactions of Cp(NAr)$NbMe_2$ with H_2 and $HSiMe_2Cl$. Molecular structure of $[CpNb(\mu\text{-}NAr)Me]_2$ (Ar = 2,6-$C_6H_3{}^iPr_2$), **628**, 25
Synthesis, characterization and reactivity of tetracyclopentadienylniobium(IV), a precursor to organometallic derivatives of niobium(IV), **630**, 275
The synthesis of alkyl niobocene imido complexes and the X-ray crystal structure of [Nb(=O)Cp_2Me] (Cp = η^5-C_5H_5), **631**, 151
Niobocene
Cyclic organohydroborate complexes of metallocenes: Part VI. Syntheses and structures of $Cp_2M\{(\mu\text{-}H)_2BR_2\}$ (M = Ti, Nb; $R_2 = C_4H_8$, C_5H_{10}, C_6H_{12}), **627**, 109
Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, **629**, 54
Investigation into the reactivity of oxoniobocene complexes [Cp^*_2Nb(=O)R] (Cp^* = η^5-C_5Me_5; R = H, OH, OMe) towards heterocumulenes: formation of carbamato and thiocarbamato complexes and catalytic cyclization of PhNCO, **634**, 47
The synthesis of alkyl niobocene imido complexes and the X-ray crystal structure of [Nb(=O)Cp_2Me] (Cp = η^5-C_5H_5), **631**, 151
Nitrido
Synthesis, characterisation, crystal structures and reactivity of a series of ruthenium–cobalt mixed-metal nitrido carbonyl clusters with iodide ligands, **626**, 125
Nitrido complexes
Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, **637-639**, 772
Nitriles
A comparison of the coordination chemistry of Ph_2SNH and $Ph_2SNCH_2CH_2CN$: the preparation and X-ray crystal structures of [PPh_4][$PdBr_3(Ph_2SNCH_2CH_2CN)$] and *trans*-[$PdBr_2(Ph_2SNCH_2CH_2CN)_2$], the first fully characterised complexes of a N-substituted sulfimide, **623**, 120
Nitrite
Synthesis, characterisation, crystal structures and electrochemistry of triosmium nitrite carbonyl clusters containing ferrocenyl phosphines, **637-639**, 276
Nitro compounds
Alkylation of nitroarenes with Grignard reagents via oxidative nucleophilic substitution of hydrogen, **624**, 167
Nitrogen
Hypervalent organotin(IV) derivatives containing [2-(Me_2NCH_2)C_6H_4]Sn moieties. Competition between nitrogen and chalcogen atoms for coordination to the metal centre, **623**, 161
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, **625**, 255
Nitrogen centred radical
A short synthesis of (−)-dendrobine. Some observations on the nickel mediated radical cyclisation and on the Pauson–Khand reaction, **624**, 316
Nitrogen ligands
New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, **619**, 287
Nitronyl nitroxides
Electrophilic C(2)-functionalization of nitronyl nitroxides: a reference to *N*-heterocyclic carbenes, **617-618**, 473
Nitrosyl
Single and double nucleophilic addition to methylated podocarpic acid coordinated to manganese tricarbonyl, **630**, 84
Nitrosyls
Oxidative reactions of "half-sandwich" ruthenium compounds: formation of cationic nitrosyl ruthenium(II) derivatives, **626**, 145

N ligands
Cyclooctatetraene complexes of yttrium and the lanthanides with chiral and achiral aminotroponiminates, **621**, 277
N-Ligands
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, **625**, 180
NLO
Bimetallic π-conjugated complexes modulated by a carbonyl spacer: synthesis of arenetricarbonylchromium–ferrocene derivatives, **624**, 124
Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, **632**, 3
NLO materials
Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of $[FeCp(DPPE)(p\text{-}NCC_6H_4NO_2)][PF_6]\cdot CH_2Cl_2$, **619**, 252
Second harmonic generation of η^5-monocyclopentadienyl ruthenium *p*-benzonitrile derivatives by Kurtz powder technique. Crystal and molecular structure determinations of $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-}DIOP)(p\text{-}NCC_6H_4NO_2)][X]$, $X = PF_6^-$, $CF_3SO_3^-$ and $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-}DIOP)(NCCH_3)][PF_6]$, **632**, 133
NLO properties
Knoevenagel condensation of ferrocenyl substituted carboxaldehydes with methylene active compounds on inorganic supports and the NLO properties of the resulting push–pull alkenes, **637-639**, 426
NMR
An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, **634**, 122
A new class of triazepine–ruthenium(II) complexes: synthesis, crystal structure and NMR spectroscopic properties, **619**, 265
A study of Noyori's reagent, **621**, 231
1-Boraadamantane: reactivity towards mono-1-alkynyltin, -germanium and -silicon compounds — synthesis of 4-methylene-3-borahomoadamantanes, **620**, 51
Cationic derivatives of $RhCl[P(\eta^2\text{-}C_7H_7)_3]$. An intramolecular Diels–Alder rearrangement in the tripodal ligand tri(1-cyclohepta-2,4,6-trienyl)phosphane, $P(C_7H_7)_3$, **621**, 166
1,3 Dichloro- and 1,3 dibromotetra-*n*-butyldistannoxane mixtures: ligand redistribution and fluxional dynamics in distannoxanes, **620**, 211
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, **637-639**, 335
(Fluoroorgano)fluoroboranes and -fluoroborates: Part 3. Polyfluoroalken-1-yldifluoroboranes, **631**, 54
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, **634**, 198
New ferrocenyl amine derivatives: *N*-silyl, *N*-stannyl and *N*-boryl ferrocenyl amines, **637-639**, 727
^{119}Sn-NMR spectroscopic study of the 1,3-dichloro- and 1,3-diacetoxytetra-*n*-butyldistannoxane binary system, **620**, 296
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), **623**, 48
Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), **633**, 7
Synthesis and characterization of 2,4,6-tris((dimethylamino)-methyl)phenoxysilicon compounds, **636**, 96
Synthesis and structural characterization of (4,7-dioxaoctyl)phenyldichlorostannane and triphenyltin compounds containing various polyoxaalkyl moieties, **634**, 55
Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, **625**, 86
Synthesis, X-ray, spectroscopic and a preliminary Suzuki coupling screening studies of a complete series of $dppfMX_2$ (M = Pt, Pd; X = Cl, Br, I), **637-639**, 691
NMR characterisation
Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, **629**, 77
NMR enantiomeric purity determination
TRISPHAT salts. Efficient NMR chiral shift and resolving agents for substituted cyclometallated ruthenium bis(diimine) complexes, **624**, 388
NMR spectra
Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, **633**, 66
NMR spectroscopy
Concentration dependence of the ^{1}H- and ^{29}Si-NMR chemical shifts of tetramethyldisiloxanediol in deuterated chloroform, **628**, 233
Electrochemical and NMR spectroscopic studies of selenium- and tellurium-substituted ferrocenes I: ferrocenyl alkyl chalcogenides $[Fe(\eta\text{-}C_5H_5)(\eta\text{-}C_5H_4ER)]$, **623**, 101
Palladium(II) complexes containing symmetrical diphosphine ligands based on ferrocene. Sterically enforced palladium–iron bonds, **637-639**, 805
Photosubstitution of carbon monoxide in $W(CO)_6$ by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, **622**, 74
Schiff bases derived from mercury(II)–aminothiolate complexes as metalloligands for transition metals, **623**, 137
The oxidative addition of diphenyl diselenide and ditelluride to tetrakis(triphenylphosphine)palladium, **623**, 168
The synthesis of new complexes of rhenium(I) with heterotridentate [P,N,O] ligands, **626**, 181
N–N Bond activation
Iron carbonyl complexes from 2-[2,3-diaza-4-(2-thienyl)buta-1,3-dienyl]thiophene: N–N bond cleavage and cyclometalation, **640**, 85
N,N-Dimethylaminomethylferrocenyl
Study on structural properties and solution dynamics of zinc complexes with the (*N,N*-dimethylaminomethyl)ferrocenyl ligand, **620**, 243
1-[2-(*N,N*-dimethylaminomethyl)ferrocenyl] ligand
[2-(*N,N*-Dimethylaminomethyl)ferrocenyl] as a ligand towards mercury, **630**, 149
^{15}N-NMR
Aminopropylsilanes versus silatranes: an experimental and theoretical study, **625**, 148
^{15}N-NMR spectroscopy
Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, **630**, 177
Synthesis, characterisation, crystal structures and reactivity of a series of ruthenium–cobalt mixed-metal nitrido carbonyl clusters with iodide ligands, **626**, 125
Nonclassical bonding
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, **635**, 37

Non-classical interactions
New types of non-classical interligand interactions involving silicon based ligands, **635**, 24
Non-cyclopentadienyl
Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, **625**, 95
Nondestructive imaging
Synthesis of new ferrocene containing diamines and their use in epoxy resins, **637-639**, 837
Non-hydrolytic sol–gel condensation
Synthesis of poly(ferrocenyldialkoxysilane) polymers and their introduction into oxide matrices, **621**, 46
Nonlinear optical properties
Synthesis and nonlinear optical properties of a range of 1-ferrocenyl(2-(4-alkyl)pyridiniumyl)ethylene iodides, **631**, 59
Non-linear optics
Organometallic complexes for second-order non-linear optics. synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of $[FeCp(DPPE)(p\text{-}NCC_6H_4NO_2)][PF_6]\cdot CH_2Cl_2$, **619**, 252
Nonlinear optics
Second harmonic generation in ferrocene based hydrogen bonded assemblies, **637-639**, 827
The linear and nonlinear optical properties of organometallic chromophores derived from ferrocene, $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C\text{–}CH_3)]^+[BF_4]^-$ and terthienyl spacers. Crystal structure of 2-[(*E*)-2-ferrocenylethenyl]-5-(2-thienyl)thiophene, **637-639**, 435
Non-linear optics
New chiral ferrocenyl-pyridinium salts for non-linear optics, **637-639**, 531
Nonlinear optics
Second harmonic generation of η^5-monocyclopentadienyl ruthenium *p*-benzonitrile derivatives by Kurtz powder technique. Crystal and molecular structure determinations of $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-}DIOP)(p\text{-}NCC_6H_4NO_2)][X]$, $X = PF_6^-$, $CF_3SO_3^-$ and $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-}DIOP)(NCCH_3)][PF_6]$, **632**, 133
Non-linear optics
The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C\text{–}CH_3)]^+[BF_4]^-$: Crystal structure of $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}(E)\text{-}C\text{–}CH\text{=}CH\text{-}7\text{-}(thieno[3,2\text{-}e][1]benzothiophene))]^+[BF_4]^-$, **619**, 141
Nonlinear optics (NLO)
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, **625**, 32
Non-octahedral six-coordinate tris(dithiolene)
Chemical applications of topology and group theory: Part 35. Non-octahedral six-coordinate tris(dithiolene) and related complexes of the early transition metals, **623**, 95
Noradamantane
New chalcogen derivatives of silicon possessing adamantane and noradamantane structures, **628**, 133
Norbornadiene
The initiation of ring-opening metathesis polymerisation of norbornadiene by seven-coordinate molybdenum(II) compounds. X-ray crystal structure of $[Mo(\mu\text{-}Cl)(SnCl_3)(CO)_3(\eta^4\text{-}NBD)]$, **640**, 72
Norbornane
Synthesis and characterization of 2,5,7-trichalcogena-1,3,4,6-tetrasilanorbornanes $(RMeSiSiMe)_2E_3$ (R = Me, Ph; E = S, Se, Te), **627**, 144
Norbornene
Ring-opening polymerisation of norbornene by $(\mu\text{-}H)_2Os_3(CO)_{10}$ complex, **622**, 43
Normal coordinate analysis
Vibrational spectra and structure of the cyclopentadienyl-anion (Cp^-), the pentamethylcyclopentadienyl-anion (Cp^{*-}) and of alkali metal cyclopentadienyls CpM and Cp*M (M = Li, Na, K), **627**, 55
Nortaylorione
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, **630**, 104
N,P,N-ligand
Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N,P,N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, **634**, 90
N-Pyrrolyl phosphines
Redox potential, ligand and structural effects in rhodium(I) complexes, **620**, 174
Nuclear magnetic resonance
^{1}H-NMR and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual $(d_{xz},d_{yz})^4$ $(d_{xy})^1$ configuration, **629**, 145
Nucleophile
An examination of the substitution chemistry of di-*n*-hexyldichlorosilane, **620**, 287
Nucleophilic addition
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Single and double nucleophilic addition to methylated podocarpic acid coordinated to manganese tricarbonyl, **630**, 84
Nucleophilic additions
Tethering strategies in alkynylamino carbene complexes, **617-618**, 334
Nucleophilic attack
Reactivity of acyclic (pentadienyl)iron(1+) cations with weak carbon nucleophiles, **630**, 5
Nucleophilic attacks
Recovering phospholes from phosphacymantrenes, **634**, 131
Nucleophilic carbenes
Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, **617-618**, 70

O- and *C*-glycosides
Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, **622**, 251
o-Bromoacetophenone
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, **634**, 1
η^3:η^3-Octadienediyl complexes
Reactivity of the bis(allyl)-ruthenium(IV) dimer $[\{Ru(\eta^3\text{:}\eta^3\text{-}C_{10}H_{16})(\mu\text{-}Cl)Cl\}_2]$ ($C_{10}H_{16}$ = 2,7-dimethylocta-2,6-diene-1,8-diyl) towards dppf (dppf = $[Fe(\eta^5\text{-}C_5H_4PPh_2)_2]$) and dppfO (dppfO = $[Fe(\eta^5\text{-}C_5H_4PPh_2)(\eta^5\text{-}C_5H_4P(=O)Ph_2)]$), **637-639**, 767
Octahydrofluorenyl
Novel octahydro- and tetrahydro-fluorenyl containing C_1 symmetric zirconocenes for the stereoregular polymerization of propylene, **631**, 29
o-Formylphenyl complexes
Phenyl derivatives of mercury functionalised in the 2-position with either a formyl or a vinyl group. Crystal structures of $Hg[C_6H_4(CHO)\text{-}2]Cl$ and $Hg[C_6H_4(CH\text{=}CH_2)\text{-}2]_2$, **619**, 293

o-Iodoacetophenones
Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, **634**, 157
o-Iodobenzoic acid esters
Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, **634**, 157
Olefin
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, **625**, 255
Nature of the metal–ligand bond in trivalent neodymium complexes with neutral π-donor ligands. A theoretical study, **619**, 24
Olefin aziridination
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, **617-618**, 110
Olefin complexes
Stabilization of unstable unsaturated molecules in five-coordinate TBP complexes of Pt(II): enol, diol and dialdehyde derivatives, **622**, 242
Olefin cyclopropanation
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, **617-618**, 110
Olefin epoxidation
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, **617-618**, 110
Olefin exchange path
Palladium(0)–olefin complexes with potentially terdentate nitrogen–sulfur ligands. The role of the chelate in the olefin exchange path, **622**, 155
Olefin hydrogenation
Immobilized rhodium hydrogenation catalysts, **627**, 44
Olefinic phosphane complexes
Cationic derivatives of RhCl[$P(\eta^2\text{-}C_7H_7)_3$]. An intramolecular Diels–Alder rearrangement in the tripodal ligand tri(1-cyclohepta-2,4,6-trienyl)phosphane, $P(C_7H_7)_3$, **621**, 166
Olefin metathesis
Molecular modeling of the olefin metathesis by tungsten(0) carbene complexes, **630**, 157
Olefin polymerisation
Alkylaminophosphanyl substituted half-sandwich complexes of vanadium(III) and chromium(III): preparation and reactivity in ethylene polymerisation, **640**, 21
Olefin polymerization
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, **635**, 153
Syntheses and properties of the novel co-catalysts *N*,*N*-dimethylanilinium- and trityl{tetrakis[4-(trifluoromethyl)-2,3,5,6-tetrafluorophenyl]borate}, **621**, 177
Trimethylammonium[tetrakis(pentafluorophenoxy)borate], a safe way to synthesize novel co-catalysts for olefin polymerization, **621**, 184
Olefins
'One-pot' synthesis of 1,1-disubstituted cyclopropanes in the presence of metal complex catalysts, **636**, 76
Oligodeoxynucleotides
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, **637-639**, 398
Oligonuclear complexes
Multistep redox properties of 2,2′-bipyridylboronium substituted ferrocenes, **637-639**, 390
Oligopeptide
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, **637-639**, 335
Oligophenylenevinylenes (OPVs)
$W(CO)_6$-Mediated desulfuroligomerization of bis-dithioacetals. New synthesis of substituted oligo(phenylene–vinylenes), **624**, 63
Oligopyridine ligands
Synthesis and crystal structure of 1,1′-bis[4-(2,2′:6′,2″-terpyridin-4′-yl)phenyl]octamethylferrocene, **637-639**, 733
Oligosilane
Silylene-transfer reactions of cyclic organosilanes induced by phenanthraquinone triplet, **636**, 63
On-column
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, **637-639**, 398
One-dimensional stacking
Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2(Hpz^R)]$ complexes, **633**, 91
Open transition state model
Rhodium-catalyzed cyclopropanations of allylsilanes and allylstannanes: the role of the silyl/stannyl group in *trans*–*cis* stereoselection, **630**, 57
o-Phenylene
Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, **622**, 280
o-Phenylenediamine
Deprotonated *N*-phenyl-*o*-phenylenediimine as a bridging ligand, **636**, 157
Optically active complexes
Stoichiometric cyclotrimerisation of chiral alkynes at a ruthenium centre: preparation of optically active (η^6-arene)(η^4-cycloocta-1,5-diene)ruthenium(0) complexes, **621**, 246
Optical properties
Synthesis, characterisation and optical properties of symmetrical and unsymmetrical Pt(II) and Pd(II) bis-acetylides. Crystal structure of *trans*-$[Pt(PPh_3)_2(C{\equiv}C{-}C_6H_3)(C{\equiv}C{-}C_6H_4NO_2)]$, **627**, 13
Optical spectroscopy
Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, **620**, 202
ORD
Syntheses and pharmacological characterization of achiral and chiral enantiopure C/Si/Ge-analogous derivatives of the muscarinic antagonist cycrimine: a study on C/Si/Ge bioisosterism, **640**, 140
Organic halides
Highly reactive σ-organonickel complexes in electrocatalytic processes, **630**, 185
Organic radical
Ferrocene as a ferromagnetic coupler. Synthesis and characterization of a ferrocene bridged polychlorotriphenylmethyl diradical, **637-639**, 251
Ferrocene substituted nitronyl nitroxide and imino nitroxide radicals. Synthesis, X-ray structure and magnetic properties, **637-639**, 507
Organic solvent
Anion effect on the electrochemical characteristics of a gold electrode modified with a self-assembled monolayer of ferrocenylhexanethiol in aqueous and dichloromethane solutions, **637-639**, 841

Organoaluminium co-catalysts
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, **622**, 286
Organoaluminum compounds
Dehydration of $LnCl_3 \cdot 6H_2O$ (Ln = Tb, Nd, Dy) in the reaction with *i*-Bu_3Al, Et_3Al, Et_2AlCl, $EtAlCl_2$ and formation of the complexes $LnCl_3 \cdot 3(BuO)_3PO$, **636**, 56
Organoboranes
Nickel-catalysed three-component connection reaction of a phenyl group, conjugated dienes, and aldehydes: stereoselective synthesis of (*E*)-5-phenyl-3-penten-1-ols and (*E*)-3-methyl-5-phenyl-3-penten-1-ols, **624**, 348
1,1-Organoboration
1-Boraadamantane: reactivity towards mono-1-alkynyltin, -germanium and -silicon compounds — synthesis of 4-methylene-3-borahomoadamantanes, **620**, 51
Organocadmium
Evidence for single electron transfer (SET) pathway in the reaction of primary alkylcadmium reagents with *p*-benzoquinone, **625**, 108
Organocerium
On the steric course of transmetallations on enantiomerically defined α-carbamoyloxy organolithiums, **624**, 364
Organocobaloxime
Organocobaloximes with mixed dioxime equatorial ligands: a convenient one-pot synthesis. X-ray crystal structures of $BnCo^{III}$(dmgH)(dpgH)Py and $BnCO^{III}$(chgH)(dpgH)py, **627**, 80
Organodiplatinum(II)
Unsymmetrical organodiplatinum(II) and organodiplatinum(IV) complexes containing bis(diphenylphosphino)methane as bridging ligand: general approaches for synthesis and characterization by multinuclear NMR studies, **633**, 105
Organodiplatinum(IV)
Unsymmetrical organodiplatinum(II) and organodiplatinum(IV) complexes containing bis(diphenylphosphino)methane as bridging ligand: general approaches for synthesis and characterization by multinuclear NMR studies, **633**, 105
Organogallium compounds
Chemistry of (tetramethylcyclopentadienyl)gallium(III) compounds, **626**, 59
Organogermanium
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, **619**, 43
Organogermanium compounds
Synthesis of azacrown ethers modified with side-chains containing germanium, **636**, 108
Organohydroborates
Cyclic organohydroborate complexes of metallocenes: Part VI. Syntheses and structures of $Cp_2M\{(\mu\text{-}H)_2BR_2\}$ (M = Ti, Nb; $R_2 = C_4H_8$, C_5H_{10}, C_8H_{14}), **627**, 109
Organolithium
1,4-Bis(arylsulfonyl)dihydropyridines in synthesis. Enantioselective synthesis of 2,3,6-trisubstituted piperidines, **624**, 380
Metallation reactions XXVII. Metallation of (methylthio)anilines, **620**, 263
Organomanganese
Stereoselective addition of organomanganese reagents to chiral acylsilanes and aldehydes, **624**, 223
Organomanganese reagents
Versatile palladium-catalyzed arylation of organomanganese chlorides by aryl bromides, **624**, 376
Organometallic
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, **625**, 32
Organometallic complexes
Organometallic building blocks for crystal engineering. Synthesis, structure and hydrogen bonding interactions in $[Fe(\eta^5\text{-}C_5H_4\text{-}CH_2(CH_3)OH)_2]$, $[Fe(\eta^5\text{-}C_5H_4(CH_2)COOH)_2]$, $[Fe(\eta^5\text{-}C_5H_4CH(CH_3)NH(\eta^5\text{-}C_5H_4CH(CH_3))]$ and in the diaminecyclohexane salt $[Fe(\eta^5\text{-}C_5H_4COO)_2]^{2-}$ $[(1S,2S)\text{-}(NH_3)_2C_6H_{10}]^{2+} \cdot 2[H_2O]$, **637-639**, 609
Phenyl derivatives of mercury functionalised in the 2-position with either a formyl or a vinyl group. Crystal structures of $Hg[C_6H_4(CHO)\text{-}2]Cl$ and $Hg[C_6H_4(CH{=}CH_2)\text{-}2]_2$, **619**, 293
Organometallic compounds
Oxidation of organometallic compounds (RM, M = Li, MgBr, ZnBr, CuCNLi, $Cu(R)CNLi_2$) with ^tBuOOLi, $Ti(O^iPr)_4$-mediated with ^tBuOOH, and with O_2, to give alcohols (ROH). Are radicals $R^{\bullet}$ involved?, **624**, 47
Organometallic disaccharides
Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, **622**, 251
Organometallic electron-transfer salts
Synthesis, structural and magnetic characterization of the metamagnet $[Fe(C_5Me_5)_2]DMe\text{–}DCNQI$, **632**, 67
Organometallic fluorides
Preparation of bistrimethylsilylmethylniobiumtetrafluoride and the application of KHF_2 and *n*-Bu_4NHF_2 as fluorinating reagents, **621**, 310
Organometallic hormone
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, **637-639**, 500
Organometallic tweezer
C–C-bond formation in reactions of $[(\eta^5\text{-}C_5H_4SiMe_3)_2\text{-}Ti(C{\equiv}CR^1)_2]CuR$ with acyl chlorides and anhydrides, **625**, 140
Organometallic vinyldiene complexes
Cyclopropenation of organometallic vinylidene complexes, **617-618**, 141
σ-Organonickel complexes
Highly reactive σ-organonickel complexes in electrocatalytic processes, **630**, 185
Organoplatinum complexes
Preparation and electrochemical behaviour of dinuclear platinum complexes containing NCN ligands ($NCN = [C_6H_3(Me_2\text{-}NCH_2)_2\text{-}2,6]^-$). The crystal structure of $[C_6H_3(Me_2\text{-}NCH_2)_2\text{-}1,3\text{-}(C{\equiv}C)\text{-}5]_2$, **620**, 227
Organorhodoximes
ω-Monofluoroalkylrhodoximes: synthesis and structures of $[Rh\{(CH_2)_nF\}(dmgH)_2(PPh_3)]$ ($n = 1, 3$) and C–F activation reactions, **622**, 172
Organosilane
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, **619**, 235
Organosilicon chemistry
Chemistry of thermally stable bis(amino)silylenes, **617-618**, 209
Concentration dependence of the ^1H- and ^{29}Si-NMR chemical shifts of tetramethyldisiloxanediol in deuterated chloroform, **628**, 233
Organostannanes
Organotransition metal modified sugars: Part 22. Direct metalation of glycals: short and efficient routes to diversely protected stannylated glycals, **624**, 172
Organotellurium compounds
Carbon–carbon bond formation by means of organotellurium compounds, **623**, 43

Organotin
Further studies on dialkyltin 1,3-dithiole-2-thione-4,5-dithiolates, $R_2Sn(dmit)$. Crystal structures of orthorhombic- and monoclinic-$Et_2Sn(dmit)$, and $Me_2Sn(dmit)$, **627**, 189
Hypercoordinated organotin compounds containing sulfur and chlorine. Molecular structures of $[(Ph_3P)_2N]^+[S(SnR_2Cl)_2Cl]^-$ (R = Me, *t*-Bu), **636**, 138
Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), **633**, 7
Synthesis and spectroscopic studies of diorganotin derivatives with tolfenamic acid. Crystal and molecular structure of the first complex of tolfenamic acid, 1,2:3,4-di-μ_2-2-[(3-chloro-2-methylphenyl)amino]-benzoato-*O*,*O*-1,3-bis-2-[(3-chloro-2-methylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di-μ_3-oxo-tetrakis[di-*n*-butyltin(IV)], **620**, 194
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, **619**, 43
Synthesis, solution and solid-state NMR spectra of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-(organostannylmethyl)-α-D-glucopyranosides: Crystal structure of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-[(dimethylphenylstannyl)methyl]-α-D-glucopyranoside, **619**, 226
Organotin adduct
A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, **633**, 33
Organotin compounds
The behaviour of polydentate hydrazonic ligands derived from 2-acetylpyridine towards organotin compounds: Part II. The monoorganotin(IV) complexes, **626**, 161
Organotin(IV)
Self-assembly of $[Cu(CN)_4]^{3-}$ ions with cationic $\{Me_3Sn\}^+$ or $\{Me_2Sn(CH_2)_3SnMe_2\}^{2+}$ fragments in the presence of a $^nBu_4N^+$ template, **621**, 254
Organotin triflate clusters
Synthesis and characterization of organotin triflate clusters, **624**, 287
Organozinc
On the steric course of transmetallations on enantiomerically defined α-carbamoyloxy organolithiums, **624**, 364
Organozinc carbenoid chemistry
On the evolution of organozinc carbenoid chemistry from carbonyl compounds — a personal account, **624**, 41
Organozincs
Nickel-catalysed three-component connection reaction of a phenyl group, conjugated dienes, and aldehydes: stereoselective synthesis of (*E*)-5-phenyl-3-penten-1-ols and (*E*)-3-methyl-5-phenyl-3-penten-1-ols, **624**, 348
Synthesis of novel 1,1′-bis(oxazolinyl)metallocenes and their application in the asymmetric phenyl transfer from organozincs to aldehydes, **624**, 157
ortho-Metalation
Asymmetric synthesis of planar chiral 2-mono- and 2,2′-disubstituted 1,1′-bisbenzoylferrocenes, **637-639**, 698
Orthometallation
Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III): the orthometalation of *trans*-azobenzene, **625**, 186
O-Silation
Synthesis and crystal structure of oxo-bridged binuclear titanium complex $[\{Ti(acac)_2Cl\}\{TiCp_2(Cl)\}(\mu\text{-}O)]$ and its catalytic reactions toward silation of aldehyde, **631**, 16
Osmabenzene
Reaction between the thiocarbonyl complex, $Os(CS)(CO)(PPh_3)_3$, and propyne: crystal structure of a new sulfur-substituted osmabenzene, **623**, 109
Osmium
A comparison of ferrocenyl carbenium/non-carbenium structures in isomeric osmium cluster complexes obtained from the reaction of bis-ferrocenylbutadiyne with $Os_3(CO)_{10}(\mu\text{-py})(\mu\text{-H})$, **637-639**, 514
Dihydroxylation of olefins using air as the terminal oxidant, **621**, 70
Insertion of bis-ferrocenylbutadiyne into an osmium hydride bond. The synthesis, structure and electrochemical response of $Os_4(CO)_{11}(\mu\text{-}\eta\text{-}Z\text{-}FcCC(H)C_2Fc)(\mu\text{-H})_3$, **619**, 271
Reaction between the thiocarbonyl complex, $Os(CS)(CO)(PPh_3)_3$, and propyne: crystal structure of a new sulfur-substituted osmabenzene, **623**, 109
Reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with symmetric diynes and their reactivity towards $[Co_2(CO)_8]$, **635**, 119
Reactivity of the unsaturated triosmium cluster $[(\mu\text{-H})Os_3(CO)_8\{Ph_2PCH_2P(Ph)C_6H_4\}]$ with dithiols; X-ray structures of $[Os_3(CO)_8(\mu\text{-}SCH_2CH_2CH_2S)(Ph_2PCH_2PPh_2)]\cdot 1/2CH_2Cl_2$ and $[(\mu\text{-H})Os_3(CO)_7(\mu_3\text{-}\eta^3\text{-}SCH_2CH_2CHS)(Ph_2PCH_2PPh_2)]\cdot 1/2H_2O$, **625**, 112
Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of $Os[Si(OEt)_3]R(CO)(PPh_3)_2$ and $Os[Si(OEt)_3]R(CO)_2(PPh_3)_2$ (R = phenyl or *o*-tolyl), **625**, 77
Synthesis and characterization of new thioether derivatives of $[Os_3(CO)_{12}]$ and $[H_2Os_3(CO)_{10}]$; crystal and molecular structures of $[Os_3(CO)_{11}(L)]$ [Et_2S, Pr_2^iS, $S(CH_2)_4$] and $[Os_3(CO)_9(\mu\text{-H})(\mu\text{-X})\{SMe(Bu^t)\}]$ (X = H, OH), **623**, 191
Synthesis, characterisation, crystal structures and electrochemistry of triosmium nitrite carbonyl clusters containing ferrocenyl phosphines, **637-639**, 276
The thermolysis products of $Os_3(CO)_{11}(AsPh_3)$, **625**, 231
Osmium complexes
Iron(II) versus osmium(II) oxidation in 1,1′-bis(diorganophosphino)ferrocene–osmium(II) complexes, **637-639**, 167
Ring-opening polymerisation of norbornene by $(\mu\text{-H})_2Os_3(CO)_{10}$ complex, **622**, 43
o-Vinylphenyl complexes
Phenyl derivatives of mercury functionalised in the 2-position with either a formyl or a vinyl group. Crystal structures of $Hg[C_6H_4(CHO)\text{-}2]Cl$ and $Hg[C_6H_4(CH{=}CH_2)\text{-}2]_2$, **619**, 293
Oxabenzonorbornadienes
Rhodium-catalysed asymmetric ring opening of oxabicyclic alkenes with heteroatom nucleophiles, **624**, 259
Oxalate bridge
(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, **637-639**, 182
Oxazolidinone
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, **617-618**, 182
Oxazoline
Chiral bis(oxazoline) and pyridyl alcoholate dioxo-molybdenum(VI) complexes: synthesis, characterization and catalytic examinations, **621**, 207
Voltammetric metal cation sensors based on ferrocene derivatives with oxazoline and imine substituents, **637-639**, 134
Oxidation
Alkylation of nitroarenes with Grignard reagents via oxidative nucleophilic substitution of hydrogen, **624**, 167

Dihydroxylation of olefins using air as the terminal oxidant, **621**, 70
Photolysis of $(Me_2Si)_6$ in argon matrices doped with high concentrations (ca. 20%) of N_2O or C_2H_4O: formation of $(Me_2SiO)_6$, **640**, 177
Selective CO oxidation of heterometallic carbonyl clusters with the oxygen transfer reagent $(p\text{-}CH_3OC_6H_4)_2TeO$. Crystal structures of $(\mu_3\text{-}S)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$ and $(\mu_3\text{-}Se)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$, **619**, 194
Synthesis of substituted cyclopropanone acetals by carbometallation and its oxidative cleavage with manganese(IV) oxide and lead(IV) oxide, **624**, 300
UV laser-induced photolysis of 1,3-disilacyclobutane in oxygen for chemical vapour deposition of nano-sized polyoxocarbosilane films, **640**, 170

Oxidation catalysts
Copper(I) complexes with the hexaazafulleroid $C_{60}(NR)_6$, derived from (2*S*,4*S*)-4-azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine as multitopic ligand. Catalytic properties in oxidation of sulfides, **627**, 159

Oxidation reactions
New studies on the chemical oxidation of (bisη^5-cyclopentadienyl)dithiolatemolybdenum(IV) complexes. Crystal structures of $[Mo(\eta^5\text{-}C_5H_5)_2S(C_6H_4\text{-}o\text{-}SC_6H_5)][BF_4]$ and $[Mo(\eta^5\text{-}C_5H_5)_2(SC_6H_5)_2]$, **632**, 107

Oxidations
Oxidation of organometallic compounds (RM, M = Li, MgBr, ZnBr, CuCNLi, Cu(R)CNLi$_2$) with ^{t}BuOOLi, Ti(O^{i}Pr)$_4$-mediated with ^{t}BuOOH, and with O_2, to give alcohols (ROH). Are radicals R$^\bullet$ involved?, **624**, 47

Oxidative addition
Diastereoselective oxidative addition of cyclic thiosulfinates to platinum(0) compounds: chiral platinum(II) complexes with sulfenato ligands Crystal structures of S(O)–CH_2–CH(OAc)–CH(OAc)–CH_2–S and dppePt[S(O)–$(CH_2)_4$–S]: Part 16. Metal complexes of functionalized sulfur-containing ligands, **621**, 352
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, **635**, 37
Rate and mechanism of the reversible formation of a cationic (η^3-allyl)palladium(II) complex in the oxidative addition of allylic acetate to a palladium(0) complex ligated by diop: an unusual behavior, **624**, 217
Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, **628**, 30
Stereoselective oxidative addition of methyl iodide to chiral cyclometallated platinum(II) compounds derived from (*R*)-(+)-1-(1-naphthylethylamine). Crystal structure of $[PtMe\{3\text{-}(R)\text{-}(C_{10}H_7)CHMeNCHC_4H_2S\}PPh_3]$, **631**, 164

Oxidative-addition processes
Carbon–carbon bond formation via oxidative-addition processes of titanium(II) reagents with π-bonded organic substrates. Reactivity modifications by Lewis acids and Lewis bases: Part 22. Organic chemistry of subvalent transition metal complexes, **624**, 229

Oxidative carbonylation
A new efficient Pd-catalyzed synthesis of diphenyl carbonate with heteropolyacid as a cocatalyst, **630**, 11

Oxidative coupling
Reaction of alkynylsilanes with CuCl in polar solvents leading to alkynyl group transfer from Si to Cu, **620**, 282
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}C(OEt)CH_2\text{-}CH_2(EtO)C\text{=}\}$, (*E*)-$\{Cp'(CO)_2Mn\}_2\{\mu\text{-}C(OEt)\text{-}CH\text{=}CH(EtO)C\text{=}\}$ and $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}CN(Ph)CH(Ph)CHCHCH(Ph)N(Ph)C\text{=}\}$, **617-618**, 681

Oxidative dehydrodimerization
Oxidative dehydrodimerization of manganese phenylvinylidene complex $(\eta^5\text{-}C_5H_5)(CO)_2Mn\text{=}C\text{=}C(H)Ph$. X-ray structure of phenyl(trityl)vinylidene complex $(\eta^5\text{-}C_5H_5)\text{-}(CO)_2Mn\text{=}C\text{=}C(CPh_3)Ph$, **631**, 47

Oxidative esterification
Oxidative esterification of alkenes via π- and σ-organopalladium complexes: new pathways for the reaction, **636**, 69

Oxide complexes
Chiral bis(oxazoline) and pyridyl alcoholate dioxo-molybdenum(VI) complexes: synthesis, characterization and catalytic examinations, **621**, 207

oxides
New heterometallic copper zinc alkoxides: synthesis, structure properties and pyrolysis to Cu/ZnO composites, **630**, 253

Oxo
The synthesis of alkyl niobocene imido complexes and the X-ray crystal structure of $[Nb(\text{=}O)Cp_2Me]$ (Cp = η^5-C_5H_5), **631**, 151

Oxo and sulfido bridges
Unexpected formation of the novel mixed μ-oxo, μ-sulfido, bis(μ-thiolato) compound $[Mo(IV)_2Cp_2(\mu\text{-}O)(\mu\text{-}S)(\mu\text{-}SMe)_2]$, **627**, 67

Oxo-bridged binuclear titanium
Synthesis and crystal structure of oxo-bridged binuclear titanium complex $[\{Ti(acac)_2Cl\}\{TiCp_2(Cl)\}(\mu\text{-}O)]$ and its catalytic reactions toward silation of aldehyde, **631**, 16

Oxo-bridged dimer
Structure of an oxo-bridged germatrane dimer, **620**, 133

μ-Oxo complexes
Silsesquioxane Chemistry, 4. Silsesquioxane Complexes of Titanium(III) and Titanium(IV), **620**, 80

α-Oxoketene dithioacetals
Studies on regioselective addition of benzylic organometallics to α-oxoketene dithioacetals in our aromatic annelation protocol, **624**, 34

Oxo ligand
Catalytic hydrogenation of aromatics under biphasic conditions: isolation and structural characterisation of the cluster intermediate $[(\eta^6\text{-}C_6Me_6)_2(\eta^6\text{-}C_6H_6)Ru_3(\mu_2\text{-}H)_2(\mu_2\text{-}OH)(\mu_3\text{-}O)]^+$, **621**, 103

Oxo ligands
Investigation into the reactivity of oxoniobocene complexes $[Cp^*_2Nb(\text{=}O)R]$ (Cp^* = η^5-C_5Me_5; R = H, OH, OMe) towards heterocumulenes: formation of carbamato and thiocarbamato complexes and catalytic cyclization of PhNCO, **634**, 47

Oxydative nucleophilic substitution of hydrogen
Alkylation of nitroarenes with Grignard reagents via oxidative nucleophilic substitution of hydrogen, **624**, 167

Oxygen
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, **617-618**, 242

Oxygen insertion
Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, **633**, 79

Oxygen–selenium ligands
Thioether- and selenoether-carboxylates in palladium chemistry: conclusive proof of hemilabile properties of O–Se ligands, **619**, 164

Oxygen–sulphur ligands
Thioether- and selenoether-carboxylates in palladium chemistry: conclusive proof of hemilabile properties of O–Se ligands, **619**, 164
Oxygen transfer reagent
Selective CO oxidation of heterometallic carbonyl clusters with the oxygen transfer reagent (p-$CH_3OC_6H_4)_2TeO$. Crystal structures of $(\mu_3$-S)FeCoMo(CO)$_7(\eta^5$-$C_5H_4COCH_3)(PPh_3)$ and $(\mu_3$-Se)FeCoMo(CO)$_7(\eta^5$-$C_5H_4COCH_3)(PPh_3)$, **619**, 194

Palladacycles
Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, **633**, 173
Palladium
A comparison of the coordination chemistry of Ph_2SNH and $Ph_2SNCH_2CH_2CN$; the preparation and X-ray crystal structures of $[PPh_4][PdBr_3(Ph_2SNCH_2CH_2CN)]$ and *trans*-$[PdBr_2(Ph_2SNCH_2CH_2CN)_2]$, the first fully characterised complexes of a N-substituted sulfimide, **623**, 120
A simple access to palladium complexes of functionalized heterocyclic carbenes, **626**, 100
Bis(diphosphaferrocene) palladium(II) dimer complexes as efficient catalysts in the synthesis of arylboronic esters, **640**, 197
Bis(iodozincio)methane — preparation, structure, and reaction, **617-618**, 39
Characterization and electrochemical study of bis(ferrocenes) with a furan spacer and ferrocenophanes prepared from α-bromoacetyl substituted ferrocenes, **637-639**, 258
Chelating behaviour of a phosphinoalcohol leading to a stable alcohol palladium complex, **621**, 218
Chiral ferrocenylthiazolidines, new ligands for palladium complexes, **637-639**, 116
Deprotonated *N*-phenyl-*o*-phenylenediimine as a bridging ligand, **636**, 157
Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+$ BF_4^- (M = Pt, Pd, R = CH_3, C_6H_5, s = coordinated solvent), **622**, 199
Halo-carbonyl complexes of platinum(II) and palladium(II), **622**, 180
M_2E_2 four-member ring structure, $M_2(\mu$-$EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu$-$E_2H_4)(P2)_2$. A theoretical study, **635**, 173
NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, **622**, 89
Novel cyclopalladated ferrocenyl Schiff base compounds with bridging and chelating diphosphines. Crystal and molecular structure of $[\{Pd[(\eta^5$-$C_5H_3)Fe(\eta^5$-$C_5H_3)C(H)$=N-2,4,6-$Me_3C_6H_2]\}\{Ph_2P(CH_2)_nPPh_2$-$P,P'\}][PF_6]$ (n = 1, 2), **637-639**, 577
Optically active cyclopalladated compounds containing P-chiral ligands. Restricted rotation around the Pd–P bond, **634**, 83
ortho-Silylation of 2,2′-bis(oxazolinyl)-1,1′-bis(diphenylphosphino)ferrocenes and remarkable effect of the silyl groups on the enantioselectivity in Pd-catalyzed asymmetric allylic alkylation, **637-639**, 99
Oxidative esterification of alkenes via π- and σ-organopalladium complexes: new pathways for the reaction, **636**, 69
Palladium catalyzed cyclization reactions of acetylenic lactams, **624**, 244
Palladium(II) phosphine thiocarboxylates. Structures of *cis*-Pd(κS-SOCMe)$_2$(dppf) [dppf = 1,1′-bis(diphenylphosphino)ferrocene] and *trans*-Pd(κS-SOCMe)$_2(PPh_3)_2$, **637-639**, 757
Rate and mechanism of the reversible formation of a cationic (η^3-allyl)palladium(II) complex in the oxidative addition of allylic acetate to a palladium(0) complex ligated by diop: an unusual behavior, **624**, 217
Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, **622**, 112
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), **623**, 48
Synthesis and crystal structure of twisted dinuclear η^3-allylpalladium complexes containing tetradentate nitrogen ligands, **627**, 121
Synthesis and structures of heterobimetallic Ir_2M (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, **620**, 69
Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, **622**, 84
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, **617-618**, 616
Thioether- and selenoether-carboxylates in palladium chemistry: conclusive proof of hemilabile properties of O–Se ligands, **619**, 164
Transition-metal catalyzed synthesis of δ-hydroxy-γ-lactones from bis(trimethylsilyl) ketene acetals and allylic acetates via γ-unsaturated carboxylic acids. Comments on the formation of α-cyclopropyl carboxylic acids, **624**, 186
Versatility in the mode of coordination [(C)$^-$, (N,S), (C,N)$^-$ or (C,N,S)$^-$] of the Schiff base: C_6H_5–CH=N–CH_2–CH_2–SEt to palladium(II). X-ray crystal structures of *cis*-$[Pd\{C_6H_5$–CH=N–CH_2–CH_2–SEt$\}Cl_2]$ and $[Pd\{C_6H_4$–CH=N–CH_2–CH_2–SEt$\}Cl]$, **629**, 97
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, **622**, 38
Weakly ligated palladium complexes $PdCl_2(RCN)_2$ in piperidine: versatile catalysts for Sonogashira reaction of vinyl chlorides at room temperature, **624**, 114
Palladium catalysis
Cross-coupling of vinylpolysiloxanes with aryl iodides, **624**, 372
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, **634**, 1
Palladium complex-catalyzed germylation of allylic halides using (germyl)stannanes, **619**, 313
Synthesis of (*Z*)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via $Pd(dba)_2$–$P(OCH_2)_3CEt$-catalyzed germastannation of acetylenes in THF, **622**, 302
Palladium catalyst
Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, **629**, 44
Palladium catalysts
Bis(pyrimidine)-based palladium catalysts: synthesis, X-ray structure and applications in Heck–, Suzuki–, Sonogashira–Hagihara couplings and amination reactions, **634**, 39
Direct use of chiral or achiral organophosphorus boranes as proligands for transition metal catalyzed reactions, **624**, 333
Palladium-catalyzed cross-coupling
Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, **622**, 66
Palladium complex
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), **637-639**, 75
Palladium complexes
An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, **617-618**, 635

New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, **619**, 287

Study on the synthesis of nonracemic C_2-symmetric 1,1'-binaphthyl-2,2'-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, **637-639**, 318

Synthesis of chiral 2-alkyl-8-quinolinyl-oxazoline ligands: reversal of enantioselectivity in the asymmetric palladium-catalyzed allylic alkylation, **640**, 65

The oxidative addition of diphenyl diselenide and ditelluride to tetrakis(triphenylphosphine)palladium, **623**, 168

Palladium(II)

Novel structures of cyclometallated complexes of palladium(II) derived from terdentate ligands. Crystal and molecular structure of $[Pd\{C_6H_4C(H)=NCH_2CH_2CH_2NMe_2\}(X)]$ (X = Cl, Br, I), **620**, 8

Stereochemically non-rigid transition metal complexes of 2,6-bis(phenyliminomethyl)pyridine and derivatives. Crystal structure of *fac*-$[ReBr(CO)_3(PMTFA)]$ (PMTFA = 2,6-pyridylene-bis-(methylene-2-trifluoromethylaniline), **631**, 125

Palladium(II)-catalysts

N-Acyl-*N*,*N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, **622**, 6

Palladium(II) complex

Cyclopalladation versus hydroxylation. A case of pH dependence, **629**, 28

Palladium(II) complexes

Palladium(II) complexes containing mono-, bi- and tridentate carbene ligands. Synthesis, characterisation and application as catalysts in C–C coupling reactions, **617-618**, 546

Palladium(II) complexes with hemilabile amphiphilic phosphines, **626**, 139

Palladium–iron bonds

Palladium(II) complexes containing symmetrical diphosphine ligands based on ferrocene. Sterically enforced palladium–iron bonds, **637-639**, 805

Pallidium(0)–olefin complexes

Palladium(0)–olefin complexes with potentially terdentate nitrogen–sulfur ligands. The role of the chelate in the olefin exchange path, **622**, 155

p–σ and p–π interactions

Conformational behavior of 3-borabicyclo[3.3.1]nonanes. Intramolecular p–σ and p–π interactions in 3,7-*endo*-disubstituted 3-borabicyclo[3.3.1]nonanes, **636**, 3

Paramagnetic complexes

^{1}H-NMR and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual $(d_{xz},d_{yz})^4$ $(d_{xy})^1$ configuration, **629**, 145

para-Phenyl-2-imidazolium phosphine

Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, **630**, 177

Pauson–Khand reaction

A short synthesis of (−)-dendrobine. Some observations on the nickel mediated radical cyclisation and on the Pauson–Khand reaction, **624**, 316

The rhodium-catalyzed Pauson–Khand reaction, **624**, 73

P-chiral

Optically active cyclopalladated compounds containing P-chiral ligands. Restricted rotation around the Pd–P bond, **634**, 83

Pd

Solid phase cross-coupling reaction of aryl(halo)silanes with 4-iodobenzoic acid, **624**, 208

Pd(0)-catalysed cross-coupling

A new phthalocyanine–ferrocene conjugated dyad, **637-639**, 751

Pentacarbonyls

Force constant calculations for octahedral complexes of the type $M(CO)_5L$, based on the CO-factored force field, **640**, 37

Pentacarbonyl(vinylidene) complexes

Zwitterionic adducts from addition of imines to the α-carbon atom of pentacarbonyl(vinylidene)chromium and -tungsten complexes, **620**, 165

Pentacoordinate

Reactions of silamorpholinones and acylsilamorpholines with electrophilic reagents. X-ray structure of products including a pentacoordinated silicon compound, **620**, 139

Pentacoordinated

Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, **622**, 54

Pentacoordination

Crystal and molecular structure of $H_2C(SnPh_2OMe)_2{\cdot}MeOH$, **626**, 49

Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on urea ligands, **619**, 132

1-(Penta-1,4-dien-3-yl)alkanol

A highly efficient and practical preparation of 2,4-pentadienyltitaniums and their γ-selective addition reaction with aldehydes and ketones, **624**, 151

2,4-Pentadienylmetal

A highly efficient and practical preparation of 2,4-pentadienyltitaniums and their γ-selective addition reaction with aldehydes and ketones, **624**, 151

Pentafluorophenol

Trimethylammonium[tetrakis(pentafluorophenoxy)borate], a safe way to synthesize novel co-catalysts for olefin polymerization, **621**, 184

Pentafluorophenyl

Conformational control of intramolecular arene stacking in ferrocene complexes bearing *tert*-butyl and pentafluorophenyl substituents, **637-639**, 107

Pentamethylcyclopentadiene

Reactions of the cationic complex $[(\eta^5\text{-}C_5Me_5)_2Ir_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, **634**, 12

Pentamethylcyclopentadienyl

Lithiation studies of $[PhP(CH_2Ph)_3]Cl$; X-ray crystal structure of the phosphoniodiylide $[(TMEDA)Li(PhCH)_2PPh(CH_2Ph)]$ and its rhodium and chromium complexes, **625**, 236

Reactions of Cp*Ir(2,5-dimethylthiophene) with electrophiles, acids, and maleic anhydride, **621**, 55

Pentamethylcyclopentadienyl complexes

η^5-C_5H_5- and η^5-C_5Me_5-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $C_2H_2S_5$ ligand and high electrical conductivities of their oxidized species, **625**, 7

Pentamethylferrocene

Carbenes with ferrocenyl substituents, **617-618**, 28

Peptides

Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type $H_2NCH(CH_2ElR_3)COOH$ (El = Si, Ge; R = organyl) and incorporation of D-$H_2NCH(CH_2SiMe_3)COOH$ and D-$H_2NCH(CH_2GeMe_3)COOH$ into biologically active decapeptides: a study on C/Si/Ge bioisosterism, **628**, 183

Peptide synthesis

Solution phase peptide synthesis with ferrocenyl amino acid derivatives, **637-639**, 349

Perfluorophenyl borate

Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using $[NBu_4][B(C_6F_5)_4]$ as supporting electrolyte, **637-639**, 823

Perphenylmetallocene complexes
Reactivity and electronic property of decaphenylmetallocenes of Mo and W atoms, **620**, 106
Peterson olefination
α-Lithioalkoxysilanes: applications to alkene synthesis, **625**, 13
Phase transition
UV and Raman study of thermochromic phase transition in poly(di-*n*-hexylgermane), **636**, 164
Phenanthraquinone
Silylene-transfer reactions of cyclic organosilanes induced by phenanthraquinone triplet, **636**, 63
Phenol
A new efficient Pd-catalyzed synthesis of diphenyl carbonate with heteropolyacid as a cocatalyst, **630**, 11
Phenolato ligand
Mono(cyclopentadienyl)titanium complexes containing a sulfide-bridged bis(phenolato) ligand. Molecular structure of Ti{2,2′-S(OC$_6$H$_2$-4-Me-6-^{t}Bu)$_2$}(η^5-C$_5$H$_5$)Cl, **621**, 3
Phenomena
On the steric course of transmetallations on enantiomerically defined α-carbamoyloxy organolithiums, **624**, 364
Phenylacetylene
Reaction of disilagermirenes with phenylacetylene: from a germasilene –Ge=Si– to a metalladiene of the type –Si–Ge–C=C–, **636**, 41
Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, **629**, 187
Phenylacetylene and 2-methyl-5-pyridylacetylene
Fluoride ion mediated reactions of disubstituted acetylenes Me$_3$SiC≡CMMe$_3$ (M = C, Si, Ge, Sn) with terminal acetylenes, **634**, 69
Phenylsilane
Disproportionation reactions of organohydrosilanes in the presence of base catalysts, **629**, 1
Phospha-alkene
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Phosphaalkenes
Chelating phosphines with low coordinated phosphorus atoms: Part I. Phosphaalkenes associated with phosphine moieties — X-ray structure of *cis*-(CO)$_4$Mo[*ortho*-Ph$_2$P–C$_6$H$_4$–CH=P(*t*-Bu$_3$C$_6$H$_2$)]·C$_7$H$_{16}$, **626**, 106
Phospha-alkyne
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Metal vapour synthesis of phospha-organometallic compounds via reaction of cobalt atoms with the phospha-alkyne ^{t}BuC≡P: synthesis and structural characterisation of the sandwich compounds [Co(η^5-P$_3$C$_2^t$Bu$_2$)(η^4-P$_2$C$_2^t$Bu$_2$)], [Co(η^5-P$_3$C$_2^t$Bu$_3$)(η^4-P$_2$C$_2^t$Bu$_2$)] and the protonated tetraphospha-barrelene complex [Co(η^4-P$_4$C$_2^t$Bu$_4$H)(η^4-P$_2$C$_2^t$Bu$_2$)], the latter as its [W(CO)$_5$] adduct, **635**, 212
Phosphaallenes
EPR and theoretical studies of the reduction product of the fulvenephosphaallene system, **634**, 136
Phosphaallylic radical
EPR and theoretical studies of the reduction product of the fulvenephosphaallene system, **634**, 136
Phosphacymantrenes
Recovering phospholes from phosphacymantrenes, **634**, 131
Phosphane
Solid state structure of P(*o*-(CF$_3$)Ph)$_3$ substituted Rh$_2$(CO)$_4$(μ-Cl)$_2$. Formation of dimeric [Rh$_2$(CO)$_3$(μ-Cl)$_2$(P(*o*-(CF$_3$)Ph)$_3$)]$_2$, **633**, 69
Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, **633**, 66
Phosphate binding
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, **637-639**, 343
Phosphavinyl
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, **629**, 109
Phosphenium complex
Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, **617-618**, 453
Phosphenium complexes
Complexes with phosphorus analogues of imidazoyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis, **617-618**, 383
Phosphetanes
Chiral 1,2-bis(phosphetano)ethanes, **624**, 162
Phosphide
Addition of diphenylphosphine to molybdenum alkynyl complexes, **633**, 125
Phosphido
Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, **617-618**, 696
Phosphido-bridged
Protonation of metal–metal bonds: X-ray crystal structures of the complex salts [Ru$_2$(CO)$_4$(μ-H)(μ-Cl)(μ-P^{t}Bu$_2$)(μ-Ph$_2$PCH$_2$PPh$_2$)][BF$_4$] and [M$_2$(CO)$_4$(μ-H)$_2$(μ-P^{t}Bu$_2$)(μ-Ph$_2$PCH$_2$PPh$_2$)][BF$_4$] (M = Fe, Ru), **628**, 144
Phosphine
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Comparative regiochemistry of protonation of (η^6-C$_6$H$_5$R)-(1,1′,1″-tris(2-diphenylphosphinomethyl)ethane)Mo(0) (R = H, Me and SiMe$_3$), **628**, 275
Reactivity of the unsaturated triosmium cluster [(μ-H)Os$_3$(CO)$_8${Ph$_2$PCH$_2$P(Ph)C$_6$H$_4$}] with dithiols: X-ray structures of [Os$_3$(CO)$_8$(μ-SCH$_2$CH$_2$CH$_2$S)(Ph$_2$PCH$_2$PPh$_2$)]·1.2CH$_2$Cl$_2$ and [(μ-H)Os$_3$(CO)$_7$(μ$_3$-η^3-SCH$_2$CH$_2$CHS)(Ph$_2$PCH$_2$PPh$_2$)]·1.2H$_2$O, **625**, 112
Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, **629**, 7
Phosphine boranes
Direct use of chiral or achiral organophosphorus boranes as pro-ligands for transition metal catalyzed reactions, **624**, 333
Phosphine complexes
Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenerhodium(I) complexes, **617-618**, 502
Phosphinedene oxide
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Phosphine ligand
Diferrocenyltriphosphines 2. Reversible phosphine deligation in the chemistry of diferrocenyltriphosphine Ru(II) dichloride complexes with nitriles and pyridines: towards a pH-switchable catalyst?, **637-639**, 538
Phosphine ligands
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, **622**, 286
Palladium(II) complexes containing symmetrical diphosphine ligands based on ferrocene. Sterically enforced palladium–iron bonds, **637-639**, 805
Phosphine oxide
P-chiral β-aminophosphine oxides vs. β-aminophosphines as auxiliaries for ruthenium catalysed enantioselective transfer hydrogenation of arylketones, **626**, 157

Phosphines
Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)-platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(*C*,*P*)-chloro(chloromethyl)(dimethylaminomethylene)(triphenylphosphine)platinum(II) and [1,2-bis(diphenylphosphino)ethane]-(dimethylaminomethylene)(triphenylphosphine)-platinum(II) bis(hexafluorophosphate), **617-618**, 671
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, **617-618**, 616
Phosphinethiolate
Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of $[AgSn(\mu\text{-}SC_6H_4PPh_2)_2\text{-}Me_2(PPh_2Me)]CF_3SO_3{\cdot}CH_2Cl_2$, **622**, 274
Phosphine X-ray structure
Reactivity of lithium diphenylphosphonium diylides towards phosphorus electrophiles: Synthesis of α,β-unsaturated phosphorus compounds, **624**, 307
Phosphinidene
Phosphinidene reactivity toward unsaturated phosphorus heterocycles, **617-618**, 311
Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, **617-618**, 696
Phosphinidene complexes
Triphosphane formation from the terminal zirconium phosphinidene complex $[Cp_2Zr{=}PDmp(PMe_3)]$ (Dmp = 2,6-$Mes_2C_6H_3$) and crystal structure of $DmpP(PPh_2)_2$, **630**, 193
Phosphinidenes
Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, **617-618**, 105
Phosphinoferrocene
1,1′,2,2′-Tetrakis(diphenylphosphino)-4,4′-di-*tert*-butylferrocene, a new *cisoid* arrangement of phosphino groups, **637-639**, 126
Phosphites
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)\text{-}(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), **622**, 228
Phosphocavitands
Complexes of P(III)-phosphocavitands with Groups VI and VII transition metal carbonyls, **631**, 1
Phosphole
A new approach to β-functional phospholes. Application to the synthesis of a β-CH_2–CH_2-bridged diphosphole disulphide, **624**, 105
cis- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0), $[Mo(CO)_4(tmpPh)_2]$. Syntheses and structures, **622**, 297
Phospholes
Recovering phospholes from phosphacymantrenes, **634**, 131
Phospholium salts
Recovering phospholes from phosphacymantrenes, **634**, 131
Phosphonate
Controlled monohalogenation of phosphonates: Part IV. Selective synthesis of monohalogenomethylenediphosphonates, **624**, 203
Phosphonic acid
Synthesis and characterisation of ferrocenyl-phosphonic and -arsonic acids, **637-639**, 216
Phosphoniodiylide
Lithiation studies of $[PhP(CH_2Ph)_3]Cl$; X-ray crystal structure of the phosphoniodiylide $[(TMEDA)Li(PhCH)_2PPh(CH_2Ph)]$ and its rhodium and chromium complexes, **625**, 236
Phosphonite–phosphite
Chiral aminophosphonite-phosphite ligands: synthesis and use in platinum- and rhodium-based enantioselective hydroformylation of styrene. Crystal structure of [(*S*)-*N*-(2,2′biphenoxyphosphino)-2-(2,2′biphenoxyphosphinoxymethyl)pyrrolidine]dichloroplatinum(II), **628**, 114
Phosphonium diylide
Reactivity of lithium diphenylphosphonium diylides towards phosphorus electrophiles: Synthesis of α,β-unsaturated phosphorus compounds, **624**, 307
Phosphonodithioates
Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), **633**, 85
Phosphorodithioato
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphoryl)disulfanes. Syntheses and X-ray crystal structures of $CpCr(CO)_2(S_2P(OR)_2)$, $CpCr(S_2P\text{-}(OR)_2)_2$ and $Cr(S_2P(OR)_2)_3$ (R = ^{i}Pr), **631**, 67
Phosphorus
Bridge cleavage of $[\{PhP(Se)(\mu\text{-}Se)\}_2]$ by 1,2-$C_6H_4(EH)(E'H)$ (E, E′ = O or NH). X-ray crystal structure of $Ph\text{-}P(Se)(NHC_6H_4NH\text{-}1,2)$, **623**, 116
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, **617-618**, 423
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, **629**, 109
Triphosphane formation from the terminal zirconium phosphinidene complex $[Cp_2Zr{=}PDmp(PMe_3)]$ (Dmp = 2,6-$Mes_2C_6H_3$) and crystal structure of $DmpP(PPh_2)_2$, **630**, 193
Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, **622**, 33
Phosphorus ylides
Synthesis, characterization and crystal structure of $[Pt(Me)(dppe)\{\eta^1\text{-}CH(PPh_3)(COOEt)\}]BF_4$. An example of overcrowded molecule and correlated properties, **629**, 201
Photochemical C–H bond activation
Photochemical C–H bond activation of diruthenium bridging alkylidene complexes: Interligand H-exchange on $Cp_2Ru_2(\mu\text{-}CH_2)(\mu\text{-}CHR)(CO)_2$ (R = H, Me), **617-618**, 254
Photochemical reaction
Preparation and characterization of ruthenium(II), rhodium(III) and iridium(III) complexes of isocyanide bearing the azo group, **640**, 10
Photochemistry
Charge transfer spectra and photoreactivity of (*E*)-1-ferrocenyl-2-(1-methyl-4-pyridiniumyl)ethylene cation, **637-639**, 777
β-Lactams (including polycyclic) derived from chromium carbenes, **629**, 114
Novel complexes *cis*,*cis*-$[Rh(R)_2(I)(CO)(dmb)]$ (R = Me, ^{i}Pr; dmb = 4,4′-dimethyl-2,2′-bipyridine): synthesis, structure and photoreactivity, **626**, 118
Photochemistry of bridged disilyldiiron complexes $(SiMe_2)(\eta^5\text{-}C_5H_4)Fe(CO)_2SiMe_2SiMe_2R]_2$, R = Me, Ph, **634**, 102
Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, **620**, 202
Photoelectron spectroscopy
UV photoelectron and ab initio study of intramolecular interactions in α-diethoxyphosphoryl carbonyl derivatives, **625**, 121
Photo-induced electron-transfer
Silylene-transfer reactions of cyclic organosilanes induced by phenanthraquinone triplet, **636**, 63

Photoluminescence
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, **617-618**, 133
Photolysis
Characterization of the photolysis products of *sec*-butylcobaloximes with imidazole and benzimidazole bases, **632**, 85
Photolysis of $(Me_2Si)_6$ in argon matrices doped with high concentrations (ca. 20%) of N_2O or C_2H_4O: formation of $(Me_2SiO)_6$, **640**, 177
Photosubstitution of carbon monoxide in $W(CO)_6$ by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, **622**, 74
Photophysics
Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, **620**, 202
Photoreactions with $M_2(CO)_{10}$ (M = Mn, Re)
Improved synthesis of the radical source bis[2,2,6,6-tetramethylpiperidyl-(1)]-disulfide and photoinduced reactions with $M_2(CO)_{10}$ (M = Mn, Re), **621**, 173
Ph_2Te_2
Reactions of metal–metal triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ (M = Mo, W) with diphenyl ditelluride. Crystal structures of $[(\eta^5\text{-}MeC_5H_4)Mo_2(CO)_4(\mu\text{-}TePh)_3]$ and $[(\eta^5\text{-}EtO_2CC_5H_4)_2W_2(CO)_4(\mu\text{-}TePh)_2]$, **626**, 192
Phthalocyanines
A new phthalocyanine–ferrocene conjugated dyad, **637-639**, 751
Pincer N ligand
Chiral platinum and palladium complexes containing functionalized C_2-symmetric bisaminoaryl 'Pincer' ligands, **624**, 271
α-Pinene
Oxidative esterification of alkenes via π- and σ-organopalladium complexes: new pathways for the reaction, **636**, 69
Piperidine alkaloids
Synthesis of (−)-coniine and (−)-pipecoline using ruthenium catalyzed ring closing metathesis, **624**, 359
Planar chiral
High performance liquid chromatography for facile analytical separation of the enantiomers of chiral organometallic complexes, **621**, 242
Synthesis and characterization of planar-chiral cyclopentadienylruthenium–vinylidene complexes, **617-618**, 601
Planar chirality
Asymmetric synthesis of planar chiral 2-mono- and 2,2′-disubstituted 1,1′-bisbenzoylferrocenes, **637-639**, 698
[2 + 2 + 2] Cyclotrimerisation of bisaryl acetylene bearing ferrocenyl units with planar chirality: synthesis of enantiopure conjugated polyferrocene complexes, **637-639**, 84
Diastereomeric amides from *rac*-3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration, **627**, 135
Novel ferrocene modified *P,N*-ligands for enantioselective palladium-catalyzed allylic substitution reactions, **637-639**, 762
Palladium-catalyzed asymmetric allylic alkylations of cycloalkenyl acetates with planar chiral phosphino-ferrocene carboxylic acids, **637-639**, 845
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, **637-639**, 407
Platinum
A new homobimetallic arenediyl diplatinum(II) unit as building block for macromolecular synthesis. X-ray crystal structure of $[C_6H_2\{CH_2NMe_2\}_2\text{-}1,5\text{-}\{PtCl(PPh_3)\}_2\text{-}2,4]$, **640**, 166
Chiral aminophosphonite-phosphite ligands: synthesis and use in platinum- and rhodium-based enantioselective hydroformylation of styrene. Crystal structure of [(*S*)-*N*-(2,2′biphenoxyphosphino)-2-(2,2′biphenoxyphosphinoxymethyl)pyrrolidine]dichloroplatinum(II), **628**, 114
Chiral chelate phosphanes: XI. Application of cyclopentane-based C_2 chiral bis(phosphane) ligands $C_5H_6(PR_2)_2$ to Pt–Sn-catalyzed styrene hydroformylation, **630**, 221
Chiral platinum and palladium complexes containing functionalized C_2-symmetric bisaminoaryl 'Pincer' ligands, **624**, 271
Diastereoselective oxidative addition of cyclic thiosulfinates to platinum(0) compounds: chiral platinum(II) complexes with sulfenato ligands Crystal structures of $S(O)\text{–}CH_2\text{–}CH(OAc)\text{–}CH(OAc)\text{–}CH_2\text{–}S$ and dppePt-[S(O)–$(CH_2)_4$–S]: Part 16. Metal complexes of functionalized sulfur-containing ligands, **621**, 352
Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+ BF_4^-$ (M = Pt, Pd, R = CH_3, C_6H_5, s = coor^{4}inated solvent), **622**, 199
Halo-carbonyl complexes of platinum(II) and palladium(II), **622**, 180
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, **617-618**, 133
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, **635**, 173
Preparation, properties, and reactions of metal-containing heterocycles: Part CVI. Three-dimensional water-soluble platinacyclophanes, **630**, 244
Reactions of $HOSiMe_2Ar$ with Pt–PPh_3 complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, **629**, 61
Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)-platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(*CH*$_2$,*P*)-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum-(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), **617-618**, 671
Stabilization of unstable unsaturated molecules in five-coordinate TBP complexes of Pt(II): enol, diol and dialdehyde derivatives, **622**, 242
Stereoselective oxidative addition of methyl iodide to chiral cyclometallated platinum(II) compounds derived from (*R*)-(+)-1-(1-naphthylethylamine). Crystal structure of $[PtMe\{3\text{-}(R)\text{-}(C_{10}H_7)CHMeNCHC_4H_2S\}PPh_3]$, **631**, 164
Synthesis and characterisation of novel multidentate ferrocene ligands and their Re(I) and Pt(II) complexes, **637-639**, 418
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), **623**, 48
Synthesis and characterization of platinum(II)-terminated dendritic carbosilanes: X-ray crystal structure of the model species $[PtCl(C_6H_3\{CH_2NMe_2\}\text{-}2\text{-}SiMe_3\text{-}5)(PPh_3)]$, **621**, 190
Synthesis and structures of heterobimetallic Ir_2M (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, **620**, 69
Synthesis, characterization and crystal structure of $[Pt(Me)(dppe)\{\eta^1\text{-}CH(PPh_3)(COOEt)\}]BF_4$. An example of overcrowded molecule and correlated properties, **629**, 201
Synthesis of highly ethynylated mono and dinuclear Pt(II) tethers bearing the 4,4′-bis(ethynyl)biphenyl (debp) unit as central core, **619**, 49
Synthesis of platinum complexes with $\eta^4\text{-}C_5Me_4(CF_3)H$ ligand. X-ray structure of $[Pt(\eta^4\text{-}C_5Me_4H_2)Cl_2]$ and $[Pt\{\eta^4\text{-}C_5Me_4(CF_3)H\}(\eta^5\text{-}C_5H_5)]PF_6$, **622**, 221

Unsymmetrical organodiplatinum(II) and organodiplatinum(IV) complexes containing bis(diphenylphosphino)methane as bridging ligand: general approaches for synthesis and characterization by multinuclear NMR studies, **633**, 105

Platinum complexes

Preparation, properties, and reactions of metal-containing heterocycles: Part CV. Synthesis and structure of polyoxadiphosphaplatinaferrocenophanes, **630**, 266

Platinum(IV)

Stereochemically non-rigid transition metal complexes of 2,6-bis(phenyliminomethyl)pyridine and derivatives. Crystal structure of *fac*-[ReBr(CO)$_3$(PMTFA)] (PMTFA = 2,6-pyridylene-bis-(methylene-2-trifluoromethylaniline), **631**, 125

Platinum metal

Synthesis, spectroscopic and structural characterisation of complexes of the new ditelluroether 1,2-bis(methyltelluromethyl)benzene, *o*-C$_6$H$_4$(CH$_2$TeMe)$_2$. X-ray structures of [Mn(CO)$_3$Cl{*o*-C$_6$H$_4$(CH$_2$TeMe)$_2$}] and [W(CO)$_4${*o*-C$_6$H$_4$(CH$_2$TeMe)$_2$}], **619**, 218

Platinum-triosmium clusters

Mixed metal cluster complexes containing the bis-ferrocenylbutadiyne ligand: their structures and electrochemical responses, **620**, 303

P ligands

Preparation, properties, and reactions of metal-containing heterocycles: Part CVI. Three-dimensional water-soluble platinacyclophanes, **630**, 244

P ligands

Chiral chelate phosphanes: XI. Application of cyclopentane-based C_2 chiral bis(phosphane) ligands C$_5$H$_6$(PR$_2$)$_2$ to Pt–Sn-catalyzed styrene hydroformylation, **630**, 221

^{31}P-NMR spectroscopy

Palladium(II) complexes with hemilabile amphiphilic phosphines, **626**, 139

P,N,P-Ligand

Synthesis of new rhodium complexes with a hemilabile nitrogen-containing bis(phosphinite) or bis(phosphine) ligand. Application to hydroformylation of styrene, **626**, 221

Podocarpic acid

Single and double nucleophilic addition to methylated podocarpic acid coordinated to manganese tricarbonyl, **630**, 84

Polyamine

Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, **623**, 87

Polycarboxylic acids

Organometallic building blocks for crystal engineering. Synthesis, structure and hydrogen bonding interactions in [Fe(η^5-C$_5$H$_4$–CH$_2$(CH$_3$)OH)$_2$], [Fe(η^5-C$_5$H$_3$(CH$_3$)COOH)$_2$], [Fe(η^5-C$_5$H$_4$CH(CH$_3$)NH(η^5-C$_5$H$_4$CH(CH$_3$))] and in the diaminecyclohexane salt [Fe(η^5-C$_5$H$_4$COO)$_2$]$^{2-}$·[(1*S*,2*S*)-(NH$_3$)$_2$C$_6$H$_{10}$]$^{2+}$·2[H$_2$O], **637-639**, 609

(Polychloromethyl)silanes

Friedel–Crafts alkylation of benzene with (polychloromethyl)silanes, **631**, 36

Polydentate ligands

The behaviour of polydentate hydrazonic ligands derived from 2-acetylpyridine towards organotin compounds: Part II. The monoorganotin(IV) complexes, **626**, 161

Polyethylene

New half-sandwich metallocene catalysts for polyethylene and polystyrene, **634**, 19

Poly(ferrocenylsilanes)

Synthesis of poly(ferrocenyldialkoxysilane) polymers and their introduction into oxide matrices, **621**, 46

Polyfluoroalken-1-yl boron compounds

(Fluoroorgano)fluoroboranes and -fluoroborates: Part 3. Polyfluoroalken-1-yldifluoroboranes, **631**, 54

Polygermane

UV and Raman study of thermochromic phase transition in poly(di-*n*-hexylgermane), **636**, 164

Polymer

Ferrocene polymers: current architectures, syntheses and utility, **637-639**, 47

Poly(mercaptoimidazolyl)borates

Rhenium(I) organometallic complexes with novel bis(mercaptoimidazolyl)borates and with hydrotris(mercaptoimidazolyl)borate: chemical and structural studies, **632**, 41

Polymerisation

The initiation of ring-opening metathesis polymerisation of norbornadiene by seven-coordinate molybdenum(II) compounds. X-ray crystal structure of [Mo(μ-Cl)(SnCl$_3$)-(CO)$_3$(η^4-NBD)], **640**, 72

Polymerization

Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, **625**, 180

Novel octahydro- and tetrahydro-fluorenyl containing C_1 symmetric zirconocenes for the stereoregular polymerization of propylene, **631**, 29

Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, **629**, 187

Syntheses of [(MeC$_5$H$_4$)$_2$Ln[O···C···N(CH$_2$)$_4$CH$_2$]]$_2$ (Ln = Yb, Y, Er) and the X-ray crystal structure of the ytterbium complex, **626**, 176

Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, **625**, 95

Synthesis of titanium trichloride complexes of 1,2,3-trisubstituted cyclopentadienyls and their use in styrene polymerization, **627**, 233

Synthesis, structure and ethylene polymerization behavior of zirconium complexes with chelating ketoiminate ligands, **620**, 1

Synthesis, structures and catalytic properties of Group 4 metallocenes based upon [Me$_2$E(C$_5$H$_4$)(C$_5$Me$_4$)]$_2$ (E = Si, Ge) supporting coordination, **634**, 145

Polymerizations

N-Acyl-*N,N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, **622**, 6

Polymer properties

Unbridged metallocene dichloride complexes with mono-substituted indenyl ligands and their application for the polymerization of propene, **621**, 304

Polymorphism

Further studies on dialkyltin 1,3-dithiole-2-thione-4,5-dithiolates, R$_2$Sn(dmit). Crystal structures of orthorhombic- and monoclinic-Et$_2$Sn(dmit), and Me$_2$Sn(dmit), **627**, 189

Polynuclear complexes

Metal–metal interaction in polynuclear complexes with cyanide bridges: synthesis, characterisation, and theoretical studies, **632**, 94

Polyoxaalkylstannanes

Synthesis and structural characterization of (4,7-dioxaoctyl)phenyldichlorostannane and triphenyltin compounds containing various polyoxaalkyl moieties, **634**, 55

Polyoxaplatinaferrocenophanes

Preparation, properties, and reactions of metal-containing heterocycles: Part CV. Synthesis and structure of polyoxadiphosphaplatinaferrocenophanes, **630**, 266

Polypropylene
Preparation and structural features of 1-(2-pyridyl)- and 1-(2-furyl)indenyl-zirconium complexes, **621**, 197
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)(η^5-fluorenyl)zirconium dichloride, **625**, 154
Polysilanes
Synthesis, structural characterization and ^{57}Fe-Mössbauer spectra of ferrocenylhexasilanes, **627**, 167
Polysiloxanes
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, **637-639**, 642
Polystyrene
New half-sandwich metallocene catalysts for polyethylene and polystyrene, **634**, 19
Porphyrin
Synthesis and X-ray crystal structure of a chiral molybdenum porphyrin and its catalytic behaviour toward asymmetric epoxidation of aromatic alkenes, **634**, 34
Porphyrins
Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, **617-618**, 360
Potassium alkalide
Self-decomposition of K^-, $K^+(15\text{-crown-}5)_2$ tetrahydrofuran solution via organometallic intermediates, **628**, 65
Potassium anion
Self-decomposition of K^-, $K^+(15\text{-crown-}5)_2$ tetrahydrofuran solution via organometallic intermediates, **628**, 65
Potassium enolates
Meta, *para* and *meta*, *ortho* double *exo* nucleophilic additions of trimethylsilylester enolates derived from saturated and unsaturated carboxylic acids to tricarbonylchromium complexes of aryl ethers: dearomatizing cyclization to lactones, **621**, 284
P,P ligand
Rate and mechanism of the reversible formation of a cationic (η^3-allyl)palladium(II) complex in the oxidative addition of allylic acetate to a palladium(0) complex ligated by diop: an unusual behavior, **624**, 217
Proline
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, **637-639**, 335
η^1-Propargyl
Reactions of $Rh(SbPh_3)_3(CO)X$ (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodiacyclopent-3-ene-2-one complexes, **630**, 44
Propargyl alcohols
Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, **617-618**, 233
Propargyl and allenyl metal complexes
Intermolecular propargyl/allenyl group transfer from Pd(II) to Pt(0) and Pt(II) to Pd(0). Key reaction in metal-catalyzed isomerization between propargyl and allenyl metal complexes, **620**, 190
Propargylsilane
Silyl-cupration of a propargylsilane as a test for the reversibility of a metallo-metallation, **624**, 69
Propene polymerization
Synthesis, characterization, and catalytic properties of bis[alkylindenyl]-, bis[alkenylindenyl]- and [alkenylindenyl(cyclopentadienyl)]zirconium dichloride complexes, **636**, 31
Unbridged metallocene dichloride complexes with mono-substituted indenyl ligands and their application for the polymerization of propene, **621**, 304
Propylene oligomerization
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, **622**, 286
Propynyl complex
Reaction between the thiocarbonyl complex, $Os(CS)(CO)(PPh_3)_3$, and propyne: crystal structure of a new sulfur-substituted osmabenzene, **623**, 109
Protecting groups
Triformylferrocenes, novel modules for organometallic scaffolds, **630**, 132
Protodestannylation
Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, **625**, 86
Proton affinities
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **617-618**, 737
Protonation
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Comparative regiochemistry of protonation of (η^6-C_6H_5R)-(1,1′,1″-tris(2-diphenylphosphinomethyl)ethane)Mo(0) (R = H, Me and $SiMe_3$), **628**, 275
Coordination chemistry of CNH_2, the simplest aminocarbyne, **617-618**, 65
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, **617-618**, 133
Pseudohalide ligands
$[Cp_2MoH_2]$–silver complexes with pseudohalide ligands, **633**, 1
Pt and Pd complexes of dppf
Synthesis, X-ray, spectroscopic and a preliminary Suzuki coupling screening studies of a complete series of $dppfMX_2$ (M = Pt, Pd; X = Cl, Br, I), **637-639**, 691
Pt(IV)
Stable Pt(IV) vinylic complexes with unusual regioselectivity formed in the reaction of methylpropiolate triple bond activation, **636**, 175
^{195}Pt-NMR
Stable Pt(IV) vinylic complexes with unusual regioselectivity formed in the reaction of methylpropiolate triple bond activation, **636**, 175
Pt, Pd acetylides
Synthesis, characterisation and optical properties of symmetrical and unsymmetrical Pt(II) and Pd(II) bis-acetylides. Crystal structure of *trans*-$[Pt(PPh_3)_2(C{\equiv}C{-}C_6H_5)(C{\equiv}C{-}C_6H_4NO_2)]$, **627**, 13
Pulse EPR
Continuous wave and pulse EPR as a tool for the characterization of monocyclopentadienyl Ti(III) catalysts, **634**, 185
Push–pull compounds
Electron acceptors of the fluorene series: Part 12. 9-(Metallocenylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, **637-639**, 445
'Push pull' molecules
Synthesis of electron donor–acceptor polyunsaturated methylenepyran Fischer type carbene complexes: dynamic ^{1}H-NMR study and solvatochromic properties, **626**, 37
Pyrazolato ligands
Reactions of the cationic complex $[(\eta^5\text{-}C_5Me_5)_2Ir_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, **634**, 12

Pyridine
End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, **629**, 194
1,1′-(Pyridine-2,6-diyl)bis(3-benzyl-2,3-dihydro-1*H*-imidazol-2-ylidene), a new multidentate *N*-heterocyclic biscarbene and its silver(I) complex derivative, **617-618**, 395
Pyridinediols
Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, **622**, 54
Pyridinium
New chiral ferrocenyl-pyridinium salts for non-linear optics, **637-639**, 531
Pyridinium ylid complexes
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, **617-618**, 571
2′-Pyridyl alcoholate
Chiral bis(oxazoline) and pyridyl alcoholate dioxo-molybdenum(VI) compiexes: synthesis, characterization and catalytic examinations, **621**, 207
Pyridyl ligands
The behaviour of polydentate hydrazonic ligands derived from 2-acetylpyridine towards organotin compounds: Part II. The monoorganotin(IV) complexes, **626**, 161
pyrolysis
New heterometallic copper zinc alkoxides: synthesis, structure properties and pyrolysis to Cu/ZnO composites, **630**, 253
Pyrrole
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, **637-639**, 343
Pyrrolidine
Reactions of $InMe_3$ with isocyanides in the presence of amines: chemical and mass spectrometric evidence of unprecedented insertion into In–N bonds, **626**, 11
Synthesis of ferrocene substituted pyrrolidine derivatives via Et_2Zn catalyzed 1,3-dipolar cycloaddition reactions of azomethine ylides, **631**, 135
Pyrrolyl
Synthesis and characterisation of $[M(\eta^5\text{-}NC_4Me_4)(CH_2Ph)_3]$ (M = Ti, Zr, Hf) and $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$. Structural determination and bonding of $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$ depicting an agostic interaction, **632**, 157
Synthesis and structure of *ansa*-cyclopentadienyl pyrrolyl titanium complexes: $[(\eta^5\text{-}C_5H_4)CH_2(2\text{-}C_4H_3N)]Ti(NMe_2)_2$ and $[1,3\text{-}\{CH_2(2\text{-}C_4H_3N)\}_2(\eta^5\text{-}C_5H_3)]Ti(NMe_2)$, **640**, 79
Pyrylium salts
β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl– and η^5-oxocycloheptadienyl–$Mn(CO)_3$ complexes, **633**, 162

QM/MM
Hybrid QM/MM study of propene insertion into the Rh–H bond of $HRh(PPh_3)_2(CO)(\eta^2\text{-}CH_2\text{–}CHCH_3)$: the role of the olefin adduct in determining product selectivity, **635**, 132
Quantum chemical calculations
Fluoride ion mediated reactions of disubstituted acetylenes $Me_3SiC{\equiv}CMMe_3$ (M = C, Si, Ge, Sn) with terminal acetylenes, **634**, 69
Quantum chemical study
Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to $[RuH_2Cl_2(PH_3)_2]$: a quantum chemical study, **617-618**, 225

Radialenes
Structure and bonding of metallacyclocumulenes, radialenes, butadiyne complexes and their possible interconversion: a theoretical study, **635**, 204
Radical anion
EPR and theoretical studies of the reduction product of the fulvenephosphaallene system, **634**, 136
Radical cyclisation
A short synthesis of (−)-dendrobine. Some observations on the nickel mediated radical cyclisation and on the Pauson–Khand reaction, **624**, 316
Radical displacement
Silylene-transfer reactions of cyclic organosilanes induced by phenanthraquinone triplet, **636**, 63
Radical ion
Silylene-transfer reactions of cyclic organosilanes induced by phenanthraquinone triplet, **636**, 63
Radical isomerization
Radical isomerization of 9,10-dihydro-9,10-disilaanthracene derivatives: stabilization factor of silyl radicals, **626**, 32
Radical pairs
Spin chemistry of organometallic compounds: Part 1. Interaction of *N*-bromohexamethyldisilazane with allyltriethylstannane, **636**, 12
Radicals
Synthesis of ferrocenylketyl radicals by chromium(II) complexes, **637-639**, 813
Raman
UV and Raman study of thermochromic phase transition in poly(di-*n*-hexylgermane), **636**, 164
Rare earth metal triflates
Scandium perfluoroalkanesulfonate-catalyzed Diels–Alder reactions in an organic solvent, **624**, 392
Rate constants
Time-resolved gas-phase kinetic study of the reaction of germylene with propene over the temperature range 293–415 K: the thermal stabilities of germiranes, **636**, 49
Reaction mechanism
Oxidative esterification of alkenes via π- and σ-organopalladium complexes: new pathways for the reaction, **636**, 69
Reaction pathways
Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to $[RuH_2Cl_2(PH_3)_2]$: a quantum chemical study, **617-618**, 225
Reaction rates
Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, **625**, 208
Reactions
Reactions of di-μ-carbonyl-*cis*-μ-(1-5-η:1′-5′-η-dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_3)C_6H_3\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$ and $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_3)C_6H_4OCH_3\text{-}p\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$, **617-618**, 292
Reaction schemes
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, **623**, 3
Reactivity
A density functional study of the structures, vibrations and bond energies of dinitrogen phosphine complexes of the first transition series, **635**, 165
Carbene complexes of titanium group metals — formation and reactivity, **617-618**, 81
Phosphinidene reactivity toward unsaturated phosphorus heterocycles, **617-618**, 311
Reactivity and magnetic property
Reactivity and electronic property of decaphenylmetallocenes of Mo and W atoms, **620**, 106
Rearrangement
1,3 Dichloro- and 1,3 dibromotetra-*n*-butyldistannoxane mixtures: ligand redistribution and fluxional dynamics in distannoxanes, **620**, 211

^{119}Sn-NMR spectroscopic study of the 1,3-dichloro- and 1,3-diacetoxytetra-*n*-butyldistannoxane binary system, **620**, 296
Rearrangements
Intramolecularly donor-stabilized silenes: Part 3. Synthesis and structure of 1-[2,6-bis(dimethylaminomethyl)phenyl]-1,2,2-tris(trimethylsilyl)silene, **621**, 261
Recyclable catalyst
Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, **633**, 27
Recycling
Heck arylation of allylic alcohols in molten salts, **634**, 153
Redistribution
1,3 Dichloro- and 1,3 dibromotetra-*n*-butyldistannoxane mixtures: ligand redistribution and fluxional dynamics in distannoxanes, **620**, 211
^{119}Sn-NMR spectroscopic study of the 1,3-dichloro- and 1,3-diacetoxytetra-*n*-butyldistannoxane binary system, **620**, 296
Redox
Synthesis and characterisation of novel multidentate ferrocene ligands and their Re(I) and Pt(II) complexes, **637-639**, 418
Synthesis of a new bis(ferrocenyl)ruthenacyclopentatriene compound with a significant inter-metal electronic communication, **637-639**, 80
Redox-active ligands
Complexation and electrochemical sensing of anions by amide-substituted ferrocenyl ligands, **637-639**, 356
Redox behavior
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, **637-639**, 335
Redox potential–structure relationships
Redox potential, ligand and structural effects in rhodium(I) complexes, **620**, 174
Reduction
Aluminium zirconium (+3 and +4) heterometallic hydrido complexes of compositions $[(\eta^5\text{-}C_5H_5)_2Zr(\mu\text{-}H)]_2(\mu\text{-}H)AlCl_2$ and $[(\eta^5\text{-}C_5H_5)_2ZrH(\mu\text{-}H)]_3Al$, **619**, 36
Asymmetric allylboration for the synthesis of β-hydroxy-δ-lactone unit of statin drug analogs, **624**, 239
Highly efficient reduction of ferrocenyl derivatives by borane, **637-639**, 364
Preparation of methyl hydride and dimethyl complexes of osmium and iron: reaction of $M(CO)_2(PMe_3)_2CH_3I$ and $[M(CO)_3(PMe_3)_2CH_3]^+ BPh_4^-$ (M = Os, Fe) with borohydrides and lithium methyl, **628**, 255
Reduction of α,β unsaturated carbonyl compounds by Ni^{2+}–BH_4^-, **620**, 90
Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with $[Fe(\eta\text{-}C_5H_5)(CO)_2(L)]^+$ salts and $[Fe(\eta\text{-}C_5H_5)(CO)_2X]$ complexes, **629**, 182
Reductive coupling
A novel coupling reaction of 3-substituted 4-alkoxy and 4-aminocyclobutene-1,2-diones induced by $TiCl_4$–Zn, **629**, 213
$[(t\text{-Bu-DAD})Ti(\mu,\eta^2\text{-}OCPh_2)]_2Mg(\mu\text{-}Cl)_2(THF)$: synthesis and molecular structure of a dimeric titanium ketone complex, **626**, 168
Reductive elimination
Preparation of methyl hydride and dimethyl complexes of osmium and iron: reaction of $M(CO)_2(PMe_3)_2CH_3I$ and $[M(CO)_3(PMe_3)_2CH_3]^+ BPh_4^-$ (M = Os, Fe) with borohydrides and lithium methyl, **628**, 255
Regioselective
Regio- and stereoselectivity in long-range asymmetric induction controlled by carbonyliron groups: crystal structures of dicarbonyl-L-[(1,2,3,4,5-η)-1-R-4-methoxycyclohexadienyl]-iron(1+) hexafluorophosphate(1−) [(R = isopropenyl, L = CO), (R = 1-styryl, L = CO), (R = 1-prop-1-enyl, L = PPh_3)] and tricarbonyl[methyl(2,3,4,5-η)-2-carbomethoxy-2-(4-methoxy-1-(1′-methylethenyl)cyclohexadien-1-yl)ethanoate]iron(0), **630**, 88
Regioselective alkylzirconation
Regioselective alkylzirconation of internal alkynes, **624**, 143
Regioselective synthesis
Regio- and stereoselective ring-opening dimerization–cross-coupling metathesis of 7-oxanorbornene derivatives, **627**, 105
Regioselectivity
Comparative regiochemistry of protonation of $(\eta^6\text{-}C_6H_5R)$-(1,1′,1″ - tris(2 - diphenylphosphinomethyl)ethane)Mo(0) (R = H, Me and $SiMe_3$), **628**, 275
Hybrid QM/MM study of propene insertion into the Rh–H bond of $HRh(PPh_3)_2(CO)(\eta^2\text{-}CH_2{=}CHCH_3)$: the role of the olefin adduct in determining product selectivity, **635**, 132
Oxidative esterification of alkenes via π- and σ-organopalladium complexes: new pathways for the reaction, **636**, 69
Regiospecific reactions
A convenient synthesis of bromopentaarylcyclopentadienes containing methyl or fluorine substituents, **627**, 179
Relative stabilities
Gas-phase formation of mono- and dications from iron-subgroup decamethylmetallocenes and their calculation by the density functional method, **631**, 9
Resolution
Optically active cyclopalladated compounds containing P-chiral ligands. Restricted rotation around the Pd–P bond, **634**, 83
TRISPHAT salts. Efficient NMR chiral shift and resolving agents for substituted cyclometallated ruthenium bis(diimine) complexes, **624**, 388
Resonance Raman spectra
Novel complexes *cis,cis*-$[Rh(R)_2(I)(CO)(dmb)]$ (R = Me, ^{i}Pr; dmb = 4,4′-dimethyl-2,2′-bipyridine): synthesis, structure and photoreactivity, **626**, 118
Restricted rotation
Optically active cyclopalladated compounds containing P-chiral ligands. Restricted rotation around the Pd–P bond, **634**, 83
Re(V)–imido complexes
Re(V)–oxo–dppf and Re(V)–imido–dppf complexes: synthesis, structure, and properties of $Re(X)Cl_3(dppf)$ (X = O, NPh, *N*-C_6H_3-2,6-*i*-Pr_2; dppf = $Fe(\eta^5\text{-}C_5H_4PPh_2)_2$), **627**, 226
Re(V)–oxo complexes
Re(V)–oxo–dppf and Re(V)–imido–dppf complexes: synthesis, structure, and properties of $Re(X)Cl_3(dppf)$ (X = O, NPh, *N*-C_6H_3-2,6-*i*-Pr_2; dppf = $Fe(\eta^5\text{-}C_5H_4PPh_2)_2$), **627**, 226
$[Rh(\eta^2,\eta^2\text{-diolefin})(iminophosphine)]^+$
Conformational flexibility and molecular dynamics of cationic diolefin–rhodium(I) complexes with iminophosphine ligands, **631**, 117
Rhenium
Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, **617-618**, 233
Bis(pyrazol-1-yl)acetates as tripodal "scorpionate" ligands in transition metal carbonyl chemistry: syntheses, structures and reactivity of manganese and rhenium carbonyl complexes of the type $[LM(CO)_3]$ (L = bpza, bdmpza), **626**, 16
Deprotonated *N*-phenyl-*o*-phenylenediimine as a bridging ligand, **636**, 157
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, **617-618**, 133
Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, **617-618**, 723

Rhenium(I) organometallic complexes with novel bis(mercaptoimidazolyl)borates and with hydrotris(mercaptoimidazolyl)borate: chemical and structural studies, **632**, 41
Synthesis and characterisation of novel multidentate ferrocene ligands and their Re(I) and Pt(II) complexes, **637-639**, 418
Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, **637-639**, 772
The synthesis of new complexes of rhenium(I) with heterotridentate [P,N,O] ligands, **626**, 181
Rhenium(I)
Stereochemically non-rigid transition metal complexes of 2,6-bis(phenyliminomethyl)pyridine and derivatives. Crystal structure of *fac*-[ReBr(CO)$_3$(PMTFA)] (PMTFA = 2,6-pyridylene-bis-(methylene-2-trifluoromethylaniline), **631**, 125
Rhodiacyclopent-3-ene-2-one
Reactions of Rh(SbPh$_3$)$_3$(CO)X (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodiacyclopent-3-ene-2-one complexes, **630**, 44
Rhodium
A shortcut hydroformylation route to 7-formyl-5,6-dihydroindolizine from 1-allyl-2-formylpyrrole, **619**, 241
Cationic derivatives of RhCl[P(η^2-C$_3$H$_5$)$_3$]. An intramolecular Diels–Alder rearrangement in the tripodal ligand tri(1-cyclohepta-2,4,6-trienyl)phosphane, P(C$_7$H$_7$)$_3$, **621**, 166
Chiral aminophosphonite-phosphite ligands: synthesis and use in platinum- and rhodium-based enantioselective hydroformylation of styrene. Crystal structure of [(*S*)-*N*-(2,2'biphenoxyphosphino) - 2 - (2,2'biphenoxyphosphinoxymethyl)pyrrolidine]dichloroplatinum(II), **628**, 114
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, **625**, 40
Dithioethers as ligands in pentamethylcyclopentadienylrhodium(III) and iridium(III) complexes. Crystal structures of [{(η^5-C$_5$Me$_5$)Rh}$_2$(μ-Cl)$_2$\{μ-(MeS)$_2$CH$_2$\}](BF$_4$)$_2$·H$_2$O and [(η^5-C$_5$Me$_5$)IrCl$_2$\{η^1-(PhS)$_2$CH$_2$\}], **620**, 256
Formation of rhodium carbonyl thiolate dimers via elimination of dihydrogen; crystal and molecular structure of [Rh$_2$(CO)$_4$(μ-SC$_6$H$_4$CH$_3$)$_2$], **623**, 65
Hybrid QM/MM study of propene insertion into the Rh–H bond of HRh(PPh$_3$)$_2$(CO)(η^2-CH$_2$–CHCH$_3$): the role of the olefin adduct in determining product selectivity, **635**, 132
Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, **627**, 37
Preparation and characterization of ruthenium(II), rhodium(III) and iridium(III) complexes of isocyanide bearing the azo group, **640**, 10
Preparation of aryldiazene complexes of rhodium, **627**, 99
Reaction mechanism of the reductive elimination in the catalytic carbonylation of methanol. A density functional study, **628**, 222
Rhodium-catalysed asymmetric ring opening of oxabicyclic alkenes with heteroatom nucleophiles, **624**, 259
Solid state structure of P(*o*-(CF$_3$)Ph)$_3$, substituted Rh$_2$(CO)$_4$(μ-Cl)$_2$. Formation of dimeric [Rh$_2$(CO)$_4$(μ-Cl)$_2$\{P(*o*-(CF$_3$)Ph)$_3$\}$_2$], **633**, 69
Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, **629**, 187
Syntheses and ligand properties of 1,3-di*r*-butyl-2,3-dihydro-1,3-diboroles. Rhodium-(η^5-2,3-dihydro-1,3-diborole) and rhodium-(η^5-2,3-dihydro-1,3-diborolyl) complexes, **619**, 7
Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenerhodium(I) complexes, **617-618**, 502
Synthesis and structure of [(C$_5$H$_5$)Fe(C$_5$H$_4$PS$_2$OCH$_2$C$_6$H$_4$N$_3$)]$^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), **633**, 85
Synthesis of Rh(I) and Ir(I) complexes with chiral C_2-multitopic ligands: Structural and catalytic properties, **634**, 25
Synthesis of rhodium(III) complexes with the chiral phosphine (*S*)-Ph$_2$PCH$_2$CHMeCH$_2$OH. Crystal structure of (S_{Rh},S_C)-[(η^5-C$_5$Me$_5$)RhCl(η^2-PPh$_2$CH$_2$CHMeCH$_2$OH–P,O)]BF$_4$, **619**, 1
Synthesis of transition-metal complexes with heterodifunctional ligands derived of NH(PPh$_2$)$_2$. Crystal structure of [(η^5-C$_5$Me$_5$)RhCl\{η^2-*P,Se*-Ph$_2$PNP(Se)Ph$_2$\}]·CH$_2$Cl$_2$, **633**, 182
Synthesis, reactivity, and crystal structures of ferrocene-substituted amidinate derivatives, **637-639**, 521
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, Cp*Rh[E$_2$C$_2$(B$_{10}$H$_{10}$)], E = S, Se, **623**, 149
The rhodium-catalyzed Pauson–Khand reaction, **624**, 73
Rhodium–alkyl complexes
Novel complexes *cis,cis*-[Rh(R)$_2$(I)(CO)(dmb)] (R = Me, ^{i}Pr; dmb = 4,4'-dimethyl-2,2'-bipyridine): synthesis, structure and photoreactivity, **626**, 118
Rhodium–amine complexes
Organometallic rhodium (I) complexes with 1-alkylaminopyrazole ligands, **619**, 14
Rhodium and iridium ESR
Synthesis and characterisation of rhodium(0) and rhodium(−1) complexes stabilised by 1,1'-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [Rh(dppf)$_2$] and [Na(THF)$_2$][Rh(dppf)$_2$]·THF, **637-639**, 710
Rhodium carbenoid
Recent progress in asymmetric intermolecular C–H activation by rhodium carbenoid intermediates, **617-618**, 47
Rhodium carbenoids
Rhodium-catalyzed cyclopropanations of allylsilanes and allylstannanes: the role of the silyl/stannyl group in *trans–cis* stereoselection, **630**, 57
Rhodium catalysts
Direct use of chiral or achiral organophosphorus boranes as pro-ligands for transition metal catalyzed reactions, **624**, 333
Rhodium complex
Synthesis of new rhodium complexes with a hemilabile nitrogen-containing bis(phosphinite) or bis(phosphine) ligand. Application to hydroformylation of styrene, **626**, 221
Rhodium complexes
Immobilized rhodium hydrogenation catalysts, **627**, 44
Organometallic rhodium (I) complexes with 1-alkylaminopyrazole ligands, **619**, 14
Reactions of Rh(SbPh$_3$)$_3$(CO)X (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodiacyclopent-3-ene-2-one complexes, **630**, 44
Redox potential, ligand and structural effects in rhodium(I) complexes, **620**, 174
Synthesis and characterisation of rhodium(0) and rhodium(−1) complexes stabilised by 1,1'-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [Rh(dppf)$_2$] and [Na(THF)$_2$][Rh(dppf)$_2$]·THF, **637-639**, 710
Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, **629**, 77
Rhodium(I)
Supported organometallic complexes: Part XXIII. A general synthetic route for the synthesis of mono-T-silyl functionalized aromatic phosphines as ligands for chemistry in interphases, **628**, 151
Rhodium(I) chelates
Synthesis of achiral, but unsymmetric, seven-membered rhodium(I)-chelates for hydrogenation in the chiral environment of alkyl polyglucoside micelles, **621**, 120

Rhodium(I) complexes
^{31}P-NMR and X-ray studies of new rhodium(I) β-ketoiminato complexes $Rh(R_1C(O)CHC(NH)R_2)(CO)(PZ_3)$ where $PZ_3 = PPh_3$, PCy_3, $P(OPh)_3$ or $P(NC_4H_4)_3$, **628**, 195

Rhodium(II)
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, **617-618**, 3

Rhodium/phosphine complexes
Catalytic conversions in water: Part 19. Smooth hydroformylation of *N*-allylacetamide in mono- and biphasic aqueous media, **621**, 337

Rhodium–pyrazol complexes
Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2(Hpz^R)]$ complexes, **633**, 91

Ring cleavage
Synthesis and X-ray crystal structure analysis of a phosphorus analogue of (1,2,3-η)-*trans*-butadienyl complexes, **617-618**, 748

Ring closing metathesis
Synthesis of (−)-coniine and (−)-pipecoline using ruthenium catalyzed ring closing metathesis, **624**, 359

Ring-closing metathesis
A rapid approach to ferrocenophanes via ring-closing metathesis, **637-639**, 669

Ring-closure
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, **617-618**, 423

Ring-coupled derivatives
Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, **632**, 164

Ring opening
Synthesis of substituted cyclopropanone acetals by carbometallation and its oxidative cleavage with manganese(IV) oxide and lead(IV) oxide, **624**, 300

Ring-opening polymerisation
Ferrocene polymers: current architectures, syntheses and utility, **637-639**, 47
Ring-opening polymerisation of norbornene by $(\mu\text{-}H)_2Os_3(CO)_{10}$ complex, **622**, 43

Ring slippage
Mechanism of the electrochemical reduction of $[Fe(\eta^5\text{-}C_9H_7)(CO)_3][PF_6]$ — a theoretical approach to the intermediates, **632**, 49

Ring strain
Ring strain in boroxine rings: computational and experimental considerations, **633**, 149

(*R*)-α-methyl benzylamine
Synthesis of (−)-coniine and (−)-pipecoline using ruthenium catalyzed ring closing metathesis, **624**, 359

ROMP
Bis(pyrimidine)-based palladium catalysts: synthesis, X-ray structure and applications in Heck–, Suzuki–, Sonogashira–Hagihara couplings and amination reactions, **634**, 39

Rongalite
Preparation of CdTe coatings using the chemical deposition method, **623**, 81

Rotamers
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81

R,R-DIOP
Synthesis and circular dichroism spectra of silver(I) complexes with *R,R*-DIOP (4*R*,5*R*-*trans*-4,5-bis[(diphenylphosphino)methyl]-2,2-dimethyl-1,3-dioxalane): crystal structures of $[AgCl(R,R\text{-DIOP})]_2{\cdot}2CHCl_3$, $\{[AgBr(R,R\text{-DIOP})]_2\}_2{\cdot}CH_2Cl_2{\cdot}2H_2O$, $[AgI(R,R\text{-DIOP})]_2$ and $[AgSCN(R,R\text{-DIOP})]_2$, **640**, 57

RSe-bridged anions
Synthesis of single and double butterfly iron carbonyl complexes by reactions of $[(\mu\text{-}RSe)(\mu\text{-}CO)Fe_2(CO)_6]^-$ anions. Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)(\mu\text{-}PhCH_2N(H)C{=}S]Fe_2(CO)_6$ and $[(\mu\text{-}PhSe)(\mu\text{-}MeAs)Fe_2(CO)_6]_2$, **627**, 255

$Ru(H)_2CO(PPh_3)_3$
Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$, **627**, 127

Ru(II)-ring-closing metathesis
Synthesis of silacycloalkenes and silaspirenes by Ru(II)-catalyzed ring-closing metathesis reactions, **625**, 160

Ruthenium
Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, **637-639**, 240
A novel cis-push–pull effect in cycloruthenated azobenzene thiocarbonyl-containing complexes: crystal and molecular structures of $[RuX(CS)(\eta^2\text{-}C,N\text{-}C_6H_4N{=}NPh)(PPh_3)_2]$ (X = Cl, I), **620**, 60
Catalytic hydrogenation of aromatics under biphasic conditions: isolation and structural characterisation of the cluster intermediate $[(\eta^6\text{-}C_6Me_6)_2(\eta^6\text{-}C_6H_6)Ru_3(\mu_2\text{-}H)_2(\mu_2\text{-}OH)(\mu_3\text{-}O)]^+$, **621**, 103
Chiral 1,2-bis(phosphetano)ethanes, **624**, 162
Cp*Ru-allylcarbene complexes by nucleophilic attack of cyclic Cp*Ru-dicarbenes, **627**, 249
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, **624**, 327
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, **634**, 216
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, **625**, 40
47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, **633**, 51
Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, **617-618**, 288
Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, **617-618**, 261
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, **625**, 255
Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, **627**, 37
Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with $PPh_2(2\text{-}MeC_6H_4)$, **617-618**, 511
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, **633**, 114
P-chiral β-aminophosphine oxides vs. β-aminophosphines as auxiliaries for ruthenium catalysed enantioselective transfer hydrogenation of arylketones, **626**, 157
Preparation and characterization of ruthenium(II), rhodium(III) and iridium(III) complexes of isocyanide bearing the azo group, **640**, 10
Preparation and structure elucidation of novel organoruthenium amidinates bearing η^4-diene ligands, **634**, 167
Protonation of metal–metal bonds: X-ray crystal structures of the complex salts $[Ru_2(CO)_4(\mu\text{-}H)(\mu\text{-}Cl)(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2\text{-}PPh_2)][BF_4]$ and $[M_2(CO)_4(\mu\text{-}H)_2(\mu\text{-}P^tBu_2)(\mu\text{-}Ph_2PCH_2\text{-}PPh_2)][BF_4]$ (M = Fe, Ru), **628**, 144
Regio- and stereoselective ring-opening dimerization–cross-coupling metathesis of 7-oxanorbornene derivatives, **627**, 105

Ruthenium(II) complexes containing 4-ferrocenylphenylisocyanide ligands. Crystal structure of *trans*, *trans*, *trans*-$[RuCl_2(POMe\text{–}P)_2(FcC_6H_4NC)_2]$ (POMe = $PPh_2C_6H_4OCH_3$; Fc = ferrocenyl), **637-639**, 145

Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, **617-618**, 360

Second harmonic generation of η^5-monocyclopentadienyl ruthenium *p*-benzonitrile derivatives by Kurtz powder technique. Crystal and molecular structure determinations of $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-DIOP})(p\text{-}NCC_6H_4NO_2)][X]$, X = PF_6^-, $CF_3SO_3^-$ and $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-DIOP})(NCCH_3)][PF_6]$, **632**, 133

Stabilisation of alkynyl dithiocarboxylates at a ruthenium centre: X-ray crystal structures of $[Ru(H)(CO)(S_2CC{\equiv}CPh)(PPh_3)_2]$, $[Ru(CO)(CPh{=}CHPh)(S_2CC{\equiv}CPh)(PPh_3)_2]$ and $[Ru(CO)(C{=}CMes)(S_2CC{\equiv}CPh)(PPh_3)_2]$, **619**, 209

Stereoselective synthesis of chiral terminal (*E*)-1,3-enynes derived from the aldehydes (1*R*)-(−)-myrtenal and (*S*)-(−)-perillaldehyde using the alkynyl–phosphonio complex $[Ru\{C{\equiv}CCH_2(PPh_3)\}(\eta^5\text{-}C_9H_7)(PPh_3)_2][PF_6]$ as synthon, **621**, 39

Stoichiometric cyclotrimerisation of chiral alkynes at a ruthenium centre: preparation of optically active (η^6-arene)(η^4-cycloocta-1,5-diene)ruthenium(0) complexes, **621**, 246

Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, **619**, 299

Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, **622**, 280

Synthesis and characterization of planar-chiral cyclopentadienyl-ruthenium–vinylidene complexes, **617-618**, 601

Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, **617-618**, 301

Synthesis and X-ray structures of RuCpClL [L = (η^1-PPh_2py)$_2$ and η^2-triphos] and $[RuCp\{\eta^3\text{-}(PPh_2)_3CH\}][PF_6]$. The first η^1-$(PPh_2)_3CH$ complex of Ru(II), **628**, 1

Synthesis of a new bis(ferrocenyl)ruthenacyclopentatriene compound with a significant inter-metal electronic communication, **637-639**, 80

Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, **633**, 27

Synthesis of transition-metal complexes with heterodifunctional ligands derived of $NH(PPh_2)_2$. Crystal structure of $[(\eta^5\text{-}C_5Me_5)RhCl\{\eta^2\text{-}P,Se\text{-}Ph_2PNP(Se)Ph_2\}]\cdot CH_2Cl_2$, **633**, 182

Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, **625**, 58

Synthesis, structure and reactivities of the dinuclear μ-η^1:η^6-arylethynyl ruthenium complexes $[Cp(PR_3)_2Ru(\mu\text{-}\eta^1\text{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot Cl$ (R = Ph, Me; Cp = η^5-C_5H_5, Cp* = η^5-C_5Me_5). The molecular structure of $[Cp(PPh_3)_2Ru(\mu\text{-}\eta^1\text{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot PF_6$, **625**, 133

Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, **629**, 7

The reaction of ferrocenyl acetylene with $[RuCp(PR_3)(CH_3CN)_2]PF_6$ (R = Me, Ph, Cy). Formation of the first allenyl carbene complexes, **637-639**, 70

The reactions of $CpRu(PPh_3)_2SR$ with the electrophiles HBF_4, $[MeSSMe_2]BF_4$ and MeSphth where R = CMe_3, $CHMe_2$, 4-C_6H_4Me and phth = phthalimide, **622**, 1

Ruthenium–carbon bond cleavage

Oxidative reactions of "half-sandwich" ruthenium compounds: formation of cationic nitrosyl ruthenium(II) derivatives, **626**, 145

Ruthenium catalyst

Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, **622**, 149

Ruthenium clusters

Electron counting and bonding analysis in triruthenium clusters containing sulfoximido ligands: true or false electron-deficient systems?, **620**, 119

Ruthenium–cobalt

Synthesis, characterisation, crystal structures and reactivity of a series of ruthenium–cobalt mixed-metal nitrido carbonyl clusters with iodide ligands, **626**, 125

Ruthenium complexes

Diferrocenyltriphosphines 2. Reversible phosphine deligation in the chemistry of diferrocenyltriphosphine Ru(II) dichloride complexes with nitriles and pyridines: towards a pH-switchable catalyst?, **637-639**, 538

Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to $[RuH_2Cl_2(PH_3)_2]$: a quantum chemical study, **617-618**, 225

Ruthenium(II)

A new class of triazepine–ruthenium(II) complexes: synthesis, crystal structure and NMR spectroscopic properties, **619**, 265

Octahedral ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(S_p)-2-(diphenylphosphino)ferrocenyl]-4-(isopropyl)-oxazoline (FcPN). X-Ray crystal structures of *fac*-$[RuCl_2(PMe_3)_2(FcPN)]$ and *fac*-$[RuCl_2(dppm)(FcPN)]$ (dppm = bis(diphenylphosphino)methane), **637-639**, 463

Ruthenium(IV) complexes

Reactivity of the bis(allyl)-ruthenium(IV) dimer $[\{Ru(\eta^3\text{:}\eta^3\text{-}C_{10}H_{16})(\mu\text{-}Cl)Cl\}_2]$ ($C_{10}H_{16}$ = 2,7-dimethylocta-2,6-diene-1,8-diyl) towards dppf (dppf = $[Fe(\eta^5\text{-}C_5H_4PPh_2)_2]$) and dppfO (dppfO = $[Fe(\eta^5\text{-}C_5H_4PPh_2)(\eta^5\text{-}C_5H_4P(=O)Ph_2)]$), **637-639**, 767

Ruthenium porphyrins

^{1}H-NMR and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual $(d_{xz},d_{yz})^4(d_{xy})^1$ configuration, **629**, 145

Salens

Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, **630**, 67

Salicylic acid

Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, **629**, 47

Samarium

Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, **617-618**, 702

Synthesis and characterization of polynuclear half-sandwich lanthanoid complexes $[Na(THF)_6]_2[Cp^*_6Sm_6Se_{13}]$ and $[Li(THF)_4]_2[Cp^*_6Nd_6Se_{13}]$, **631**, 94

Synthesis and structure of $[Sm(\eta^5\text{-}CpPPh_2)(\kappa^3\text{-}Tp^{Me2})(I)(THF)]$; a samarium complex with four different ligands, **626**, 76

Samarium complexes

Samarium(III) compounds supported by the hydrotris(3,5-dimethyl-pyrazolyl)borate ligand: synthetic utility of the putative, reduction prone Sm(III)-hydrocarbyls, $'(Tp^{Me2})_2SmR'$, **632**, 119

Sandwich complexes

Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, **619**, 74

Sandwich compounds
Metal vapour synthesis of phospha-organometallic compounds via reaction of cobalt atoms with the phospha-alkyne $^tBuC{\equiv}P$: synthesis and structural characterisation of the sandwich compounds $[Co(\eta^5\text{-}P_3C_2^tBu_2)(\eta^4\text{-}P_2C_2^tBu_2)]$, $[Co(\eta^5\text{-}P_2C_3^tBu_3)(\eta^4\text{-}P_2C_2^tBu_2)]$ and the protonated tetraphospha-barrelene complex $[Co(\eta^4\text{-}P_4C_4^tBu_4H)(\eta^4\text{-}P_2C_2^tBu_2)]$, the latter as its $[W(CO)_5]$ adduct, **635**, 212
Syntheses and ligand properties of 1,3-di*t*-butyl-2,3-dihydro-1,3-diboroles. Rhodium-(η^5-2,3-dihydro-1,3-diborole) and rhodium-(η^5-2,3-dihydro-1,3-diborolyl) complexes, **619**, 7
Scandium perfluoroalkanesulfonates
Scandium perfluoroalkanesulfonate-catalyzed Diels–Alder reactions in an organic solvent, **624**, 392
Schiff base
Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, **628**, 99
Schiff bases derived from mercury(II)–aminothiolate complexes as metalloligands for transition metals, **623**, 137
Versatility in the mode of coordination $[(C)^-$, (N,S), (C,N)$^-$ or (C,N,S)$^-]$ of the Schiff base: $C_6H_5\text{–}CH\text{=}N\text{–}CH_2\text{–}CH_2\text{–}SEt$ to palladium(II). X-ray crystal structures of *cis*-$[Pd\{C_6H_4\text{–}CH\text{=}N\text{–}CH_2\text{–}CH_2\text{–}SEt\}Cl_2]$ and $[Pd\{C_6H_4\text{–}CH\text{=}N\text{–}CH_2\text{–}CH_2\text{–}SEt\}Cl]$, **629**, 97
Schiff bases
New boron macrocycles based on self-assembly of Schiff bases, **622**, 259
The first synthesis of ferrocenyl aminophosphonic esters, **631**, 105
Schrock type
Schrock type transition metal complex formation of push–pull substituted phosphanyl-carbenes, a quantum chemical investigation by density-functional methods, **617-618**, 435
S_2Cl_2-reaction
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, **623**, 3
Scorpionate ligands
Bis(pyrazol-1-yl)acetates as tripodal "scorpionate" ligands in transition metal carbonyl chemistry: syntheses, structures and reactivity of manganese and rhenium carbonyl complexes of the type $[LM(CO)_3]$ (L = bpza, bdmpza), **626**, 16
S-donor
Chiral ferrocenylthiazolidines, new ligands for palladium complexes, **637-639**, 116
Secondary M–F interactions
Synthesis and crystal structures of chromium and molybdenum complexes containing the 2,4,6-tris(trifluoromethyl)phenyl ligand, **631**, 181
Selective reductions
Hydrosilylation of aldehydes and ketones catalyzed by $[Ph_3P(CuH)]_6$, **624**, 367
Selectivity
Preparations and selectivities of magnesium-based mixed cuprates, **619**, 31
Selectivity for the methoxycarbonylation of ethylene versus CO–ethylene copolymerization with catalysts based on C_4-bridged bidentate phosphines and phospholes, **640**, 182
Selenaazamacrocycle
Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, **623**, 87
Selenide
Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, **623**, 87
Selenide metal complexes
Synthesis and characterization of polynuclear half-sandwich lanthanoid complexes $[Na(THF)_6]_2[Cp^*_6Sm_6Se_{13}]$ and $[Li(THF)_4]_2[Cp^*_6Nd_6Se_{13}]$, **631**, 94
Selenides
Five- and six-membered ring Group 14 chalcogenides of the types $(Me_2ME)_3$ (M = Si, Ge, Sn), $E(Si_2Me_4)_2E$, $Me_4Si_2(E)_2MR_x$ (MR_x = $C(CH_2)_3$, $SiMe_2$, $GeMe_2$, $SnMe_2$, $SnPh_2$, BPh) and $[Me_4Si_2(E)_2SiMe\text{–}]_2$ (E = S, Se, Te), **627**, 23
Selenium
Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, **637-639**, 240
Bis[bis(trimethylsilyl)cyclopentadienyl]selane as a ligand: selena-2,2',4,4'-tetrakis(trimethylsilyl)-[1]ferrocenophane and 1,2,3-triselena-2,2',4,4'-tetrakis(trimethylsilyl)-[3]ferrocenophane, **637-639**, 745
Bridge cleavage of $[\{PhP(Se)(\mu\text{-}Se)\}_2]$ by 1,2-$C_6H_4(EH)(E'H)$ (E, E' = O or NH). X-ray crystal structure of Ph-P(Se)(NHC_6H_4NH-1,2), **623**, 116
Cyclopentadienylcobalt complexes containing sulfosalt units: synthesis and structure of $[(C_5Me_4Et)_3Co_3AsS_3]I$ and $[(C_5Me_4Et)_3Co_3AsSe_3][Cr(CO)_5I]$, **628**, 39
Electrochemical and NMR spectroscopic studies of selenium- and tellurium-substituted ferrocenes I: ferrocenyl alkyl chalcogenides $[Fe(\eta\text{-}C_5H_5)(\eta\text{-}C_5H_4ER)]$, **623**, 101
New chalcogen derivatives of silicon possessing adamantane and noradamantane structures, **628**, 133
Synthesis and characterization of 2,5,7-trichalcogena-1,3,4,6-tetrasilanorbornanes $(RMeSiSiMe)_2E_3$ (R = Me, Ph/E = S, Se, Te), **627**, 144
Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se, Te). Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)(\mu\text{-}MeS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ and $\{(\mu\text{-}t\text{-}BuS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)\}_2[(\mu\text{-}p\text{-}SCH_2)_2C_6H_4]$, **623**, 56
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, $Cp^*Rh[E_2C_2(B_{10}H_{10})]$, E = S, Se, **623**, 149
Tuning selenium–iodine contacts: from secondary soft–soft interactions to covalent bonds, **623**, 14
Selenium and compounds
Synthesis of α-phenylseleno-α,β-unsaturated esters by Wittig-type reactions. Studies on the Diels–Alder reaction, **623**, 131
Self-assembled monolayer
Anion effect on the electrochemical characteristics of a gold electrode modified with a self-assembled monolayer of ferrocenylhexanethiol in aqueous and dichloromethane solutions, **637-639**, 841
Self-assembly
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, **623**, 29
Self assembly
Self-assembly of $[Cu(CN)_4]^{1-}$ ions with cationic $\{Me_3Sn\}^+$ or $\{Me_2Sn(CH_2)_3SnMe_2\}^{2+}$ fragments in the presence of a $^nBu_4N^+$ template, **621**, 254
Self-assembly
New boron macrocycles based on self-assembly of Schiff bases, **622**, 259
Self-immobilization
Amido functionalized *ansa* half-sandwich dichloride complexes of titanium, zirconium and hafnium with alkyl and ω-alkenyl substituents as homogeneous and self-immobilizing catalyst precursors for ethylene polymerization, **628**, 169

Semicarbazide
The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β-enones, **633**, 137
Semiconductors
Preparation of CdTe coatings using the chemical deposition method, **623**, 81
Semi-empirical calculations
Conformational flexibility and molecular dynamics of cationic diolefin–rhodium(I) complexes with iminophosphine ligands, **631**, 117
Semiempirical theory
Trans-influences in mononuclear cyclopalladated compounds containing a σ(Pd–C_{sp^2}, ferrocene) bond. X-ray crystal structures of [Pd{[(η^5-C_5H_3)–CH=N–CH_2–C_6H_4]Fe-(η^5-C_5H_5)}(X)(PPh_3)] with $X^- = Br^-$ and I^-, **625**, 67
Semiquinonediamine
Deprotonated *N*-phenyl-*o*-phenylenediimine as a bridging ligand, **636**, 157
Sensor
The effect of d-block metal complexation on the spectroscopic and redox properties of ferrocene derivatives containing pyridine ligands, **637-639**, 304
Sensors
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, **617-618**, 133
Voltammetric metal cation sensors based on ferrocene derivatives with oxazoline and imine substituents, **637-639**, 134
Sigmatropic
Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, **617-618**, 360
Silacycloalkenes
Synthesis of silacycloalkenes and silaspirenes by Ru(II)-catalyzed ring-closing metathesis reactions, **625**, 160
Silacyclobutene
Silylene reactions with 1,7-octadiene-3,5-diynes: evidence for the intermediate formation of a bis(silaethene), **636**, 7
Silaethenes
Intramolecularly donor-stabilized silenes: Part 3. Synthesis and structure of 1-[2,6-bis(dimethylaminomethyl)phenyl]-1,2,2-tris(trimethylsilyl)silene, **621**, 261
Silane
Synthesis and characterization of 2,5,7-trichalcogena-1,3,4,6-tetrasilanorbornanes $(RMeSiSiMe)_2E_3$ (R = Me, Ph; E = S, Se, Te), **627**, 144
Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, **622**, 54
Silanediols
Self-organization of a rigid α,ω-bis-silanediol determined by X-ray crystal structure, **624**, 354
Silane reduction
Reactions of silyl-substituted Fischer-type carbene complexes with silanes, **617-618**, 741
Silanes
Aminopropylsilanes versus silatranes: an experimental and theoretical study, **625**, 148
Intramolecularly donor-stabilized silenes: Part 3. Synthesis and structure of 1-[2,6-bis(dimethylaminomethyl)phenyl]-1,2,2-tris(trimethylsilyl)silene, **621**, 261
Novel cyclopentadienyl silanes and disilanes: synthesis, structure and gas-phase pyrolysis, **620**, 20
Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, **628**, 30
Solid phase cross-coupling reaction of aryl(halo)silanes with 4-iodobenzoic acid, **624**, 208
Silanides
Alkalimetalldisupersilylsilanide $MSiXR^*_2$ ($R^* = Si^tBu_3$; X = H, Me, Ph, Hal): Synthesen, Charakterisierung, Strukturen, Reaktionen, **628**, 46
Silylene R^*XSi ($R^* = Si^tBu_3$; X = H, Me, Ph, Hal, R^*): Bildung und Reaktionen, **628**, 57
Silanol
Concentration dependence of the ^{1}H- and ^{29}Si-NMR chemical shifts of tetramethyldisiloxanediol in deuterated chloroform, **628**, 233
Reactions of $HOSiMe_2Ar$ with Pt–PPh_3 complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, **629**, 61
Silanols
A novel cyclic titanasiloxane derived from $[Ph_2Si(OH)]_2O$: synthesis and crystal structure of $[Cp^*Ti(Cl)(OSiPh_2OSiPh_2OSiPh_2O)]$, **625**, 195
2,2-Dihydroxy-methylcyclosiloxanes and other 2,2-difunctional methylcyclosiloxanes, **626**, 53
Silatranes
Aminopropylsilanes versus silatranes: an experimental and theoretical study, **625**, 148
μ-Silene
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, **635**, 173
Silene
UV laser-induced photolysis of 1,3-disilacyclobutane in oxygen for chemical vapour deposition of nano-sized polyoxocarbosilane films, **640**, 170
Silenes
Intramolecularly donor-stabilized silenes: Part 3. Synthesis and structure of 1-[2,6-bis(dimethylaminomethyl)phenyl]-1,2,2-tris(trimethylsilyl)silene, **621**, 261
Silica
Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations, **627**, 37
Surface organometallic chemistry of vanadium(V): reactivity of $(Bu^tN=)VNp_3$ towards silica, **625**, 101
Silica support
Immobilized rhodium hydrogenation catalysts, **627**, 44
Silica supported
Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, **633**, 173
Silicon
Alkalimetalldisupersilylsilanide $MSiXR^*_2$ ($R^* = Si^tBu_3$; X = H, Me, Ph, Hal): Synthesen, Charakterisierung, Strukturen, Reaktionen, **628**, 46
Anchimeric assistance by γ-substituents Z, Z = MeO, PhO, MeS or PhS, in reactions of the bromides $(Me_3Si)_2(ZMe_2Si)$-$CSiMe_2Br$ with $AgBF_4$, **640**, 29
An examination of the substitution chemistry of di-*n*-hexyldichlorosilane, **620**, 287
Are disilacyclopropylidenes and their carbenoids good precursors for the unknown 1,3-disilaallenes?, **636**, 148
Intramolecularly donor-stabilized silenes: Part 3. Synthesis and structure of 1-[2,6-bis(dimethylaminomethyl)phenyl]-1,2,2-tris(trimethylsilyl)silene, **621**, 261
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on urea ligands, **619**, 132
New types of non-classical interligand interactions involving silicon based ligands, **635**, 24
Reactions of $[LiC(SiMe_2H)_3]\cdot 2THF$: Sterically hindered tris(dimethylsilyl)methane derivatives and their hydrosilylation, **620**, 127

Reactions of silamorpholinones and acylsilamorpholines with electrophilic reagents. X-ray structure of products including a pentacoordinated silicon compound, **620**, 139
Silylene reactions with 1,7-octadiene-3,5-diynes: evidence for the intermediate formation of a bis(silaethene), **636**, 7
Silylene R*XSi (R* = Si^{t}Bu$_3$; X = H, Me, Ph, Hal, R*): Bildung und Reaktionen, **628**, 57
Synthese des Cyclotetrasiloxans [(Me)(C$_6$H$_4$CH$_2$NMe$_2$-2)-SiO]$_4$ und dessen strukturanalytische Untersuchung, **633**, 157
Syntheses and pharmacological characterization of achiral and chiral enantiopure C/Si/Ge-analogous derivatives of the muscarinic antagonist cycrimine: a study on C/Si/Ge bioisosterism, **640**, 140
Syntheses of racemic and non-racemic silicon- and germanium-containing α-amino acids of the formula type H$_2$NCH(CH$_2$ElR$_3$)COOH (El = Si, Ge; R = organyl) and incorporation of D-H$_2$NCH(CH$_2$SiMe$_3$)COOH and D-H$_2$NCH(CH$_2$GeMe$_3$)COOH into biologically active decapeptides: a study on C/Si/Ge bioisosterism, **628**, 183
Synthesis and characterization of 2,4,6-tris((dimethylamino)methyl)phenoxysilicon compounds, **636**, 96
Silicon electrophiles
On the evolution of organozinc carbenoid chemistry from carbonyl compounds — a personal account, **624**, 41
Silicon migration
Reactions of silyl-substituted Fischer-type carbene complexes with silanes, **617-618**, 741
Silole
Reaction of disilagermirenes with phenylacetylene: from a germasilene –Ge–Si– to a metalladiene of the type –Si–Ge–C–C–, **636**, 41
Siloxane
End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, **629**, 194
Siloxanes
Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, **625**, 208
Siloxides
A novel cyclic titanasiloxane derived from [Ph$_2$Si(OH)]$_2$O: synthesis and crystal structure of [Cp*Ti(Cl)(OSiPh$_2$-OSiPh$_2$OSiPh$_2$O)], **625**, 195
Siloxo complex
Reactions of HOSiMe$_2$Ar with Pt–PPh$_3$ complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, **629**, 61
Silsesquioxanes
Silsesquioxane chemistry: Part 5. New silyl-functionalized silsesquioxanes, **625**, 1
Silsesquioxane Chemistry, 4. Silsesquioxane Complexes of Titanium(III) and Titanium(IV), **620**, 80
Silthiane
Synthesis and characterization of 2,5,7-trichalcogena-1,3,4,6-tetrasilanorbornanes (RMeSiSiMe)$_2$E$_3$ (R = Me, Ph/E = S, Se, Te), **627**, 144
Silthianes
Five- and six-membered ring Group 14 chalcogenides of the types (Me$_2$ME)$_3$ (M = Si, Ge, Sn), E(Si$_2$Me$_4$)$_2$E, Me$_4$Si$_2$(E)$_2$MR$_x$ (MR$_x$ = C(CH$_2$)$_5$, SiMe$_2$, GeMe$_2$, SnMe$_2$, SnPh$_2$, BPh) and [Me$_4$Si$_2$(E)$_2$SiMe–]$_2$ (E = S, Se, Te), **627**, 23
New chalcogen derivatives of silicon possessing adamantane and noradamantane structures, **628**, 133
Silver
[Cp$_2$MoH$_2$]–silver complexes with pseudohalide ligands, **633**, 1
Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of [AgSn(μ-SC$_6$H$_4$PPh$_2$)$_2$-Me$_2$(PPh$_2$Me)]CF$_3$SO$_3$·CH$_2$Cl$_2$, **622**, 274
Monomeric, dimeric and polymeric [Cp$_2$MoH$_2$] complexes with Ag–S bonds, **630**, 169
1,1′-(Pyridine-2,6-diyl)bis(3-benzyl-2,3-dihydro-1*H*-imidazol-2-ylidene), a new multidentate *N*-heterocyclic biscarbene and its silver(I) complex derivative, **617-618**, 395
Synthesis and spectroscopic characterization of α-keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp*ZrCl$_3$(2-TCMP)], Cp* = η^5-C$_5$Me$_5$, 2-TCMP
= [{2-thiazolylcarbonyl}methylene]triphenylphosphorane, **629**, 68
Silver complex
Tertiary stibines containing aromatic heterocycles and their silver complexes: synthesis and X-ray structures, **634**, 5
Silver complexes
Synthesis and circular dichroism spectra of silver(I) complexes with *R,R*-DIOP (4*R*,5*R*-*trans*-4,5-bis[(diphenylphosphino)-methyl]-2,2-dimethyl-1,3-dioxalane): crystal structures of [AgCl(*R,R*-DIOP)]$_2$·2CHCl$_3$, {[AgBr(*R,R*DIOP)]$_2$}$_2$·CH$_2$Cl$_2$·2H$_2$O, [AgI(*R,R*-DIOP)]$_2$ and [AgSCN(*R,R*-DIOP)]$_2$, **640**, 57
Silver(I)
Synthesis of chiral silver(I) diaminocarbene complexes from (*R,R*)-4,5-di-*tert*-butylimidazoline, **631**, 157
Silylation
ortho-Silylation of 2,2′-bis(oxazolinyl)-1,1′-bis(diphenylphosphino)ferrocenes and remarkable effect of the silyl groups on the enantioselectivity in Pd-catalyzed asymmetric allylic alkylation, **637-639**, 99
Silsesquioxane chemistry: Part 5. New silyl-functionalized silsesquioxanes, **625**, 1
Silyl complexes
Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of Os[-Si(OEt)$_3$]R(CO)(PPh$_3$)$_2$ and Os[Si(OEt)$_3$]R(CO)$_2$(PPh$_3$)$_2$ (R = phenyl or *o*-tolyl), **625**, 77
Silyl-cupration
Silyl-cupration of a propargylsilane as a test for the reversibility of a metallo-metallation, **624**, 69
Silylene
Electronic and steric properties of stable silylene ligands in metal(0) carbonyl complexes, **636**, 17
M$_2$E$_2$ four-member ring structure, M$_2$(μ-EH$_2$)$_2$(P2)$_2$ (M = Pd or Pt; E = Si or Ge; P2 = (PH$_3$)$_2$ or H$_2$PCH$_2$CH$_2$PH$_2$) versus μ-disilene and μ-digermene-bridged structures, M$_2$(μ-E$_2$H$_4$)(P2)$_2$. A theoretical study, **635**, 173
New synthesis of a stable dialkylstannylene and its reversible complexation with tetrahydrofuran, **636**, 144
Silylene reactions with 1,7-octadiene-3,5-diynes: evidence for the intermediate formation of a bis(silaethene), **636**, 7
Silylene elimination
Photochemistry of bridged disilyldiiron complexes (SiMe$_2$)[(η^5-C$_5$H$_4$)Fe(CO)$_2$SiMe$_2$SiMe$_2$R]$_2$, R = Me, Ph, **634**, 102
Silylenes
Chemistry of thermally stable bis(amino)silylenes, **617-618**, 209
Silylene R*XSi (R* = Si^{t}Bu$_3$; X = H, Me, Ph, Hal, R*): Bildung und Reaktionen, **628**, 57
Silylene transfer
Silylene-transfer reactions of cyclic organosilanes induced by phenanthraquinone triplet, **636**, 63
Silylene transition metal complexes
Chemistry of thermally stable bis(amino)silylenes, **617-618**, 209
Silyl ether
An examination of the substitution chemistry of di-*n*-hexyldichlorosilane, **620**, 287
Silyl ethers
Hydrosilylation of aldehydes and ketones catalyzed by [Ph$_3$P(CuH)]$_6$, **624**, 367

Silyllithium
Reactions of lithium silenolates with benzophenone, **633**, 131
Silyl radical
Radical isomerization of 9,10-dihydro-9,10-disilaanthracene derivatives: stabilization factor of silyl radicals, **626**, 32
Silyl(silylene)iron intermediates
Photochemistry of bridged disilyldiiron complexes $(SiMe_2)[(\eta^5\text{-}C_5H_4)Fe(CO)_2SiMe_2SiMe_2R]_2$, R = Me, Ph, **634**, 102
Silyl-substituted Fischer-type carbene complexes
Reactions of silyl-substituted Fischer-type carbene complexes with silanes, **617-618**, 741
Silyl triflates
(Diazomethyl)silyl-functionalized Fischer-type carbene complexes, **617-618**, 339
Simmons–Smith
Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, **617-618**, 702
Single electron transfer
Evidence for single electron transfer (SET) pathway in the reaction of primary alkylcadmium reagents with *p*-benzoquinone, **625**, 108
Single-strand polymer
A single-strand polymer of hexacoordinated zinc(II) phosphodiester complex, **624**, 58
^{29}Si-NMR
Aminopropylsilanes versus silatranes: an experimental and theoretical study, **625**, 148
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81
Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, **622**, 54
Sn-119-P-31 coupling constant
A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, **633**, 33
SNP(V) reaction
Controlled monohalogenation of phosphonates: Part IV. Selective synthesis of monohalogenomethylenediphosphonates, **624**, 203
S_4N_4-synthesis
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, **623**, 3
Sodiumborohydride
Reduction of α,β unsaturated carbonyl compounds by Ni^{2+}–BH_4^-, **620**, 90
Soft–soft interactions
Tuning selenium–iodine contacts: from secondary soft–soft interactions to covalent bonds, **623**, 14
Sol–gel process
Synthesis of poly(ferrocenyldialkoxysilane) polymers and their introduction into oxide matrices, **621**, 46
Solid phase
Solid phase cross-coupling reaction of aryl(halo)silanes with 4-iodobenzoic acid, **624**, 208
Solid-phase
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, **637-639**, 398
Solid-state NMR
Immobilized rhodium hydrogenation catalysts, **627**, 44
Synthesis, solution and solid-state NMR spectra of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-(organostannylmethyl)-α-D-glucopyranosides: Crystal structure of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-[(dimethylphenylstannyl)methyl]-α-D-glucopyranoside, **619**, 226
Solid-state reaction
Preparation of 1,5-diketone derivatives containing ferrocenyl by Michael reaction under solvent-free condition, **637-639**, 719
Preparation of ferrocenyl mono- and dienone derivatives through aldol condensation of 1,1′-diacetylferrocene with aromatic aldehydes in dry conditions, **637-639**, 782
Solid-state structures
Experimental and theoretical study of the interaction of molybdenocene dichloride (Cp_2MoCl_2) with β-cyclodextrin, **632**, 11
Solubility
The effect of solubility on the stability of titanium(IV) arene complexes derived from hexasubstituted arenes and $TiCl_4$, **620**, 113
Solution dynamics
Conformational flexibility and molecular dynamics of cationic diolefin–rhodium(I) complexes with iminophosphine ligands, **631**, 117
Solvatochromism
Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, **622**, 66
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, **625**, 32
Solvent effects
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81
Solvent-free
Preparation of 1,5-diketone derivatives containing ferrocenyl by Michael reaction under solvent-free condition, **637-639**, 719
Solvent-free reaction
Solvent-free synthesis of ferrocenylethene derivatives, **625**, 128
Sonogashira coupling
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, **634**, 1
Star-shaped polyferrocenes based on thiophene and triphenylamine: synthesis, spectroscopy and electrochemistry, **637-639**, 139
(−)-Sparteine
Synthesis of enantioenriched indene-derived bicyclic alcohols and tricyclic cyclopropanes via (−)-sparteine-mediated lithiation of a racemic precursor and kinetic resolution during the cyclocarbolithiation, **624**, 96
Spectro-electrochemistry
Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, **637-639**, 240
Spectroscopic studies
Synthesis, crystal structures and spectroscopic studies of diorganotin derivatives with mefenamic acid. Crystal and molecular structures of 1,2:3,4-di-μ_2-2-[(2,3-dimethylphenyl)-amino]-benzoato-*O*,*O*-1,3-bis-2-[(-[(2,3-dimethylphenyl)-amino]benzoato-*O*-1,2,4:2,3,4-di-μ_3-oxo-tetrakis[di-methyltin(IV)] and 1,2:3,4-di-μ_2-2-[(-[(2,3-dimethylphenyl)-amino]-benzoato-*O*,*O*-1,3-bis-2-[(-[(2,3-dimethylphenyl)-amino]benzoato-*O*-1,2,4:2,3,4-di-μ_3-oxo-tetrakis[di-*n*-butyltin(IV)], **630**, 205
Spectroscopy
Electronic properties of the trimethylenemethaneiron tricarbonyl group, **620**, 308
The effect of d-block metal complexation on the spectroscopic and redox properties of ferrocene derivatives containing pyridine ligands, **637-639**, 304
Spectroscopy and electrochemistry
New ligand substitution modes of $M_2(\mu\text{-}SR)_2(CO)_8$ (M = Mo, W; R = alkyl, aryl): synthesis, structure and properties of new di-nuclear metal(I) carbonyl thiolates, $[M_2(\mu\text{-}$

SPh)$_2$(CO)$_x$L$_y$]$^{n-}$ (M = Mo, W; x = 6, 8; y = 0, 1; L = PhS, (Ph)$_2$PCH$_2$P(Ph)$_2$ and S$_2$CNEt$_2$; n = 1, 0) and a polymer [W$_2$(μ-SPh)$_2$(CO)$_6$(Ph)$_2$PCH$_2$P(Ph)$_2$]$_n$, **640**, 127

Spiroannulation

Synthesis of silacycloalkenes and silaspirenes by Ru(II)-catalyzed ring-closing metathesis reactions, **625**, 160

Spirocycles

Reactions of ferrocene-derived bis(hydroxymethyl) phosphine sulfides FcCH(R)P(S)(CH$_2$OH)$_2$ (R = H, CH$_3$) with cyclic thionylphosphazenes: crystal structures of FcCH$_2$P(S)-(CH$_2$O)$_2$PN(NPCl$_2$)[NS(O)Ph] and FcCH$_2$P(S)(CH$_2$O)$_2$-PN$_2$P[N(Me)CH$_2$]$_2$[NS(O)Ph] (Fc = ferrocenyl), **637-639**, 382

Spirosiloxanes

2,2-Dihydroxy-methylcyclosiloxanes and other 2,2-difunctional methylcyclosiloxanes, **626**, 53

(2*S*,4*S*)-4-Azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)-pyrrolidine

Copper(I) complexes with the hexaazafulleroid C$_{60}$(NR)$_6$, derived from (2*S*,4*S*)-4-azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine as multitopic ligand. Catalytic properties in oxidation of sulfides, **627**, 159

Stability

The effect of solubility on the stability of titanium(IV) arene complexes derived from hexasubstituted arenes and TiCl$_4$, **620**, 113

π Stacking

The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex [(η^5-C$_5$H$_5$)(CO)$_2$Fe=CH[(η^6-*o*-CH$_3$OC$_6$H$_4$)Cr(CO)$_3$]]$^+$, **617-618**, 751

π-Stacking

Synthesis and crystal structure of 1,1′-bis[4-(2,2′:6′,2″-terpyridin-4′-yl)phenyl]octamethylferrocene, **637-639**, 733

η^3-1-Stannylallylpalladium(II) complexes

Synthesis and destannylation of η^3-1-stannylallylpalladium(II) complexes, **625**, 54

Stannylene

A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene, **617-618**, 629

Stannylene complex

Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, **617-618**, 453

Star-shaped complexes

Facile synthesis of bidimensional ferrocenyl-based branched oligomers by palladium-catalyzed coupling reactions, **637-639**, 191

Stereochemical scrambling

Methane inversion on transition metal ions: a possible mechanism for stereochemical scrambling in metal-catalyzed alkane hydroxylations, **635**, 100

Stereochemistry

Formation and structural characterizatic of amino-substituted [3]ferrocenophanes derived from intramolecular Mannich-type coupling reactions at the metallocene framework, **637-639**, 621

On the steric course of transmetallations on enantiomerically defined α-carbamoyloxy organolithiums, **624**, 364

Studies on the cyclometallation of ferrocenylimines, **637-639**, 27

Stereoconservative

Study on the synthesis of nonracemic C_2-symmetric 1,1′-binaphthyl-2,2′-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, **637-639**, 318

Stereoselective

Regio- and stereoselectivity in long-range asymmetric induction controlled by carbonyliron groups: crystal structures of dicarbonyl-L-[(1,2,3,4,5-η)-1-R-4-methoxycyclohexadienyl]-iron(1+) hexafluorophosphate(1−) [(R = isopropenyl, L = CO), (R = 1-styryl, L = CO), (R = 1-prop-1-enyl, L = PPh$_3$)] and tricarbonyl[methyl(2,3,4,5-η)-2-carbomethoxy-2-(4-methoxy-1-(1′-methylethenyl)cyclohexadien-1-yl)ethanoate]iron(0), **630**, 88

Stereoselectivity

Stereoselective oxidative addition of methyl iodide to chiral cyclometallated platinum(II) compounds derived from (*R*)-(+)-1-(1-naphthylethylamine). Crystal structure of [PtMe{3-(*R*)-(C$_{10}$H$_7$)CHMeNCHC$_4$H$_2$S}PPh$_3$], **631**, 164

Stereospecific annulation reactions

Cationic cyclizations of (diene)iron tricarbonyl complexes with pendant alkenes and arenes, **630**, 23

Stereospecificity

Stereoselectivity of formation of polycyclic ferrocenyl-4,5-dihydropyrazoles based on *E*- and *Z*-*s*-*cis*-α,β-enones, **628**, 107

Stereospecific polymerization

Preparation and crystal structures of the complexes (η^5-C$_5$H$_3$TMS–CMe$_2$–η^5-C$_{13}$H$_8$)MCl$_2$ and [3,6-di^{t}ButC$_{13}$H$_6$–SiMe$_2$–N^{t}Bu]MCl$_2$ (M = Hf, Zr or Ti): mechanistic aspects of the catalytic formation of a isotactic–syndiotactic stereoblock-type polypropylene, **621**, 267

Stereospecific substitution

A rapid approach to ferrocenophanes via ring-closing metathesis, **637-639**, 669

Steroidal

Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues, **627**, 206

Stibine complexes

Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenerhodium(I) complexes, **617-618**, 502

Stibines

Tertiary stibines containing aromatic heterocycles and their silver complexes: synthesis and X-ray structures, **634**, 5

Stille coupling

Synthesis of 1′,1‴-bis(heterocyclyl)biferrocene compounds, **637-639**, 723

Strain energies

Olefin strain energies and platinum complexes of highly pyramidalised alkenes, **635**, 142

Strong hydrogen bonds

A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, **629**, 165

Structure

Dinuclear molybdenum complexes containing the novel μ,η^{1-3}-AsS$_2$ ligand: synthesis and molecular structure of [{Cp*Mo$_2$(CO)$_2$As$_2$S$_4$}·2Cr(CO)$_5$]·0.5CH$_2$Cl$_2$ (Cp* = C$_5$Me$_5$), **627**, 139

Synthesis and structure of [Sm(η^5-CpPPh$_2$)(κ^3-Tp^{Me2})(I)(THF)]; a samarium complex with four different ligands, **626**, 76

Synthesis and structure of the chromiumcarbonyl complexed phenyl allene, **630**, 198

Synthesis and X-ray crystal structure of a chiral molybdenum porphyrin and its catalytic behaviour toward asymmetric epoxidation of aromatic alkenes, **634**, 34

Synthesis, spectroscopic characterization and structural studies of dialkyl dithiophosphinate and *N*,*N*-dialkyl dithio- and monothio-carbamate derivatives of 1-iodo-1,1,2,3,4,5-hexahydrotellurophene, **623**, 74

The reactions of CpRu(PPh$_3$)$_2$SR with the electrophiles HBF$_4$, [MeSSMe$_2$]BF$_4$ and MeSphth where R = CMe$_3$, CHMe$_2$, 4-C$_6$H$_4$Me and phth = phthalimide, **622**, 1

The synthesis and structure of the thiosulfonato iron complexes CpFe(CO)$_2$SS(O)$_2$R, **622**, 293

Structure–activity correlation
Tunable ferrocenyl diphosphine ligands for the Ir-catalyzed enantioselective hydrogenation of *N*-aryl imines, **621**, 34
Structure elucidation by IR
An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, **634**, 122
Structure–property relationships
Studies on the cyclometallation of ferrocenylimines, **637-639**, 27
Structures
Cyanide bridged oligonuclear complexes containing CuCl and $CuCl_2$, **627**, 153
Fluorenyl derivatives of early transition elements: a synthetic and structural study, **631**, 110
Halo-carbonyl complexes of platinum(II) and palladium(II), **622**, 180
Synthesis and circular dichroism spectra of silver(I) complexes with *R,R*-DIOP (4*R*,5*R*-*trans*-4,5-bis[(diphenylphosphino)methyl]-2,2-dimethyl-1,3-dioxalane): crystal structures of $[AgCl(R,R\text{-DIOP})]_2{\cdot}2CHCl_3$, $\{[AgBr(R,R\text{-DIOP})]_2\}_2{\cdot}CH_2Cl_2{\cdot}2H_2O$, $[AgI(R,R\text{-DIOP})]_2$ and $[AgSCN(R,R\text{-DIOP})]_2$, **640**, 57
Synthesis, characterization and reactivity of tetracyclopentadienylniobium(IV), a precursor to organometallic derivatives of niobium(IV), **630**, 275
Synthesis, properties and structures of the tris(cyclopentadienyl)thorium(III) complexes $[Th\{\eta^5\text{-}C_5H_3(SiMe_2R)_2\text{-}1,3\}_3]$ (R = Me or ^{t}Bu), **636**, 124
Styrene
New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, **619**, 287
Synthesis of titanium trichloride complexes of 1,2,3-trisubstituted cyclopentadienyls and their use in styrene polymerization, **627**, 233
Styrenes
Cross-coupling of vinylpolysiloxanes with aryl iodides, **624**, 372
4-Substituted cyclobutene-1,2-diones
A novel coupling reaction of 3-substituted 4-alkoxy and 4-aminocyclobutene-1,2-diones induced by $TiCl_4$–Zn, **629**, 213
Substituted cyclopentadiene
New trisubstituted cyclopentadienyl ligands: synthesis, characterisation and catalytic properties of mono and dinuclear cobalt, rhodium, iron and ruthenium complexes, **619**, 179
Substituted cyclopropanes
'One-pot' synthesis of 1,1-disubstituted cyclopropanes in the presence of metal complex catalysts, **636**, 76
Substituted tetralins
Cationic cyclizations of (diene)iron tricarbonyl complexes with pendant alkenes and arenes, **630**, 23
Substituted zirconocenes
Preparation and structural features of 1-(2-pyridyl)- and 1-(2-furyl)indenyl-zirconium complexes, **621**, 197
Substitution
Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, **617-618**, 464
An examination of the substitution chemistry of di-*n*-hexyldichlorosilane, **620**, 287
C–O bond activation in carbene-*C,O* chelate tungsten(II) complexes — MeX elimination in the reaction of $[X_2(CO)_3W{=}C(C_6H_4OMe\text{-}o)OMe]$ with L_2 (L_2 = dppe, 2 PMe_3), **634**, 209
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on urea ligands, **619**, 132
Synthesis of chiral β-aminoalcohol-substituted carbene complexes of manganese and influence of the chiral carbene ligand on the diastereoselectivity of the CO/PR_3 exchange, **621**, 344
Substitution mode
New ligand substitution modes of $M_2(\mu\text{-}SR)_2(CO)_8$ (M = Mo, W; R = alkyl, aryl): synthesis, structure and properties of new di-nuclear metal(I) carbonyl thiolates, $[M_2(\mu\text{-}SPh)_2(CO)_xL_y]^{n-}$ (M = Mo, W; $x = 6, 8$; $y = 0, 1$; L = PhS, $(Ph)_2PCH_2P(Ph)_2$ and S_2CNEt_2; $n = 1, 0$) and a polymer $[W_2(\mu\text{-}SPh)_2(CO)_6(Ph)_2PCH_2P(Ph)_2]_n$, **640**, 127
Substitution reaction
^{31}P-NMR and X-ray studies of new rhodium(I) β-ketoiminato complexes $Rh(R_1C(O)CHC(NH)R_2)(CO)(PZ_3)$ where $PZ_3 = PPh_3$, PCy_3, $P(OPh)_3$, or $P(NC_4H_4)_3$, **628**, 195
Substitution reactions
Synthesis and structural characterization of $\{\mu_3\text{-}H(Ph)C{-}C\}FeCo_2(CO)_7dppm$ (dppm = $Ph_2PCH_2PPh_2$) and $\{\mu_3\text{-}H(Ph)C{-}C\}FeCo_2(CO)_{7-n}L_n$ [L = PPh_3 ($n = 1, 2$), $AsPh_3$ ($n = 1$)], **631**, 87
Sugar derivatives
Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, **629**, 77
Sulfenato complexes
Diastereoselective oxidative addition of cyclic thiosulfinates to platinum(0) compounds: chiral platinum(II) complexes with sulfenato ligands Crystal structures of S(O)–CH_2–CH(OAc)–CH(OAc)–CH_2–S and dppePt-[S(O)–$(CH_2)_4$–S]: Part 16. Metal complexes of functionalized sulfur-containing ligands, **621**, 352
Sulfimides
A comparison of the coordination chemistry of Ph_2SNH and $Ph_2SNCH_2CH_2CN$; the preparation and X-ray crystal structures of $[PPh_4][PdBr_3(Ph_2SNCH_2CH_2CN)]$ and *trans*-$[PdBr_2(Ph_2SNCH_2CH_2CN)_2]$, the first fully characterised complexes of a N-substituted sulfimide, **623**, 120
Sulfoximido ligands
Electron counting and bonding analysis in triruthenium clusters containing sulfoximido ligands: true or false electron-deficient systems?, **620**, 119
Sulfur
Cyclopentadienylcobalt complexes containing sulfosalt units: synthesis and structure of $[(C_5Me_4Et)_3Co_3AsS_3]I$ and $[(C_5Me_4Et)_3Co_3AsSe_3][Cr(CO)_5I]$, **628**, 39
Dinuclear molybdenum complexes containing the novel $\mu,\eta^{1:3}$-AsS_2 ligand: synthesis and molecular structure of $[\{Cp^*_2Mo_2(CO)_2As_2S_4\}{\cdot}2Cr(CO)_5]{\cdot}0.5CH_2Cl_2$ ($Cp^* = C_5Me_5$), **627**, 139
New chalcogen derivatives of silicon possessing adamantane and noradamantane structures, **628**, 133
Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se, Te). Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)(\mu\text{-}MeS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ and $\{(\mu\text{-}t\text{-}BuS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)\}_2[(\mu\text{-}p\text{-}SCH_2)_2C_6H_4]$, **623**, 56
The key role of sulfur in thiosemicarbazone compounds. Crystal and molecular structure of $[Pd\{4\text{-}MeOC_6H_4C(Me){-}NN{-}C(S)NHPh\}_2]$, **623**, 176
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, $Cp^*Rh[E_2C_2(B_{10}H_{10})]$, E = S, Se, **623**, 149
The synthesis and structure of the thiosulfonato iron complexes $CpFe(CO)_2SS(O)_2R$, **622**, 293
Sulfur donor
Mono(cyclopentadienyl)titanium complexes containing a sulfide-bridged bis(phenolato) ligand. Molecular structure of $Ti\{2,2'\text{-}S(OC_6H_2\text{-}4\text{-}Me\text{-}6\text{-}^tBu)_2\}(\eta^5\text{-}C_5H_5)Cl$, **621**, 3

Sulfur ylid
Preparation, crystal structure determination, and properties of adducts of halogenomethyl compounds of indium with Group 16 donors, **626**, 68
Sulphonates
Structural studies of diorganotin(IV) sulphonates The crystal structures of $[(n\text{-}C_4H_9)_2Sn\{\mu\text{-}OSO_2C_6H_2(CH_3)_3\}_2]_n$ and its partially hydrolyzed product $[(n\text{-}C_4H_9)_2Sn\{(\mu\text{-}OH)(\mu\text{-}OSO_2C_6H_2(CH_3)_3)\}]_n$, **619**, 157
Sulphur ligands
The behaviour of polydentate hydrazonic ligands derived from 2-acetylpyridine towards organotin compounds: Part II. The monoorganotin(IV) complexes, **626**, 161
Superbases
Metallation reactions XXVII. Metallation of (methylthio)anilines, **620**, 263
Supercritical carbon dioxide
Highly efficient enantioselective catalysis in supercritical carbon dioxide using the perfluoroalkyl-substituted ligand (*R,S*)-3-H^2F^6-BINAPHOS, **621**, 130
Supercritical CO_2
$CpCo(CO)_2$-catalysed cyclotrimerisation of alkynes in supercritical carbon dioxide, **632**, 113
Transition-metal-mediated activation of arylisocyanates in supercritical carbon dioxide, **626**, 227
Supersilyl
Alkalimetalldisupersilylsilanide $MSiXR^*_2$ ($R^* = Si^tBu_3$; X = H, Me, Ph, Hal): Synthesen, Charakterisierung, Strukturen, Reaktionen, **628**, 46
Silylene R*XSi ($R^* = Si^tBu_3$; X = H, Me, Ph, Hal, R*): Bildung und Reaktionen, **628**, 57
Supine and *prone*
'*Supine*' or '*prone*' ligands: geometric preference of conjugated diene, 1-azadiene, and 1,4-diazadiene ligands on half-metallocene complexes of early transition metals, **621**, 224
supine Conformation
1,4-Diaza-1,3-diene (DAD) complexes of early transition elements. Syntheses, structures and molecular dynamics of mono- and bis(η^5-cyclopentadienyl)titanium-, zirconium- and hafnium(DAD) complexes. Crystal- and molecular structures of $CpTi(DAD)CH_2Ph$, $[CpTi(DAD)]_2O$, $CpZr[(DAD)(N^{-}O)]$ and $Cp_2Hf(DAD)$, **626**, 243
Supported catalysts
Chiral dioxomolybdenum(VI) complexes for enantioselective alkene epoxidation, **626**, 1
Supported complexes
Supported organometallic complexes: Part XXIII. A general synthetic route for the synthesis of mono-T-silyl functionalized aromatic phosphines as ligands for chemistry in interphases, **628**, 151
Supporting electrolyte
Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using $[NBu_4][B(C_6F_5)_4]$ as supporting electrolyte, **637-639**, 823
Supramolecular
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, **623**, 29
Supramolecular assembly
Second harmonic generation in ferrocene based hydrogen bonded assemblies, **637-639**, 827
Supramolecular chemistry
Preparation, properties, and reactions of metal-containing heterocycles: Part CVI. Three-dimensional water-soluble platinacyclophanes, **630**, 244
Supramolecular structures
Tuning selenium–iodine contacts: from secondary soft–soft interactions to covalent bonds, **623**, 14
Supramolecules
Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, **617-618**, 364
Surface organometallic chemistry
Surface organometallic chemistry of vanadium(V): reactivity of $(Bu^tN\text{–})VNp_3$ towards silica, **625**, 101
Surfactants
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, **637-639**, 469
Suzuki coupling
Short syntheses of 8-substituted 8'-[1-(1'-phenylthio)ferrocenyl]-1,1'-binaphthyls from Suzuki coupling reactions. A strategy for generating new chiral ligands and charge-transfer complexes, **637-639**, 832
Synthesis, X-ray, spectroscopic and a preliminary Suzuki coupling screening studies of a complete series of $dppfMX_2$ (M = Pt, Pd; X = Cl, Br, I), **637-639**, 691
Suzuki reaction
Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, **633**, 173
Syndiotactic
Synthesis of titanium trichloride complexes of 1,2,3-trisubstituted cyclopentadienyls and their use in styrene polymerization, **627**, 233
Synergic bonding
A historical perspective on Dewar's landmark contribution to organometallic chemistry, **635**, 1
Understanding the nature of the bonding in transition metal complexes: from Dewar's molecular orbital model to an energy partitioning analysis of the metal–ligand bond, **635**, 9
Synergistic effect
A new efficient Pd-catalyzed synthesis of diphenyl carbonate with heteropolyacid as a cocatalyst, **630**, 11
Synthesis
Chelating behaviour of a phosphinoalcohol leading to a stable alcohol palladium complex, **621**, 218
Dithioethers as ligands in pentamethylcyclopentadienylrhodium(III) and iridium(III) complexes. Crystal structures of $[\{(\eta^5\text{-}C_5Me_5)Rh\}_2(\mu\text{-}Cl)_2\{\mu\text{-}(MeS)_2CH_2\}](BF_4)_2\cdot H_2O$ and $[(\eta^5\text{-}C_5Me_5)IrCl_2\{\eta^1\text{-}(PhS)_2CH_2\}]$, **620**, 256
Ferrocene derivatives (II). Synthesis and reactions of 4-ferrocenyl-2-thiazolamine, **637-639**, 742
Internal ferrocenylalkynes—a comparative electrochemical and mass spectrometric study, **637-639**, 291
Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, **629**, 47
Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, **637-639**, 327
Rigid rod molecules containing two $Si(OMe)_3$ or $SiMe(OMe)_2$ groups for hybrid materials synthesis, **626**, 92
Syntheses of $[(MeC_5H_4)_2Ln[O\cdots C\cdots N(CH_2)_4CH_2]]_2$ (Ln = Yb, Y, Er) and the X-ray crystal structure of the ytterbium complex, **626**, 176
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, **637-639**, 398
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, **619**, 43
Synthesis of (−)-coniine and (−)-pipecoline using ruthenium catalyzed ring closing metathesis, **624**, 359
Synthesis of platinum complexes with $\eta^4\text{-}C_5Me_4(CF_3)H$ ligand. X-ray structure of $[Pt(\eta^4\text{-}C_5Me_4H_2)Cl_2]$ and $[Pt\{\eta^4\text{-}C_5Me_4(CF_3)H\}(\eta^5\text{-}C_5H_5)]PF_6$, **622**, 221

Synthesis of silacycloalkenes and silaspirenes by Ru(II)-catalyzed ring-closing metathesis reactions, **625**, 160

Tamoxifen
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, **637-639**, 500

Tantalum
Fluorenyl derivatives of early transition elements: a synthetic and structural study, **631**, 110

Tautomerism
Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, **630**, 67

Tautomers
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81

Taylorione
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, **630**, 104

t-Butyldimethylsilyl derivatives
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81

t-Butyldiphenylsilyl derivatives
Structure of monosilylated benzhydroxamic acids in crystals and solutions, **628**, 81

Technetium
Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, **637-639**, 772

Tellurides
Five- and six-membered ring Group 14 chalcogenides of the types $(Me_2ME)_2$ (M = Si, Ge, Sn), $E(Si_2Me_4)_2E$, $Me_4Si_2(E)_2MR_x$ (MR_x = $C(CH_2)_5$, $SiMe_2$, $GeMe_2$, $SnMe_2$, $SnPh_2$, BPh) and $[Me_4Si_2(E)_2SiMe-]_2$ (E = S, Se, Te), **627**, 23

Tellurium
Electrochemical and NMR spectroscopic studies of selenium- and tellurium-substituted ferrocenes I: ferrocenyl alkyl chalcogenides $[Fe(\eta\text{-}C_5H_5)(\eta\text{-}C_5H_4ER)]$, **623**, 101
New chalcogen derivatives of silicon possessing adamantane and noradamantane structures, **628**, 133
Synthesis and characterization of 2,5,7-trichalcogena-1,3,4,6-tetrasilanorbornanes $(RMeSiSiMe)_2E_3$ (R = Me, Ph/E = S, Se, Te), **627**, 144
Synthesis and spectroscopic characterization of new mixed ligand organotellurium(IV) compounds employing dithiocarbamates and imidotetraphenyldithiodiphosphinates. Crystal structure of $[C_4H_8Te(S_2CNEt_2)\{(SPPh_2)_2N\}]$, $[C_4H_8Te(S_2CNC_5H_{10})\{(SPPh_2)_2N\}]$ and $[C_4H_8Te(S_2CNC_4H_8S)\{(SPPh_2)_2N\}]$, **631**, 99
Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se, Te). Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)(\mu\text{-}MeS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ and $\{(\mu\text{-}t\text{-}BuS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)\}_2(\mu\text{-}p\text{-}SCH_2)_2C_6H_4$, **623**, 56

Tellurium(II) and (IV) complexes
Tellurium complexes with new, large-bite dithio ligands. The crystal structures of *cis*- and *trans*- $[Te\{Ph_2P(S)\text{–}N\text{–}P(S)(OPh)_2\}_2]$ and $[(4\text{-}MeOC_6H_4TeCl_3)_2\{\mu\text{-}^iPr_2P(S)\text{–}Fc\text{–}P(S)^iPr_2\}]$, **623**, 124

Tellurium(IV)
Synthesis, spectroscopic characterization and structural studies of dialkyl dithiophosphinate and *N,N*-dialkyl dithio- and monothio-carbamate derivatives of 1-iodo-1,1,2,3,4,5-hexahydrotellurophene, **623**, 74

Telluroether
Synthesis, spectroscopic and structural characterisation of complexes of the new ditelluroether 1,2-bis(methyltelluromethyl)benzene, $o\text{-}C_6H_4(CH_2TeMe)_2$. X-ray structures of $[Mn(CO)_3Cl\{o\text{-}C_6H_4(CH_2TeMe)_2\}]$ and $[W(CO)_4\{o\text{-}C_6H_4(CH_2TeMe)_2\}]$, **619**, 218

Terbinafine
Weakly ligated palladium complexes $PdCl_2(RCN)_2$ in piperidine: versatile catalysts for Sonogashira reaction of vinyl chlorides at room temperature, **624**, 114

Terdentate ligands
Novel structures of cyclometallated complexes of palladium(II) derived from terdentate ligands. Crystal and molecular structure of $[Pd\{C_6H_4C(H)\text{=}NCH_2CH_2CH_2NMe_2\}(X)]$ (X = Cl, Br, I), **620**, 8

Terdentate nitrogen–sulfur ligands
Palladium(0)–olefin complexes with potentially terdentate nitrogen–sulfur ligands. The role of the chelate in the olefin exchange path, **622**, 155

Terferrocene
From dihydropentafulvalenes to asymmetric biferrocene and terferrocene, **627**, 71

Terminal alkenes
α-Lithioalkoxysilanes: applications to alkene synthesis, **625**, 13

1-*tert*-Butyl-2-trimethylsilyl-, bis(trimethylsilyl)-, 1-trimethylgermyl-2-trimethylsilyl-, and 1-trimethylstannyl-2-trimethylsilylacetylenes
Fluoride ion mediated reactions of disubstituted acetylenes $Me_3SiC\text{≡}CMMe_3$ (M = C, Si, Ge, Sn) with terminal acetylenes, **634**, 69

Terthiophene carbaldehydes
Synthesis, structure and cytotoxicity of trimethylsilyl oligothienylcarbaldehydes and their derivatives, **636**, 26

Tertiaryphosphine
Synthesis and reactions of the dichloro bis(3-hexyne) complex $[WCl_2(CO)(NCMe)(\eta^2\text{-}EtC_2Et)_2]$, **628**, 91

Tertiaryphosphines
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), **623**, 48

Tetrabromide salt
Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, **623**, 87

Tetrachloroaurate
Cation–anion interactions in triphenyl telluronium salts. The crystal structures of $(Ph_3Te)_2[MCl_6]$ (M = Pt, Ir), $(Ph_3Te)[AuCl_4]$, and $(Ph_3Te)(NO_3)\cdot HNO_3$, **640**, 50

Tetrachloroplatinate
Cation–anion interactions in triphenyl telluronium salts. The crystal structures of $(Ph_3Te)_2[MCl_6]$ (M = Pt, Ir), $(Ph_3Te)[AuCl_4]$, and $(Ph_3Te)(NO_3)\cdot HNO_3$, **640**, 50

Tetrahydrofluorenyl
Novel octahydro- and tetrahydro-fluorenyl containing C_1 symmetric zirconocenes for the stereoregular polymerization of propylene, **631**, 29

Tetrahydrofurans
Regio- and stereoselective ring-opening dimerization–cross-coupling metathesis of 7-oxanorbornene derivatives, **627**, 105

Tetramethylcyclopentadienide derivatives
Chemistry of (tetramethylcyclopentadienyl)gallium(III) compounds, **626**, 59

Tetramethyl(trifluoromethyl)cyclopentadiene complexes
Synthesis of platinum complexes with $\eta^4\text{-}C_5Me_4(CF_3)H$ ligand. X-ray structure of $[Pt(\eta^4\text{-}C_5Me_4H_2)Cl_2]$ and $[Pt\{\eta^4\text{-}C_5Me_4(CF_3)H\}(\eta^5\text{-}C_5H_5)]PF_6$, **622**, 221

Tetranuclear lanthanide cluster complex
Partially cyclopentadienyl-substituted tetranuclear lanthanide Schiff base complexes, **628**, 99

Theoretical calculations
Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, **620**, 202
Theoretical studies
Metal–metal interaction in polynuclear complexes with cyanide bridges: synthesis, characterisation, and theoretical studies, **632**, 94
Thermal behaviour
Synthesis and thermal behaviour of cyclopentadienylnickel(II) thiolato Schiff base complexes. Molecular structures of $Ni(\eta^5\text{-}C_5H_5)(PBu_3)(SC_6H_4NC(H)C_6H_4C_6H_5)$ and $Ni(\eta^5\text{-}C_5H_5)(PBu_3)(SC_6H_4NC(H)C_6H_4OC_4H_9)$, **629**, 171
Thermal stabilities
Time-resolved gas-phase kinetic study of the reaction of germylene with propene over the temperature range 293–415 K: the thermal stabilities of germiranes, **636**, 49
Thermochemistry
Development of olefin metathesis catalyst precursors bearing nucleophilic carbene ligands, **617-618**, 17
Organometallic thermochemistry at CQE-IST. An overview, **632**, 188
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, **617-618**, 242
Thermochromism
Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2(Hpz^R)]$ complexes, **633**, 91
Thermodynamic data
New synthesis of a stable dialkylstannylene and its reversible complexation with tetrahydrofuran, **636**, 144
Thermolysis
Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, **620**, 39
Thiazolidines
Chiral ferrocenylthiazolidines, new ligands for palladium complexes, **637-639**, 116
Thiazolidone
Ferrocene derivatives (II). Synthesis and reactions of 4-ferrocenyl-2-thiazolamine, **637-639**, 742
Thiazolimines
Ferrocene derivatives (II). Synthesis and reactions of 4-ferrocenyl-2-thiazolamine, **637-639**, 742
Thioacetate
Palladium(II) phosphine thiocarboxylates. Structures of *cis*-$Pd(\kappa S\text{-}SOCMe)_2(dppf)$ [dppf = 1,1′-bis(diphenylphosphino)ferrocene] and *trans*-$Pd(\kappa S\text{-}SOCMe)_2(PPh_3)_2$, **637-639**, 757
Thioacylsilanes
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, **637-639**, 407
1-Thiocarbamoyl-4,5-dihydropyrazole
The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β-enones, **633**, 137
Thiocarbonyl
A novel cis-push–pull effect in cycloruthenated azobenzene thiocarbonyl-containing complexes: crystal and molecular structures of $[RuX(CS)(\eta^2\text{-}C,N\text{-}C_6H_4N{=}NPh)(PPh_3)_2]$(X = Cl, I), **620**, 60
Thiocyanato-bridged platinum organyls
Thiocyanato-bridged platinum heterocycles: structure and properties of disc-like metallomesogens, **620**, 249
Thioether
Synthesis and characterisation of novel multidentate ferrocene ligands and their Re(I) and Pt(II) complexes, **637-639**, 418
Synthesis and characterization of new thioether derivatives of $[Os_3(CO)_{12}]$ and $[H_2Os_3(CO)_{10}]$: crystal and molecular structures of $[Os_3(CO)_{11}(L)]$ [Et_2S, Pr_2S, $S(CH_2)_5$] and $[Os_3(CO)_9(\mu\text{-}H)(\mu\text{-}X)\{SMe(Bu^t)\}]$ (X = H, OH), **623**, 191
Thioethers
Metallation reactions XXVII. Metallation of (methylthio)anilines, **620**, 263
Thioformaldehyde
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, **617-618**, 520
Thioimine
Versatility in the mode of coordination $[(C)^-$, (N,S), $(C,N)^-$ or $(C,N,S)^-]$ of the Schiff base: $C_6H_5\text{–}CH\text{=}N\text{–}CH_2\text{–}CH_2\text{–}SEt$ to palladium(II). X-ray crystal structures of *cis*-$[Pd\{C_6H_5\text{–}CH\text{=}N\text{–}CH_2\text{–}CH_2\text{–}SEt\}Cl_2]$ and $[Pd\{C_6H_4\text{–}CH\text{=}N\text{–}CH_2\text{–}CH_2\text{–}SEt\}Cl]$, **629**, 97
Thiol
Formation of rhodium carbonyl thiolate dimers via elimination of dihydrogen; crystal and molecular structure of $[Rh_2(CO)_4(\mu\text{-}SC_6H_4CH_3)_2]$, **623**, 65
Thiolate
The reactions of $CpRu(PPh_3)_2SR$ with the electrophiles HBF_4, $[MeSSMe_2]BF_4$ and MeSphth where R = CMe_3, $CHMe_2$, 4-C_6H_4Me and phth = phthalimide, **622**, 1
Thiolate-bridged
Biscyclopentadienyl Group 6 metal complexes as metalloligands in the synthesis of heterobimetallic species. Crystal structures of new thiolato-bridged molybdenum(IV)–copper(I) complexes, **632**, 75
Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane: $[Mo(\eta^5\text{-}C_5H_5)_2(H)CO][Mn_3(CO)_9(\mu\text{-}SC_6H_3)_4]$, **620**, 276
Thiolates
New studies on the chemical oxidation of (bisη^5-cyclopentadienyl)dithiolatemolybdenum(IV) complexes. Crystal structures of $[Mo(\eta^5\text{-}C_5H_5)_2S(C_6H_4\text{-}o\text{-}SC_6H_5)][BF_4]$ and $[Mo(\eta^5\text{-}C_5H_5)_2(SC_6H_5)_2]$, **632**, 107
Thiolato complexes
Diastereoselective oxidative addition of cyclic thiosulfinates to platinum(0) compounds: chiral platinum(II) complexes with sulfenato ligands Crystal structures of $\overline{S(O)\text{–}CH_2\text{–}CH(OAc)\text{–}CH(OAc)\text{–}CH_2\text{–}S}$ and dppePt-$[S(O)\text{–}(CH_2)_4\text{–}S]$: Part 16. Metal complexes of functionalized sulfur-containing ligands, **621**, 352
Thiolato Schiff base complexes
Synthesis and thermal behaviour of cyclopentadienylnickel(II) thiolato Schiff base complexes. Molecular structures of $Ni(\eta^5\text{-}C_5H_5)(PBu_3)(SC_6H_4NC(H)C_6H_4C_6H_5)$ and $Ni(\eta^5\text{-}C_5H_5)(PBu_3)(SC_6H_4NC(H)C_6H_4OC_4H_9)$, **629**, 171
Thio ligands
Monomeric, dimeric and polymeric $[Cp_2MoH_2]$ complexes with Ag–S bonds, **630**, 169
Thionylphosphazene
Reactions of ferrocene-derived bis(hydroxymethyl) phosphine sulfides $FcCH(R)P(S)(CH_2OH)_2$ (R = H, CH_3) with cyclic thionylphosphazenes: crystal structures of $FcCH_2P(S)(CH_2O)_2PN(NPCl_2)[NS(O)Ph]$ and $FcCH_2P(S)(CH_2O)_2PN_2P[N(Me)CH_2]_2[NS(O)Ph]$ (Fc = ferrocenyl), **637-639**, 382
Thiophene
Reactions of Cp*Ir(2,5-dimethylthiophene) with electrophiles, acids, and maleic anhydride, **621**, 55
Star-shaped polyferrocenes based on thiophene and triphenylamine: synthesis, spectroscopy and electrochemistry, **637-639**, 139
The linear and nonlinear optical properties of organometallic chromophores derived from ferrocene, $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C\text{–}CH_3)]^+[BF_4]^-$ and terthienyl spacers. Crystal structure of 2-[(*E*)-2-ferrocenylethenyl]-5-(2-thienyl)thiophene, **637-639**, 435

Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, **632**, 3

Thiophene derivatives

Synthesis and crystal structures of carbene complexes with conjugated thiophene units, **617-618**, 280

Thiophilic addition

Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, **637-639**, 407

Thiosalicylate

Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, **625**, 40

Gold(III) thiosalicylate complexes containing cycloaurated 2-arylpyridine, 2-anilinopyridine and 2-benzylpyridine ligands, **631**, 41

Thiosemicarbazide

The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β-enones, **633**, 137

Thiosemicarbazone compounds

The key role of sulfur in thiosemicarbazone compounds. Crystal and molecular structure of [Pd{4-$MeOC_6H_4C(Me)$=NN=C(S)NHPh}$_2$], **623**, 176

Thiosulfinates

Diastereoselective oxidative addition of cyclic thiosulfinates to platinum(0) compounds: chiral platinum(II) complexes with sulfenato ligands Crystal structures of S(O)–CH_2–CH(OAc)–CH(OAc)–CH_2–S and dppePt[S(O)–$(CH_2)_4$–S]: Part 16. Metal complexes of functionalized sulfur-containing ligands, **621**, 352

Thiosulfonato

The synthesis and structure of the thiosulfonato iron complexes $CpFe(CO)_2SS(O)_2R$, **622**, 293

Thorium(III) cyclopentadienyls

Synthesis, properties and structures of the tris(cyclopentadienyl)thorium(III) complexes [Th{η^5-$C_5H_3(SiMe_2R)_2$-1,3}$_3$] (R = Me or ^{t}Bu), **636**, 124

Three-center bonds

Analogies between the chemical bonding topologies in metal–olefin complexes and in metallaboranes: the role of three-center two-electron bonding, **635**, 75

Three-component reaction

(η^5-C_5H_5)-Ring alkylation reaction with the $C_5H_5^-$ anion: towards the construction of tri-Fe complex Fe{[μ,η^5:η^4-5-*exo*-(1′-C_5H_4)C_5H_5]Fe$(CO)_2(PPh_3)$}$_2$, **637-639**, 549

$TiCl_4$–Zn reagent

A novel coupling reaction of 3-substituted 4-alkoxy and 4-aminocyclobutene-1,2-diones induced by $TiCl_4$–Zn, **629**, 213

Time-dependent density-functional response theory

Electronic structure and spectra of ruthenium diimine complexes by density functional theory and INDO/S. Comparison of the two methods, **635**, 187

Tin

Crystal and molecular structure of $H_2C(SnPh_2OMe)_2$·MeOH, **626**, 49

1,3 Dichloro- and 1,3 dibromotetra-*n*-butyldistannoxane mixtures: ligand redistribution and fluxional dynamics in distannoxanes, **620**, 211

Five- and six-membered ring Group 14 chalcogenides of the types $(Me_2ME)_3$ (M = Si, Ge, Sn), $E(Si_2Me_4)_2E$, $Me_4Si_2(E)_2MR_2$ (MR_2 = $C(CH_2)_5$, $SiMe_2$, $GeMe_2$, $SnMe_2$, $SnPh_2$, BPh) and [$Me_4Si_2(E)_2SiMe$–]$_2$ (E = S, Se, Te), **627**, 23

Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of [AgSn(μ-$SC_6H_4PPh_2)_2$-$Me_2(PPh_2Me)$]$CF_3SO_3CH_2Cl_2$, **622**, 274

Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, **619**, 74

New synthesis of a stable dialkylstannylene and its reversible complexation with tetrahydrofuran, **636**, 144

^{119}Sn-NMR spectroscopic study of the 1,3-dichloro- and 1,3-diacetoxytetra-*n*-butyldistannoxane binary system, **620**, 296

Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of 1,3,5-$(R_3Sn)_3C_3N_3S_3$ (R = Me, Ph), **627**, 6

Synthesis and spectroscopic studies of diorganotin derivatives with tolfenamic acid. Crystal and molecular structure of the first complex of tolfenamic acid, 1,2:3,4-di-μ_2-2-[(3-chloro-2-methylphenyl)amino]

-benzoato-*O*,*O*-1,3-bis-2-[(3-chloro-2-methylphenyl)amino]

benzoato-*O*-1,2,4:2,3,4-di-μ_3-oxo-tetrakis[di-*n*-butyltin(IV)]

, **620**, 194

Synthesis and X-ray crystal structures of *ansa*-complexes of titanium, zirconium, and hafnium involving methylene-bis(indenyl) ligand, **619**, 280

The initiation of ring-opening metathesis polymerisation of norbornadiene by seven-coordinate molybdenum(II) compounds. X-ray crystal structure of [Mo(μ-Cl)-$(SnCl_3)(CO)_3(\eta^4$-NBD)], **640**, 72

Tin-boron metathesis

The BF_3 and $B(C_6F_5)_3$-catalyzed 1,3-isomerization of allylic stannanes, **624**, 294

Tin-119 chemical shift

A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, **633**, 33

Titanacyclopentadiene

Preparation and reactions of monocyclic bis(cyclopentadienyl)titanacyclopentenes and -pentadienes, **633**, 18

Titanacyclopentene

Preparation and reactions of monocyclic bis(cyclopentadienyl)titanacyclopentenes and -pentadienes, **633**, 18

Titanasiloxanes

A novel cyclic titanasiloxane derived from $[Ph_2Si(OH)]_2O$: synthesis and crystal structure of [Cp*Ti(Cl)-$(OSiPh_2OSiPh_2OSiPh_2O)$], **625**, 195

Titanasilsesquioxanes

Silsesquioxane Chemistry, 4. Silsesquioxane Complexes of Titanium(III) and Titanium(IV), **620**, 80

Titanium

A highly efficient and practical preparation of 2,4-pentadienyltitaniums and their γ-selective addition reaction with aldehydes and ketones, **624**, 151

Aluminium zirconium (+3 and +4) heterometallic hydrido complexes of compositions [(η^5-C_5H_5)$_2$Zr(μ-H)]$_2$(μ-H)$AlCl_2$ and [(η^5-C_5H_5)$_2$ZrH(μ-H)]$_2$Al, **619**, 36

Amido- and imido-ethylpyridine titanium complexes. Crystal structure of {Ti[NCH_2CH_2py]Cl_2(THF)}$_2$, **632**, 17

Bis(iodozincio)methane — preparation, structure, and reaction, **617-618**, 39

C–C-bond formation in reactions of [(η^5-$C_5H_4SiMe_3$)$_2$-Ti(C≡CR^1)$_2$]CuR with acyl chlorides and anhydrides, **625**, 140

New half-sandwich metallocene catalysts for polyethylene and polystyrene, **634**, 19

Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, **628**, 30

Silsesquioxane Chemistry, 4. Silsesquioxane Complexes of Titanium(III) and Titanium(IV), **620**, 80

Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, **620**, 39

Synthesis and spectroscopic characterization of α-keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp*$ZrCl_2$(2-TCMP)], Cp* = η^5-C_5Me_5, 2-

TCMP = [{2-thiazolylcarbonyl}methylene]triphenylphosphorane, **629**, 68
Synthesis and structure of *ansa*-cyclopentadienyl pyrrolyl titanium complexes: $[(\eta^5\text{-}C_5H_4)CH_2(2\text{-}C_4H_3N)]Ti(NMe_2)_2$ and $[1,3\text{-}\{CH_2(2\text{-}C_4H_3N)\}_2(\eta^5\text{-}C_5H_3)]Ti(NMe_2)$, **640**, 79
Synthesis and X-ray crystal structures of *ansa*-complexes of titanium, zirconium, and hafnium involving methylene-bis(indenyl) ligand, **619**, 280
Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, **625**, 95
Synthesis of titanium trichloride complexes of 1,2,3-trisubstituted cyclopentadienyls and their use in styrene polymerization, **627**, 233
The effect of solubility on the stability of titanium(IV) arene complexes derived from hexasubstituted arenes and $TiCl_4$, **620**, 113
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of $[Zr(Ind)_2(NC_5H_{10})_2]$, **632**, 58
Titanium complexes
$\eta^5\text{-}C_5H_5$- and $\eta^5\text{-}C_5Me_5$-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $C_3H_2S_5$ ligand and high electrical conductivities of their oxidized species, **625**, 7
Continuous wave and pulse EPR as a tool for the characterization of monocyclopentadienyl Ti(III) catalysts, **634**, 185
Mono(cyclopentadienyl)titanium complexes containing a sulfide-bridged bis(phenolato) ligand. Molecular structure of $Ti\{2,2'\text{-}S(OC_6H_2\text{-}4\text{-}Me\text{-}6\text{-}^tBu)_2\}(\eta^5\text{-}C_5H_5)Cl$, **621**, 3
Titanium group metals
Carbene complexes of titanium group metals — formation and reactivity, **617-618**, 81
Titanium(II) derivatives
Carbon–carbon bond formation via oxidative-addition processes of titanium(II) reagents with π-bonded organic substrates. Reactivity modifications by Lewis acids and Lewis bases: Part 22. Organic chemistry of subvalent transition metal complexes, **624**, 229
Titanocene
Cyclic organohydroborate complexes of metallocenes: Part VI. Syntheses and structures of $Cp_2M\{(\mu\text{-}H)_2BR_2\}$ (M = Ti, Nb; $R_2 = C_4H_8$, C_5H_{10}, C_6H_{14}), **627**, 109
Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, **629**, 47
Structure and bonding of metallacyclocumulenes, radialenes, butadiyne complexes and their possible interconversion: a theoretical study, **635**, 204
Synthesis, structures and catalytic properties of Group 4 metallocenes based upon $[Me_2E(C_5H_4)(C_5Me_4)]_2$ (E = Si, Ge) supporting coordination, **634**, 145
Titanocene–ethylene complex
Preparation and reactions of monocyclic bis(cyclopentadienyl)titanacyclopentenes and -pentadienes, **633**, 18
Titanocenes
Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, **628**, 30
Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, **620**, 39
TMT ligand
Transition metal complexes of 2,4,6-trimercapto-1,3,5-triazine (TMT): potential precursors to nanoparticulate metal sulfides, **623**, 185
Tolfenamic acid
Synthesis and spectroscopic studies of diorganotin derivatives with tolfenamic acid. Crystal and molecular structure of the first complex of tolfenamic acid, 1,2:3,4-di-μ_3-2-[(3-chloro-2-methylphenyl)amino]-benzoato-*O*,*O*-1,3-bis-2-[(3-chloro-2-methylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di-μ_3-oxo-tetrakis[di-*n*-butyltin(IV)], **620**, 194
Topology and group theory
Chemical applications of topology and group theory: Part 35. Non-octahedral six-coordinate tris(dithiolene) and related complexes of the early transition metals, **623**, 95
Total synthesis
A short synthesis of (−)-dendrobine. Some observations on the nickel mediated radical cyclisation and on the Pauson–Khand reaction, **624**, 316
1,3-Transannular interactions
Synthesis and structure of organoantimony (V) cyclometallates: transannular interactions and the barrier to cyclisation, **622**, 265
Trans-effect
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, **635**, 37
Transfer hydrogenation
P-chiral β-aminophosphine oxides vs. β-aminophosphines as auxiliaries for ruthenium catalysed enantioselective transfer hydrogenation of arylketones, **626**, 157
Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, **633**, 79
Trans-influence
cis- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0), $[Mo(CO)_4(tmpPh)_2]$. Syntheses and structures, **622**, 297
Trans-influences in mononuclear cyclopalladated compounds containing a σ(Pd–C_{sp^2}, ferrocene) bond. X-ray crystal structures of $[Pd\{[(\eta^5\text{-}C_5H_3)\text{-}CH\text{-}N\text{-}CH_2\text{-}C_6H_5]Fe(\eta^5\text{-}C_5H_5)\}(X)(PPh_3)]$ with $X^- = Br^-$ and I^-, **625**, 67
Transition metal
Synthesis, characterization and reactions of cluster complexes containing SeRuCoM (M = Mo or W) core and a functionally substituted cyclopentadienyl ligand, **628**, 123
Transition metal catalyst
Highly diastereoselective desymmetrizing intramolecular cyclization of allylstannane with a diketone promoted by Lewis acid or transition metal complex, **624**, 136
Transition metal complexes
A simple access to palladium complexes of functionalized heterocyclic carbenes, **626**, 100
Three coordinate divalent Group 14 element compounds with a β-diketiminate as supporting ligand L^2MX [L^2 = PhNC(Me)CHC(Me)NPh, X = Cl, I; M = Ge, Sn], **622**, 190
Transition metal chemistry of phosphorus based ligands: synthesis and transition metal chemistry of *N*,*N*′-dimethyl,-bis(-diphenylphosphino)ethylenediamine. The crystal and molecular structure of $[ReBr(CO)_3\{Ph_2PN(Me)\text{-}CH_2CH_2(Me)NPPh_2\}]$, **628**, 76
Transition metals
Early transition metal and lanthanide bis(iminophosphorano)methandiide complexes; 'pincer' and bridging bis(-phosphorus) metal carbenes, **617-618**, 158
Transition-state
The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex $[(\eta^5\text{-}C_5H_5)(CO)_2Fe\text{=}CH\{(\eta^6\text{-}o\text{-}CH_3OC_6H_4)Cr(CO)_3\}]^+$, **617-618**, 751
Trans ligand effect
The metal–carbon stretching frequencies in methyl complexes of Rh, Ir, Ga and In with porphyrins and a tetradentate pyridine–amide ligand, **634**, 61

Transmetalation
Reaction of alkynylsilanes with CuCl in polar solvents leading to alkynyl group transfer from Si to Cu, **620**, 282
Reactions of $HOSiMe_2Ar$ with $Pt–PPh_3$ complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, **629**, 61
Transmetallation
Carbon–carbon bond formation by means of organotellurium compounds, **623**, 43
On the steric course of transmetallations on enantiomerically defined α-carbamoyloxy organolithiums, **624**, 364
Studies on the cyclometallation of ferrocenylimines, **637-639**, 27
Triangular clusters
Reactions of the μ-alkyne-dicobalt complexes $[Co_2(CO)_6(\mu\text{-}CF_3–C{\equiv}C–R)]$ (R = CF_3, H) with $[Co_2Cp_2(\mu\text{-}SMe)_2]$: substitution and insertion leading to novel thiolato-alkyne tetra- and tricobalt clusters, **635**, 110
Triarylamine
Star-shaped polyferrocenes based on thiophene and triphenylamine: synthesis, spectroscopy and electrochemistry, **637-639**, 139
Triazepine
A new class of triazepine–ruthenium(II) complexes: synthesis, crystal structure and NMR spectroscopic properties, **619**, 265
1,3,5-Triazine-2,4,6-trithiolato
Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of $1,3,5\text{-}(R_3Sn)_3C_3N_3S_3$ (R = Me, Ph), **627**, 6
Triazolato ligands
Reactions of the cationic complex $[(\eta^5\text{-}C_5Me_5)_2Ir_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, **634**, 12
β-Tributylstannylacrolein dibenzyloxyacetal
Reactivity of γ-benzyloxyallyltins with cyclohexylidene glyceraldehydes, **624**, 383
Tricarbene chelating ligands
Homoleptic carbene complexes: Part VIII. Hexacarbene complexes, **617-618**, 530
Tricarbonylchromium complexes
Meta, *para* and *meta*, *ortho* double *exo* nucleophilic additions of trimethylsilylester enolates derived from saturated and unsaturated carboxylic acids to tricarbonylchromium complexes of aryl ethers: dearomatizing cyclization to lactones, **621**, 284
Tricarbonyliron
Regio- and stereoselectivity in long-range asymmetric induction controlled by carbonyliron groups: crystal structures of dicarbonyl-L-[(1,2,3,4,5-η)-1-R-4-methoxycyclohexadienyl]-iron(1+) hexafluorophosphate(1−) [(R = isopropenyl, L = CO), (R = 1-styryl, L = CO), (R = 1-prop-1-enyl, L = PPh_3)] and tricarbonyl[methyl(2,3,4,5-η)-2-carbomethoxy-2-(4-methoxy-1-(1′-methylethenyl)cyclohexadien-1-yl)ethanoate]iron(0), **630**, 88
Tricarbonylmanganese
Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, **632**, 3
(Trichloromethyl)silanes
Friedel–Crafts alkylation of benzene with (polychloromethyl)-silanes, **631**, 36
Tridentate ligand
New half-sandwich metallocene catalysts for polyethylene and polystyrene, **634**, 19
Triethylamine
Reaction of 1,3-diynes with the electron rich iron complex $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-dppe})Fe–Cl$. A new and direct access to the iron butadiynyl complex $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-dppe})Fe–C{\equiv}CC{\equiv}CSiMe_3$, **629**, 39
Triferrocenyl derivatives
An investigation of the chemistry of ferrocenoyl derivatives. The synthesis and reactions of ferrocenoyl imidazolide and its derivatives, **637-639**, 266
Triflic acid
Synthesis and characterization of organotin triflate clusters, **624**, 287
Trigonal twist
Migratory insertion and CO substitution reactions of the β,γ-unsaturated esters and amides $[Fe_2(CO)_5(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2\}]$ (Nu = OMe, OEt, OPr^i, NHPh, $NHBu^t$): synthesis and characterisation of acyl-bridged $[Fe_2(CO)_4L_2(\mu\text{-}PPh_2)(\mu\text{-}C{=}O\{C{=}CH_2\}CH_2C(O)Nu)]$ (L_2 = dppm, dppe) and alkenyl-bridged $[Fe_2(CO)_4\{P(Ome)_3\}_2(\mu\text{-}PPh_2)(\mu\text{-}\eta^1{:}\eta^2\text{-}\{NuC(O)CH_2\}C{=}CH_2)]$, **620**, 150
Trimethoxysilanes
Rigid rod molecules containing two $Si(OMe)_3$ or $SiMe(OMe)_2$ groups for hybrid materials synthesis, **626**, 92
Trimethylenemethane
Electronic properties of the trimethylenemethaneiron tricarbonyl group, **620**, 308
Trimethylene tethers
Self-assembly of $[Cu(CN)_4]^{3-}$ ions with cationic $\{Me_3Sn\}^+$ or $\{Me_2Sn(CH_2)_3SnMe_2\}^{2+}$ fragments in the presence of a $^nBu_4N^+$ template, **621**, 254
Trimethylsilyl
Synthesis, structure and cytotoxicity of trimethylsilyl oligothienylcarbaldehydes and their derivatives, **636**, 26
Trinuclear
Catalytic hydrogenation of aromatics under biphasic conditions: isolation and structural characterisation of the cluster intermediate $[(\eta^6\text{-}C_6Me_6)_2(\eta^6\text{-}C_6H_6)Ru_3(\mu_2\text{-}H)_2(\mu_2\text{-}OH)(\mu_3\text{-}O)]^+$, **621**, 103
Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane: $[Mo(\eta^5\text{-}C_5H_5)_2(H)CO][Mn_3(CO)_9(\mu\text{-}SC_6H_5)_4]$, **620**, 276
(Triphenylmethyl)silanes
Friedel–Crafts alkylation of benzene with (polychloromethyl)-silanes, **631**, 36
Triphenylphosphine
Facile displacement of cyclohexadienide ligand from $K[Cr(\eta^5\text{-}C_6H_7)(CO)_3]$ to give crystallographically characterized *trans*-$[Cr(CO)_4(PPh_3)_2]$, **631**, 188
Triphenylphosphine oxide complex
Preparation, crystal structure determination, and properties of adducts of halogenomethyl compounds of indium with Group 16 donors, **626**, 68
Triphenylphosphonium-sulfur methylide
Preparation, crystal structure determination, and properties of adducts of halogenomethyl compounds of indium with Group 16 donors, **626**, 68
Triphenyltelluronium
Cation–anion interactions in triphenyl telluronium salts. The crystal structures of $(Ph_3Te)_2[MCl_6]$ (M = Pt, Ir), $(Ph_3Te)[AuCl_4]$, and $(Ph_3Te)(NO_3)\cdot HNO_3$, **640**, 50
Triphos ligand
Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands, **617-618**, 233
Triphosphane
Triphosphane formation from the terminal zirconium phosphinidene complex $[Cp_2Zr{=}PDmp(PMe_3)]$ (Dmp = 2,6-$Mes_2C_6H_3$) and crystal structure of $DmpP(PPh_2)_2$, **630**, 193

Triphospholyl
Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[M(\eta^1\text{-}P_3C_2Bu_2)_2(NC_5H_5)_n]$ (M = Zn, $n = 2$; M = Cd, $n = 3$), **633**, 143
Triphos phosphines
Synthesis and X-ray structures of RuCpClL [L = $(\eta^1\text{-}PPh_2py)_2$ and η^2-triphos] and $[RuCp\{\eta^3\text{-}(PPh_2)_3CH\}][PF_6]$. The first $\eta^1\text{-}(PPh_2)_3CH$ complex of Ru(II), **628**, 1
Triple bonded ligand system
Cationic chelate phosphane substituted carbyne tungsten complexes, **622**, 97
Tripodal ligands
Cationic derivatives of $RhCl[P(\eta^2\text{-}C_7H_7)_3]$. An intramolecular Diels–Alder rearrangement in the tripodal ligand tri(1-cyclohepta-2,4,6-trienyl)phosphane, $P(C_7H_7)_3$, **621**, 166
Tertiary stibines containing aromatic heterocycles and their silver complexes: synthesis and X-ray structures, **634**, 5
Tripod phosphines
Synthesis and X-ray structures of RuCpClL [L = $(\eta^1\text{-}PPh_2py)_2$ and η^2-triphos] and $[RuCp\{\eta^3\text{-}(PPh_2)_3CH\}][PF_6]$. The first $\eta^1\text{-}(PPh_2)_3CH$ complex of Ru(II), **628**, 1
Tris(dimethylsilyl)methyl
Reactions of $[LiC(SiMe_2H)_3]\cdot 2THF$: Sterically hindered tris(dimethylsilyl)methane derivatives and their hydrosilylation, **620**, 127
Tris(2-hydroxyphenyl)amine
Structure of an oxo-bridged germatrane dimer, **620**, 133
tris-(Pentafluorophenyl)borane
The BF_3 and $B(C_6F_5)_3$-catalyzed 1,3-isomerization of allylic stannanes, **624**, 294
2,3,6-Trisubstituted piperidines
1,4-Bis(arylsulfonyl)dihydropyridines in synthesis. Enantioselective synthesis of 2,3,6-trisubstituted piperidines, **624**, 380
Trisyl
Anchimeric assistance by γ-substituents Z, Z = MeO, PhO, MeS or PhS, in reactions of the bromides $(Me_3Si)_2(ZMe_2Si)$-$CSiMe_2Br$ with $AgBF_4$, **640**, 29
Tritium
Behaviour of monocomplexed 1,4-diynes in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, **630**, 118
T-Silyl functionalized phosphines
Supported organometallic complexes: Part XXIII. A general synthetic route for the synthesis of mono-T-silyl functionalized aromatic phosphines as ligands for chemistry in interphases, **628**, 151
Tungsten
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, **617-618**, 656
2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand, **617-618**, 640
Isolation of a diketone species that is allylically bound to tungsten, and its relationship to a tungsten η^2-ketone complex, **630**, 215
Mixed-metal cluster chemistry. Part 17. Syntheses of $WIr_3(CO)_{11}(\eta\text{-}C_5H_4Me)$ and its reactivity towards diphenylacetylene, **631**, 143
Mixed-metal cluster chemistry. Part 18. Synthesis and crystal structure of $W_3Ir_3(\mu_4\text{-}\eta^2\text{-}CO)(\mu\text{-}CO)(CO)_{10}(\eta\text{-}C_5H_4Me)_3$, **631**, 139
Molecular modeling of the olefin metathesis by tungsten(0) carbene complexes, **630**, 157
Photosubstitution of carbon monoxide in $W(CO)_6$ by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, **622**, 74
Preparation and properties of the halogenoalkyl compounds $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_iMe_{3-i})Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; $i = 0–3$; X = Br, I) and $[\{\eta^5\text{-}C_5(CH_3)_5\}(CO)_3Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; X = Br, I) and the crystal structures of $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3I\}]$, $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3Br\}]$ and $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_3)Mo\{(CH_2)_3I\}]$, **633**, 39
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, **617-618**, 423
Stereoselective insertion of $GeCl_2$ into tungsten–chlorine bonds of aminomethylene and aminocarbyne complexes, **628**, 11
Syntheses and some reactions of complexes containing carbon chains capped by ferrocenyl and $W(CO)_3Cp$ groups, **637-639**, 484
Synthesis and crystal structures of carbene complexes with conjugated thiophene units, **617-618**, 280
Synthesis and reactions of the dichloro bis(3-hexyne) complex $[WCl_2(CO)(NCMe)(\eta^2\text{-}EtC_2Et)_2]$, **628**, 91
Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, **633**, 66
Synthesis of *supine–prone* bis(diene)tungsten complexes bearing catecholate and diphenylacetylene ligands, **627**, 221
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, **617-618**, 182
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, **617-618**, 571
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, **617-618**, 520
Tungsten alkyl complexes
Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, **617-618**, 495
Tungsten and chromium Fischer type carbenes
Synthesis of electron donor–acceptor polyunsaturated methylenepyran Fischer type carbene complexes: dynamic ^{1}H-NMR study and solvatochromic properties, **626**, 37
Tungsten Aryl complexes
Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, **617-618**, 495
Tungsten(0) complexes
Molecular modeling of the olefin metathesis by tungsten(0) carbene complexes, **630**, 157
Tungsten complexes
C–O bond activation in carbene-*C,O* chelate tungsten(II) complexes — MeX elimination in the reaction of $[X_2(CO)_3W{=}C(C_6H_4OMe\text{-}o)OMe]$ with L_2 (L_2 = dppe, 2 PMe_3), **634**, 209
Tungsten(II)
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), **622**, 228
Tungsten vinylidenes
Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, **617-618**, 444

Unbridged metallocene complexes
Unbridged metallocene dichloride complexes with mono-substituted indenyl ligands and their application for the polymerization of propene, **621**, 304

α,β-Unsaturated carbene complexes
Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, **617-618**, 261
α,β Unsaturated carbonyl compounds
Reduction of α,β unsaturated carbonyl compounds by Ni^{2+}–BH_4^-, **620**, 90
γ-Unsaturated carboxylic acids
Transition-metal catalyzed synthesis of δ-hydroxy-γ-lactones from bis(trimethylsilyl) ketene acetals and allylic acetates via γ-unsaturated carboxylic acids. Comments on the formation of α-cyclopropyl carboxylic acids, **624**, 186
α,β-Unsaturated phosphine
Reactivity of lithium diphenylphosphonium diylides towards phosphorus electrophiles: Synthesis of α,β-unsaturated phosphorus compounds, **624**, 307
Unsaturated phosphorus heterocycles
Phosphinidene reactivity toward unsaturated phosphorus heterocycles, **617-618**, 311
Unsymmetrical 8,8′-disubstituted 1,1′-binaphthyls
Short syntheses of 8-substituted 8′-[1-(1′-phenylthio)ferrocenyl]-1,1′-binaphthyls from Suzuki coupling reactions. A strategy for generating new chiral ligands and charge-transfer complexes, **637-639**, 832
Unsymmetric bisphosphines
Synthesis of achiral, but unsymmetric, seven-membered rhodium(I)-chelates for hydrogenation in the chiral environment of alkyl polyglucoside micelles, **621**, 120
Uranium
Back bonding without σ-bonding: a unique π-complex of dinitrogen with uranium, **635**, 69
Uranium compounds
Bond dissociation enthalpies of U(IV) complexes. An integrated view, **632**, 209
Urea
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on urea ligands, **619**, 132
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, **617-618**, 242
UV
UV and Raman study of thermochromic phase transition in poly(di-*n*-hexylgermane), **636**, 164
UV–vis spectrometry
Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, **637-639**, 327

Vanadium
Alkylaminophosphanyl substituted half-sandwich complexes of vanadium(III) and chromium(III): preparation and reactivity in ethylene polymerisation, **640**, 21
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, **635**, 153
Vanadium(V)
Surface organometallic chemistry of vanadium(V): reactivity of $(Bu^tN{=})VNp_3$ towards silica, **625**, 101
Vinyl
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Stabilisation of alkynyl dithiocarboxylates at a ruthenium centre: X-ray crystal structures of $[Ru(H)(CO)(S_2CC{=}CPh)(PPh_3)_2]$, $[Ru(CO)(CPh{=}CHPh)(S_2CC{=}CPh)(PPh_3)_2]$ and $[Ru(CO)(C{=}CMes)(S_2CC{=}CPh)(PPh_3)_2]$, **619**, 209
Vinyl carbenoid
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, **617-618**, 3
Vinyl esters
Behaviour of monocomplexed 1,4-diynes in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, **630**, 118
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, **630**, 104
Vinyl ethers
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, **630**, 104
Vinylidene
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, **632**, 215
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, **633**, 114
Synthesis, structure and reactivities of the dinuclear μ-η^1:η^6-arylethynyl ruthenium complexes $[Cp(PR_3)_2Ru(\mu\text{-}\eta^1{:}\eta^6\text{-}C{=}CC_6H_4Me\text{-}p)RuCp^*]\text{-}Cl$ (R = Ph, Me; Cp = η^5-C_5H_5, Cp* = η^5-C_5Me_5). The molecular structure of $[Cp(PPh_3)_2Ru(\mu\text{-}\eta^1{:}\eta^6\text{-}C{=}CC_6H_4Me\text{-}p)RuCp^*]\text{-}PF_6$, **625**, 133
Vinylidene complex
Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}{=}C(OEt)CH_2\text{-}CH_2(EtO)C{=}\}$, (E)-$\{Cp'(CO)_2Mn\}_2\{\mu\text{-}{=}C(OEt)CH{=}CH(EtO)C{=}\}$ and $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}{=}\overline{CN(Ph)CH(Ph)CHCHCH(Ph)N(Ph)C}{=}\}$, **617-618**, 681
Vinylidene complexes
Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, **617-618**, 261
Stereoselective synthesis of chiral terminal (E)-1,3-enynes derived from the aldehydes $(1R)$-(−)-myrtenal and (S)-(−)-perillaldehyde using the alkynyl–phosphonio complex $[Ru\{C{=}CCH_2(PPh_3)\}(\eta^5\text{-}C_9H_7)(PPh_3)_2][PF_6]$ as synthon, **621**, 39
Synthesis and characterization of planar-chiral cyclopentadienyl-ruthenium–vinylidene complexes, **617-618**, 601
Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes, **617-618**, 301
The reaction of ferrocenyl acetylene with $[RuCp(PR_3)(CH_3CN)_2]PF_6$ (R = Me, Ph, Cy). Formation of the first allenyl carbene complexes, **637-639**, 70
Vinylidenes
Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with $PPh_2(2\text{-}MeC_6H_4)$, **617-618**, 511
Vinylpolysiloxanes
Cross-coupling of vinylpolysiloxanes with aryl iodides, **624**, 372
Vinylsilanes
α-Lithioalkoxysilanes: applications to alkene synthesis, **625**, 13
Silsesquioxane chemistry: Part 5. New silyl-functionalized silsesquioxanes, **625**, 1
Voltammetry
Electrochemical and NMR spectroscopic studies of selenium- and tellurium-substituted ferrocenes I: ferrocenyl alkyl chalcogenides $[Fe(\eta\text{-}C_5H_5)(\eta\text{-}C_5H_4ER)]$, **623**, 101

Wang resin
Solid phase cross-coupling reaction of aryl(halo)silanes with 4-iodobenzoic acid, **624**, 208
Water solubility
Water soluble ferrocenyl and polyferrocenyl compounds: synthesis and electrochemistry, **637-639**, 595
Water-soluble carbene complex
Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, **633**, 27
Water-soluble catalyst
Catalytic hydrogenation of aromatics under biphasic conditions: isolation and structural characterisation of the cluster intermediate $[(\eta^6\text{-}C_6Me_6)_2(\eta^6\text{-}C_6H_6)Ru_3(\mu_2\text{-}H)_2(\mu_2\text{-}OH)(\mu_3\text{-}O)]^+$, **621**, 103
Water-soluble complexes
Preparation, properties, and reactions of metal-containing heterocycles: Part CVI. Three-dimensional water-soluble platinacyclophanes, **630**, 244
Weak hydrogen bonds
Reaction chemistry, NMR spectroscopy, and X-ray crystallography of $[Fe_2(\mu\text{-}SiMe_2)_2(CO)_4]$ and $[Fe_2(\mu\text{-}SiMeCl)_2(CO)_4]$. Electronic structure and bonding in Fe_2E_2 rings of $[Fe_2(\mu\text{-}ER_2)_2(CO)_4]$ binuclear complexes (E = C, Si, Ge, Sn, Pb), **628**, 241
White phosphorus
Highly reactive σ-organonickel complexes in electrocatalytic processes, **630**, 185
Wittig reaction
Reactivity of lithium diphenylphosphonium diylides towards phosphorus electrophiles: Synthesis of α,β-unsaturated phosphorus compounds, **624**, 307
Solvent-free synthesis of ferrocenylethene derivatives, **625**, 128
Synthesis of α-phenylseleno-α,β-unsaturated esters by Wittig-type reactions. Studies on the Diels–Alder reaction, **623**, 131
Wittig reactions
Stereoselective synthesis of chiral terminal (*E*)-1,3-enynes derived from the aldehydes (1*R*)-(−)-myrtenal and (*S*)-(−)-perillaldehyde using the alkynyl–phosphonio complex $[Ru\{C{=}CCH_2(PPh_3)\}(\eta^5\text{-}C_9H_7)(PPh_3)_2][PF_6]$ as synthon, **621**, 39
W_2S_2 unit
New ligand substitution modes of $M_2(\mu\text{-}SR)_2(CO)_8$ (M = Mo, W; R = alkyl, aryl): synthesis, structure and properties of new di-nuclear metal(I) carbonyl thiolates, $[M_2(\mu\text{-}SPh)_2(CO)_xL_y]^{n-}$ (M = Mo, W; $x = 6, 8$; $y = 0, 1$; L = PhS, $(Ph)_2PCH_2P(Ph)_2$ and S_2CNEt_2; $n = 1, 0$) and a polymer $[W_2(\mu\text{-}SPh)_2(CO)_6(Ph)_2PCH_2P(Ph)_2]_n$, **640**, 127
W_2Te_2 complex
Reactions of metal–metal triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ (M = Mo, W) with diphenyl ditelluride. Crystal structures of $[(\eta^5\text{-}MeC_5H_4)Mo_2(CO)_4(\mu\text{-}TePh)_3]$ and $[(\eta^5\text{-}EtO_2CC_5H_4)_2W_2(CO)_4(\mu\text{-}TePh)_2]$, **626**, 192

Xenon
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, **625**, 255
X-ray
An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, **634**, 122
^{31}P-NMR and X-ray studies of new rhodium(I) β-ketoiminato complexes $Rh(R_1C(O)CHC(NH)R_2)(CO)(PZ_3)$ where $PZ_3 = PPh_3$, PCy_3, $P(OPh)_3$ or $P(NC_4H_4)_3$, **628**, 195
Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), **633**, 7
Synthesis of new ferrocene containing diamines and their use in epoxy resins, **637-639**, 837
Synthesis, X-ray, spectroscopic and a preliminary Suzuki coupling screening studies of a complete series of $dppfMX_2$ (M = Pt, Pd; X = Cl, Br, I), **637-639**, 691
X-ray analyses
A new class of triazepine–ruthenium(II) complexes: synthesis, crystal structure and NMR spectroscopic properties, **619**, 265
X-ray analysis
A new ligating mode for the anions of the type $[R_2P(S)NP(S)R_2]^-$: study of the interaction of $[K\{Me_2P(S)NP(S)Me_2\}]$ with the early transition halometalcarbonyl, $[BrMn(CO)_5]$, **626**, 113
Conformational behavior of 3-borabicyclo[3.3.1]nonanes. Intramolecular p–σ and p–π interactions in 3,7-*endo*-disubstituted 3-borabicyclo[3.3.1]nonanes, **636**, 3
X-ray analysis of cp-disilanes
Novel cyclopentadienyl silanes and disilanes: synthesis, structure and gas-phase pyrolysis, **620**, 20
X-ray crystallography
Reactions of titanocene-bis(trimethylsilyl)ethyne complexes with diethynylsilane derivatives, **628**, 30
Schiff bases derived from mercury(II)–aminothiolate complexes as metalloligands for transition metals, **623**, 137
Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, **619**, 299
The oxidative addition of diphenyl diselenide and ditelluride to tetrakis(triphenylphosphine)palladium, **623**, 168
X-ray crystal structure
Bridge cleavage of $[\{PhP(Se)(\mu\text{-}Se)\}_2]$ by 1,2-$C_6H_4(EH)(E'H)$ (E, E' = O or NH). X-ray crystal structure of Ph-P(Se)(NHC_6H_4NH-1,2), **623**, 116
X-ray crystal structure analysis
Multistep redox properties of 2,2′-bipyridylboronium substituted ferrocenes, **637-639**, 390
X-ray crystal structures
2,2-Dihydroxy-methylcyclosiloxanes and other 2,2-difunctional methylcyclosiloxanes, **626**, 53
Lithiation studies of $[PhP(CH_2Ph)_3]Cl$; X-ray crystal structure of the phosphoniodiylide $[(TMEDA)Li(PhCH)_2PPh(CH_2Ph)]$ and its rhodium and chromium complexes, **625**, 236
Reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with symmetric diynes and their reactivity towards $[Co_2(CO)_8]$, **635**, 119
Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of $Os[Si(OEt)_3]R(CO)(PPh_3)_2$ and $Os[Si(OEt)_3]R(CO)_2(PPh_3)_2$ (R = phenyl or *o*-tolyl), **625**, 77
Synthesis, structure and reactivities of the dinuclear $\mu\text{-}\eta^1{:}\eta^6$-arylethynyl ruthenium complexes $[Cp(PR_3)_2Ru(\mu\text{-}\eta^1{:}\eta^6\text{-}C{=}CC_6H_4Me\text{-}p)RuCp^*]\cdot Cl$ (R = Ph, Me; Cp = η^5-C_5H_5, Cp^* = η^5-C_5Me_5). The molecular structure of $[Cp(PPh_3)_2Ru(\mu\text{-}\eta^1{:}\eta^6\text{-}C{=}CC_6H_4Me\text{-}p)RuCp^*]\cdot PF_6$, **625**, 133
X-ray diffraction
Electron acceptors of the fluorene series: Part 12. 9-(Metalloceneylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, **637-639**, 445
Reactions of $Cp(NAr)NbMe_2$ with H_2 and $HSiMe_2Cl$. Molecular structure of $[CpNb(\mu\text{-}NAr)Me]_2$ (Ar = 2,6-$C_6H_3^iPr_2$), **628**, 25

Synthesis and characterisation of $[M(\eta^5\text{-}NC_4Me_4)(CH_2Ph)_3]$ (M = Ti, Zr, Hf) and $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$. Structural determination and bonding of $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$ depicting an agostic interaction, **632**, 157

Synthesis and structural characterization of (4,7-dioxaoctyl)phenyldichlorostannane and triphenyltin compounds containing various polyoxaalkyl moieties, **634**, 55

Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, **619**, 43

Synthesis, bonding and dynamic behavior of *fac*-$[Mo(II)(CO)_2(\eta^3\text{-allyl})]$ derivatives, **632**, 197

X-ray diffraction analysis

Rhenium(I) organometallic complexes with novel bis(mercaptoimidazolyl)borates and with hydrotris(mercaptoimidazolyl)borate: chemical and structural studies, **632**, 41

X-ray structural analysis

Stereoselectivity of formation of polycyclic ferrocenyl-4,5-dihydropyrazoles based on *E*- and *Z*-*s*-*cis*-α,β-enones, **628**, 107

X-ray structural study

Chemistry of (tetramethylcyclopentadienyl)gallium(III) compounds, **626**, 59

X-ray structure

Chelating phosphines with low coordinated phosphorus atoms: Part I. Phosphaalkenes associated with phosphine moieties — X-ray structure of *cis*-$(CO)_4Mo[ortho\text{-}Ph_2P\text{-}C_6H_4\text{-}CH\text{=}P(t\text{-}Bu_3C_6H_2)]\cdot C_7H_{16}$, **626**, 106

Crystal and molecular structure of $H_2C(SnPh_2OMe)_2\cdot MeOH$, **626**, 49

Cyclopalladation versus hydroxylation. A case of pH dependence, **629**, 28

Ferrocene derivatives (I). Synthesis and X-ray structure determination of *N*-*o*-methylphenylferrocenesulfonamide, **637-639**, 738

Interaction of half-sandwich alkylmolybdenum(III) complexes with $B(C_6F_5)_3$. The X-ray structure of $[CpMo(\eta^4\text{-}C_4H_6)(\mu\text{-}Cl)(\mu\text{-}CH_2)(O)MoCp][CH_3B(C_6F_5)_3]$, **640**, 113

Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, **633**, 114

Oxidative dehydrodimerization of manganese phenylvinylidene complex $(\eta^5\text{-}C_5H_5)(CO)_2Mn\text{=}C\text{=}C(H)Ph$. X-ray structure of phenyl(trityl)vinylidene complex $(\eta^5\text{-}C_5H_5)(CO)_2Mn\text{=}C\text{=}C(CPh_3)Ph$, **631**, 47

Reactions of $Rh(SbPh_3)_3(CO)X$ (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodiacyclopent-3-ene-2-one complexes, **630**, 44

Silsesquioxane chemistry: Part 5. New silyl-functionalized silsesquioxanes, **625**, 1

Single and double nucleophilic addition to methylated podocarpic acid coordinated to manganese tricarbonyl, **630**, 84

Syntheses of $\{(MeC_5H_4)_2Ln[O\cdots\overline{C\cdots N(CH_2)_4CH_2}]\}_2$ (Ln = Yb, Y, Er) and the X-ray crystal structure of the ytterbium complex, **626**, 176

Synthesis and structure analysis of tricarbonyl[tetrakis(1′-methylcyclopropyl)cyclobutadiene]iron(0), **624**, 110

X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, **625**, 200

X-Ray structure analysis

Chiral chelate phosphanes: XI. Application of cyclopentane-based C_2 chiral bis(phosphane) ligands $C_5H_6(PR_2)_2$ to Pt–Sn-catalyzed styrene hydroformylation, **630**, 221

4-Ethinyl-benzonitrile-ferrocenes bridged by a $Pd(PPh_3)_2$ unit; the solid-state structure of $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4C\equiv CC_6H_4\text{-}C\equiv N\text{-}1,4)$, **637-639**, 198

Synthese des Cyclotetrasiloxans $[(Me)(C_6H_4CH_2NMe_2\text{-}2)\text{-}SiO]_4$ und dessen strukturanalytische Untersuchung, **633**, 157

Thiocyanato-bridged platinum heterocycles: structure and properties of disc-like metallomesogens, **620**, 249

X-ray structures

A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, **629**, 165

A study of Noyori's reagent, **621**, 231

Chelating behaviour of a phosphinoalcohol leading to a stable alcohol palladium complex, **621**, 218

Degradation of a methacrylate-substituted oxozirconium cluster by acetylacetone, **636**, 172

Homoleptic carbene complexes: Part VIII. Hexacarbene complexes, **617-618**, 530

In situ synthesis of the first C_7 cumulene $(Fc)_2C\text{=}C\text{=}C\text{=}C\text{=}C\text{=}C(Fc)_2$ via deprotonation of its conjugate acid $[(Fc)_2C_7H(Fc)_2]^+BF_4^-$ (Fc = ferrocenyl), **622**, 135

Metallocenes of the alkaline earth metals and their carbene complexes, **617-618**, 588

N-Acyl-*N*,*N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, **622**, 6

Reactions of the μ-alkyne-dicobalt complexes $[Co_2(CO)_6(\mu\text{-}CF_3\text{–}C\equiv C\text{–}R)]$ (R = CF_3, H) with $[Co_2Cp_2(\mu\text{-}SMe)_2]$: substitution and insertion leading to novel thiolato-alkyne tetra- and tricobalt clusters, **635**, 110

Semimasked 1,1′-diethynylferrocenes: synthetic concepts, preparations, and reactions, **637-639**, 558

Structure of an oxo-bridged germatrane dimer, **620**, 133

Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se, Te). Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)(\mu\text{-}MeS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ and $\{(\mu\text{-}t\text{-}BuS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)\}_2[(\mu\text{-}p\text{-}SCH_2)_2C_6H_4]$, **623**, 56

Synthesis of platinum complexes with $\eta^4\text{-}C_5Me_4(CF_3)H$ ligand. X-ray structure of $[Pt(\eta^4\text{-}C_5Me_4H_2)Cl_2]$ and $[Pt\{\eta^4\text{-}C_5Me_4(CF_3)H\}(\eta^5\text{-}C_5H_5)]PF_6$, **622**, 221

Synthesis of single and double butterfly iron carbonyl complexes by reactions of $[(\mu\text{-}RSe)(\mu\text{-}CO)Fe_2(CO)_6]^-$ anions. Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)[\mu\text{-}PhCH_2N(H)C\text{=}S]Fe_2(CO)_6$ and $[(\mu\text{-}PhSe)(\mu\text{-}MeAs)Fe_2(CO)_6]_2$, **627**, 255

Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III): the orthometalation of *trans*-azobenzene, **625**, 186

Ylide

Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, **617-618**, 723

2-Ynamides

Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, **622**, 84

Ytterbium

Syntheses of $\{(MeC_5H_4)_2Ln[O\cdots\overline{C\cdots N(CH_2)_4CH_2}]\}_2$ (Ln = Yb, Y, Er) and the X-ray crystal structure of the ytterbium complex, **626**, 176

Yttrium

Cyclooctatetraene complexes of yttrium and the lanthanides with chiral and achiral aminotroponiminates, **621**, 277

Syntheses of $\{(MeC_5H_4)_2Ln[O\cdots\overline{C\cdots N(CH_2)_4CH_2}]\}_2$ (Ln = Yb, Y, Er) and the X-ray crystal structure of the ytterbium complex, **626**, 176

Zero-valent complexes
Synthesis and characterisation of rhodium(0) and rhodium(−1) complexes stabilised by 1,1′-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [Rh(dppf)$_2$] and [Na(THF)$_3$][Rh(dppf)$_2$]·THF, **637-639**, 710
Z,*E*-separation
Solvent-free synthesis of ferrocenylethene derivatives, **625**, 128
(*Z*)-Germyl(stannyl)ethenes
Synthesis of (*Z*)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via Pd(dba)$_2$–P(OCH$_2$)$_3$CEt-catalyzed germastannation of acetylenes in THF, **622**, 302
Ziegler–Natta catalyst
Benzyl group abstraction from Ti(CH$_2$Ph)$_4$ by B(C$_6$F$_5$)$_3$ and [Ph$_3$C][B(C$_6$F$_5$)$_4$] to form Ziegler–Natta and carbocationic alkene polymerization initiators, **619**, 62
Zinc
A single-strand polymer of hexacoordinated zinc(II) phosphodiester complex, **624**, 58
Bis(iodozincio)methane — preparation, structure, and reaction, **617-618**, 39
New heterometallic copper zinc alkoxides: synthesis, structure properties and pyrolysis to Cu/ZnO composites, **630**, 253
New preparation of benzylic zinc reagents via a fragmentation reaction, **624**, 88
Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, **617-618**, 702
Study on structural properties and solution dynamics of zinc complexes with the (*N*,*N*-dimethylaminomethyl)ferrocenyl ligand, **620**, 243
Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes [M(η^1-P$_3$C$_2^t$Bu$_2$)$_2$(NC$_5$H$_5$)$_n$] (M = Zn, n = 2; M = Cd, n = 3), **633**, 143
Zincated cyclopentadienyl compounds
Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, **622**, 66
ZINDO
Electronic structure and spectra of ruthenium diimine complexes by density functional theory and INDO/S. Comparison of the two methods, **635**, 187
Zirconium
Aluminium zirconium (+3 and +4) heterometallic hydrido complexes of compositions [(η^5-C$_5$H$_5$)$_2$Zr(μ-H)]$_2$(μ-H)AlCl$_2$ and [(η^5-C$_5$H$_5$)$_2$ZrH(μ-H)$_2$]$_3$Al, **619**, 36
Degradation of a methacrylate-substituted oxozirconium cluster by acetylacetone, **636**, 172
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, **625**, 180
Fluorenyl derivatives of early transition elements: a synthetic and structural study, **631**, 110
Preparation and crystal structures of the complexes (η^5-C$_5$H$_3$TMS–CMe$_2$–η^5-C$_{13}$H$_8$)MCl$_2$ and [3,6-di^{t}But$_2$C$_{13}$H$_6$–SiMe$_2$–N^{t}Bu]MCl$_2$ (M = Hf, Zr or Ti): mechanistic aspects of the catalytic formation of a isotactic–syndiotactic stereoblock-type polypropylene, **621**, 267
Reactivity of the dinuclear fulvalene cyclopentadienyl zirconium cationic species [{Zr(η^5-C$_5$H$_5$)}$_2$(μ-CH$_2$)(μ-Cl)(μ-η^5-C$_5$H$_4$-η^5-C$_5$H$_4$)]$^+$ with isocyanides and carbon monoxide: insertion reactions, spectroscopic characterization and synthetic aspects, **634**, 177
Syntheses and properties of the novel co-catalysts *N*,*N*-dimethylanilinium- and trityl[tetrakis[4-(trifluoromethyl)-2,3,5,6-tetrafluorophenyl]borate], **621**, 177
Synthesis and spectroscopic characterization of π-keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp*ZrCl$_3$(2-TCMP)], Cp* = η^5-C$_5$Me$_5$, 2-TCMP = [{2-thiazolylcarbonyl}methylene]triphenylphosphorane, **629**, 68
Synthesis and X-ray crystal structures of *ansa*-complexes of titanium, zirconium, and hafnium involving methylene-bis(indenyl) ligand, **619**, 280
Synthesis, structure and ethylene polymerization behavior of zirconium complexes with chelating ketoiminate ligands, **620**, 1
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of [Zr(Ind)$_2$(NC$_3$H$_6$)$_2$], **632**, 58
Zirconium complexes
η^5-C$_5$H$_5$- and η^5-C$_5$Me$_5$-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate C$_4$H$_4$S$_4$ ligand and high electrical conductivities of their oxidized species, **625**, 7
Zirconocene
Structure and bonding of metallacyclocumulenes, radialenes, butadiyne complexes and their possible interconversion: a theoretical study, **635**, 204
Synthesis, structures and catalytic properties of Group 4 metallocenes based upon [Me$_2$E(C$_5$H$_4$)(C$_5$Me$_4$)]$_2$ (E = Si, Ge) supporting coordination, **634**, 145
Zirconocene complexes
Group 4 metallocenes containing hetaryl substituents at their π-ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, **622**, 143
Zirconocene dichloride
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)(η^5-fluorenyl)zirconium dichloride, **625**, 154
Zirconocenes
Novel octahydro- and tetrahydro-fluorenyl containing C_1 symmetric zirconocenes for the stereoregular polymerization of propylene, **631**, 29

AUTHORS

If you want to make the best of your artwork send it in the correct digital format

All articles accepted for publication in Elsevier Science journals are processed using electronic production methods. Authors should therefore ensure that their artwork conforms to the following guidelines:

- **Colour and greyscale images** should be supplied as **TIFF** or **EPS** files (resolution 300 dpi).
- **Line drawings (black & white or colour)** should be supplied as **EPS** files

If you need help to create files in these formats, go to ***www.elsevier.nl/locate/authorartwork/formats***

Please also note:

- We still need a good quality hard copy of each figure in case the electronic file cannot be used. The hard copy and electronic file must match exactly.
- We can use floppy disks, ZIP disks or CD-ROM. Artwork files should be on a separate disk or CD to article text files.
  www.elsevier.nl/locate/authorartwork/media
- Only standard fonts should be used, for example:
  Times, Times New Roman, Helvetica, Arial, Symbol
  www.elsevier.nl/locate/authorartwork/formats
- Lines should be a minimum width of 0.5 pt.
  www.elsevier.nl/locate/authorartwork/linewidth
- Only standard colours should be used.
  www.elsevier.nl/locate/authorartwork/colours
- Lettering should be a consistent size and appropriate to the size of the figure.
  www.elsevier.nl/locate/authorartwork/sizing
- An image which looks acceptable on a computer may not reproduce well, so it is important to ensure that these guidelines are followed.

Our Author Artwork website has all the information you need on how to submit your artwork correctly. Visit it today at:

www.elsevier.nl/locate/authorartwork

ELSEVIER

NORTH HOLLAND

PERGAMON

The FREE e-mail service which delivers Elsevier Science book and journal tables of contents directly to your PC

CONTENTS direct

Sign-up is simple!

1. ALL YOU HAVE TO DO IS VISIT THE CONTENTSDIRECT WEBSITE
2. FOLLOW THE INSTRUCTIONS TO REGISTER YOUR BOOK AND JOURNAL INTERESTS ONLINE
3. THEN SIT BACK AND ENJOY ADVANCE E-MAIL NOTIFICATION OF THE VERY LATEST RESEARCH IN YOUR AREAS OF INTEREST

REGISTER TODAY

www.elsevier.com/locate/contentsdirect

Guide for Authors

Submission of papers

Authors of Regular Papers, Preliminary Communications and Priority Communications should submit a **disk** together with **four** copies of their manuscripts (complete in all respects) to one of the Regional Editors. Subject Reviews are published upon invitation by the Subject Reviews Editor.

Regional Editors

Professor R.D. Adams, Department of Chemistry and Biochemistry, University of South Carolina, Columbia, SC 29208, USA.

Professor G. Bertrand, Université Paul Sabatier, Hétéro-Chimie Fondamentale et Appliquée, 118, Route de Narbonne, F-31062 Toulouse Cedex 04, France.

Professor W.A. Herrmann, Institut für Anorganische Chemie, Technische Universität München, Lichtenbergstrasse 4, D-85747 Garching, Germany.

Professor D.M.P. Mingos, F.R.S., The Principal's Lodgings, St. Edmund Hall, Queens Lane, Oxford OX1 4AR, UK.

Professor K. Tatsumi, Research Center for Materials Science, Nagoya University, Furo-cho, Chikusa-ku, Nagoya 464-8602, Japan.

Subject Reviews Editor

Professor G. van Koten, Department of Organic (Metal-Mediated) Synthesis, Utrecht University, Transitorium 3, Padualaan 8, NL-3584 CH Utrecht, The Netherlands.

Book Reviews Editor

Professor G.J. Leigh, Department of Chemistry, Physics and Environmental Science, University of Sussex, Brighton BN1 9QJ, UK.

Contributions are accepted on the understanding that authors have obtained the necessary authority for publication. Submission of an article must be accompanied by a statement that the article is original and unpublished and is not being considered for publication elsewhere. Upon acceptance of an article by the Journal, the author(s) will be asked to transfer the copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Disk preparation

The files should be saved in the native format of the word processing program used. Most popular word processor file formats are acceptable, though we cannot guarantee the usability of all formats. The disk format, word-processor format, file name(s) and the title and authors of the article should be indicated on the disk. The content of the disk must correspond exactly to the hard copy version of the paper.

For specific enquiries on the preparation of electronic artwork, consult http://www.elsevier.com/locate/authorartwork/

Manuscript Preparation

Language. Papers will primarily be published in English. Papers in French or German can also be published, and should have an Abstract in English as well as the Résumé or Zusammenfassung. Authors in Japan please note that upon request, Elsevier Science K.K. will provide a list of people who can check and improve the English of their paper (*before submission*). Please contact our Tokyo office: Elsevier Science K.K., Editorial Service, 1–9–15 Higashi Azabu, Minato-ku, Tokyo 106, Japan; Tel. +81-3-5561-5032; Fax: +81-3-5561-5045; E-mail: info@elsevier.co.jp. Some flexibility of presentation will be allowed, but authors are urged to arrange the subject matter clearly under such headings as *Introduction, Experimental, Results, Discussion*, etc. All contributions should include a concise, informative *Abstract*, and a maximum of six *Keywords*. References should be numbered consecutively throughout the text and should be collected together in a reference list (headed *References*) at the end of the paper. All *equations*, *tables* and *legends* should be numbered consecutively and separately throughout the paper.

Illustrations. Line drawings should be in a form suitable for reproduction. Illustrations can be printed in colour when they are judged by the Editor to be essential to the presentation. The publisher and the author will each bear part of the extra costs involved. Further information concerning colour illustrations and the costs to the author can be obtained from the publisher.

Graphical Abstract. The Contents Lists contain Graphical Abstracts. The authors are therefore asked to provide a drawing or reaction scheme of restricted size illustrating their work plus a synopsis of maximum 50 words.

Proofs

Authors will receive proofs by e-mail (pdf attachment) or fax and are requested to send their corrections as soon as possible. No new material may be inserted in the text at the time of proof-reading. *A Note added in proof* must be dated and the author must have requested and received the Editor's approval.

All articles must indicate the name and full postal address (including **E-mail, telephone** and **fax** numbers) of the author to whom proofs should be sent.

Offprints

Twenty-five offprints of each paper will be supplied free of charge to the author(s). Additional offprints (minimum 25) may be ordered at prices shown on the offprint order form.

There are no page charges.

Other enquiries

Visit the Author Gateway from Elsevier Science (http://authors.elsevier.com) for the facility to track accepted articles and set up e-mail alerts to inform you of when an article's status has changed. The Author Gateway also provides detailed artwork guidelines, copyright information, frequently asked questions and more.

Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication.

Authors did you know...

- Your article published with Elsevier Science is also included in ScienceDirect, the world's largest scientific network, reaching over 9 million scientists and researchers at **www.sciencedirect.com.**
- If your institute or organisation currently subscribes to ScienceDirect, you now have access to the full text of those journals in your subscription package at your desktop.
- ScienceDirect allows you to keep track of citations to your article via e-mail. You can set up a personal profile to ensure you are kept up-to-date with publications in your specialist areas of research.
- The publication of your article is announced in advance to thousands of registrants to our FREE e-mail alerting service **ContentsDirect**. Find out more by accessing **www.elsevier.com/locate/contentsdirect**
- Your article will be available in the ScienceDirect electronic archive and as such accessible to the millions of scientists visiting our database for an unlimited period of time.

ScienceDirect provides the articles **you** need for **your** research – **www.sciencedirect.com**

SCIENCE DIRECT® SCIENCE DIRECT® WEB editions

To find out more about publishing your article with Elsevier Science, access **www.elsevier.com/homepage/authors**

0022-328X(20020429)649:S;1-m


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0